

IUE REFERENCES

from 1978 until October 2000

J. Fernley¹, P. Pitts², M. Barylak^{1,4}

R. González-Riestra³, E. Solano³, A. Talavera³

¹ ESA IUE Observatory, PO Box 50727, 28080 Madrid, Spain

² NASA GSFC, Greenbelt, Maryland

³ Laboratorio de Astrofísica Espacial y Física Fundamental
PO Box 50727, 28080 Madrid, Spain

⁴ Affiliated with the Astrophysics Division, Space Science Department
ESTEC, the Netherlands

We have compiled a list of references to IUE publications covering the period from 1978 until October 2000. This compilation is based upon earlier works of Mead et al. (1986), Pitts (1991) and our own. The IUE satellite has provided the scientific community with over 110,000 UV spectra which are now in the public domain. Prospective user of these IUE data are provided with a list that holds a total of 3725 IUE papers from the following journals:

Journal	Abbreviation	Nr.
Astronomical Journal	AJ	197
Astronomy and Astrophysics	A&A	967
Astronomy and Astrophysics Supplement	A&AS	93
Astrophysical Journal	APJ	1486
Astrophysical Journal Supplement	APJS	110
Astrophysics and Space Science	AP&SS	69
Advances in Space Research	ASR	3
Geophysical Research Letters	GRL	10
Irish Astronomical Journal	IAJ	2
Icarus	ICARUS	56
Journal of Geophysical Research	JGR	19
Monthly Notices of the Royal Astr. Soc.	MNRAS	409
Nature	NATURE	53
Proceedings of the National Academy of Science	PNAS	2
Proceedings Astron. Soc. of Australia	PASA	3
Publications Astron. Soc. of Japan	PASJ	6
Publications of the Astron.Soc.of Pacific	PASP	166
Revista Mexicana de Astronomia y Astrofisica	RMAA	18
Science	SCIENCE	2
Others (BAIC, M&P, RSPT, etc.)		54
Total		3725

We trust that this compilation is useful although we have not added other publications like meeting abstracts, conference proceedings, or other popular articles.

References

Mead, J.M., Brotzman, L.E., Kondo, Y.: 1986, NASA Newsletter No. 30, Aug. 1986.

Pitts, P.: 1991, NASA Newsletter No. 44, May 1991.

List of IUE References from 1978 until October 2000

1. A'Hearn, M.F., Feldman, P.D. 1980, APJ, 242, L187. Carbon in Comet Bradfield 1979I
2. A'Hearn, M.F., Feldman, P.D., Schleicher, D.G. 1983, APJ, 274, L99. The discovery of S2 in comet Iras-Araki-Alcock 1983d
3. A'Hearn, M.F., Schleicher, D.G., Feldman, P.D., Millis, R.L., Thompson, D.T. 1984, AJ, 89, 579. Comet Bowell 1980b
4. A'Hearn, M.F., Schleicher, D.G., West, R.A. 1985, APJ, 297, 826. Emission by OD in comets
5. A'Hearn, M.F., Birch, P.V., Feldman, P.D., Millis, R.L. 1985, ICARUS, 64, 1. Comet Encke: gas production and lightcurve
6. A'Hearn, M.F., Schleicher, D.G. 1988, APJ, 331, L47. Comet P/Encke's nongravitational force
7. A'Hearn, M.F., Feldman, P.D. 1992, ICARUS, 98, 54. Water vaporization on Ceres
8. Aannestad, P.A. 1995, APJ, 443, 653. Ultraviolet extinction to 10.8 inverse microns
9. Abbott, D.C. 1982, APJ, 263, 723. The return of mass and energy to the interstellar medium by winds from early-type stars
10. Adam, J., Koppen, J. 1985, A&A, 142, 461. Models for the planetary nebulae NGC 4361 and NGC 1535: influence of the stellar wind on the nebular ionization
11. Adam, J., Baschek, B., Johansson, S., Nilsson, A.E., Brage, T. 1987, APJ, 312, 337. Ultraviolet doubly excited FeII lines in the laboratory and in the A-type star 21 Pegasi
12. Adams, S., Seaton, M.J. 1982, MNRAS, 200, 7P. Ultraviolet spectra of planetary nebulae - VII. The abundance of carbon in the very low excitation nebula He2 - 131
13. Adams, S., Seaton, M.J., Howarth, I.D., Auriere, M., Walsh, J.R. 1984, MNRAS, 207, 471. K648, the planetary nebula in the globular cluster M15
14. Adelman, S.J., Shore, S.N. 1981, PASP, 93, 85. The ultraviolet spectrum of the peculiar A star HD 51418
15. Adelman, S.J., Leckrone, D.S. 1984, PS, T8, 25. On the need for spectroscopic data in ultraviolet stellar spectral synthesis calculations
16. Adelman, S.J. 1985, PASP, 97, 970. On the ultraviolet energy distributions and the temperatures of peculiar B and A stars
17. Adelman, S.J., Leckrone, D.S. 1986, A&A, 162, 373. The ultraviolet IUE spectrum of the population II horizontal-branch A star HD 109995
18. Adelman, S.J., Cacciari, C., Leckrone, D.S. 1991, A&AS, 88, 393. A line identification study of the IUE SWP high dispersion spectrum of the UV-bright star Barnard 29 of Messier 13
19. Adelman, S.J., Cowley, C.R., Leckrone, D.S., Roby, S.W., Wahlgren, G.M. 1993, APJ, 419, 276. The abundances of the elements in sharp-lined early-type stars from IUE high-dispersion spectrograms. I. Cr, Mn, Fe, Ni, and Co
20. Ahmad, I.A., Chapman, R.D., Kondo, Y. 1983, A&A, 126, L5. Mg II profile variations of Zeta Aurigae
21. Ahmad, I.A., Parsons, S.B. 1985, APJ, 299, L33. Discovery of an accretion shock cone in 22 Vulpeculae

22. Ahmad, I.A. 1986, APJ, 301, 275. IUE observations of accretion columns in two Zeta Aurigae-type systems
23. Ahmad, I.A., Stencel, R.E. 1988, APJ, 329, 797. The stellar wind velocity function for red supergiants determined in eclipsing binaries
24. Ahmad, I.A. 1989, APJ, 338, 1011. The accretion wake of 31 Cygni
25. Aiello, S., Barsella, B., Chlewicki, G., Greenberg, J.M., Patriarchi, P., Perinotto, M. 1988, A&AS, 73, 195. Atlas of the wavelength dependence of ultraviolet extinction in the galaxy
26. Ajello, J.M., James, G.K., Kanik, I., Franklin, B.O. 1992, JGR, 97, 10473. The complete UV spectrum of SO₂ by electron impact. 1. The vacuum ultraviolet spectrum
27. Ake, T.B., Parsons, S.B., Kondo, Y. 1985, APJ, 298, 772. The newly discovered eclipsing supergiant 22 Vulpeculae
28. Ake, T.B., Johnson, H.R. 1988, APJ, 327, 214. A white dwarf companion to the main-sequence star 4 Omicron-1 Orionis and the binary hypothesis for the origin of peculiar red giants
29. Ake, T.B., Johnson, H.R., Ameen, M.M. 1991, APJ, 383, 842. An interactive companion to the S star HD 35155
30. Albert, C.E., Blades, J.C., Morton, D.C., Lockman, F.J., Proulx, M., Ferrarese, L. 1993, APJS, 88, 81. A high-resolution optical and radio study of Milky Way halo gas
31. Aldrovandi, S.M.V., Contini, M. 1984, A&A, 140, 368. Composite models for the narrow line regions of active galactic nuclei. II. The UV lines
32. Alecian, G. 1982, A&A, 107, 61. On the detection of abundance stratifications in peculiar stars through the curve of growth method
33. Alecian, G., Artru, M.-C. 1987, A&A, 186, 223. The diffusion of gallium in main-sequence peculiar stars
34. Allard, N., Kielkopf, J. 1991, A&A, 242, 133. Temperature and density dependence of the Lyman-alpha line wing in hydrogen-rich white dwarf atmospheres
35. Allen, D.A. 1983, MNRAS, 204, 113. The symbiotic star H1-36
36. Allen, D.A., Wright, A.E. 1988, MNRAS, 232, 683. A model of the symbiotic star RX Puppis
37. Allende Prieto, C., Lambert, D. L. 2000, AJ, 119, 2445. The Near-Ultraviolet Continuum of Late-Type Stars
38. Aller, L.H., Keyes, C.D., Czyzak, S.J. 1981, APJ, 250, 596. The optical and ultraviolet spectra of the high excitation planetary nebula, CD -23 12238 = Me 2-1
39. Aller, L.H., Ross, J.E., O'Mara, B.J., Keyes, C.D. 1981, MNRAS, 197, 95. A spectroscopic study of the high excitation nebula NGC 6302
40. Aller, L.H., Keyes, C.D., Ross, J.E., O'Mara, B.J. , 1981, MNRAS, 197, 647. An analysis of the planetary nebula NGC 2867
41. Aller, L.H. 1983, APJ, 273, 590. A spectroscopic study of some planetary nebulae in the Large Magellanic Cloud
42. Aller, L.H., Keyes, C.D., Czyzak, S.J. 1985, APJ, 296, 492. Spectrum of the high-excitation planetary nebula NGC 6741 (33-2.1)

43. Aller, L.H., Keyes, C.D., Feibelman, W.A. 1986, APJ, 311, 930. Spectrum and chemical analysis of the double-ring planetary nebula IC 1297
44. Aller, L.H., Keyes, C.D., Feibelman, W.A. 1986, PNAS, 83, 2777. Ultraviolet spectrum and probable chemical composition of the high-excitation planetary nebula M1-1
45. Aller, L.H., Keyes, C.D., Maran, S.P., Gull, T.R., Michalitsianos, A.G., Stecher, T.P. 1987, APJ, 320, 159. Physical parameters for 12 planetary nebulae and their central stars in the Magellanic Clouds
46. Aller, L.H., Keyes, C.D., Feibelman, W.A. 1988, PASP, 100, 192. Two compact planetary nebulae of moderate excitation: NGC 6565 (3-4.5) and NGC 6644 (8-7.2)
47. Aller, L.H. 1990, PASP, 102, 1097. The chemical compositions of gaseous nebulae
48. Aller, L.H. 1994, APJ, 432, 427. Abundances, planetary nebulae, and stellar evolution
49. Aller, L.H., Hyung, S., Feibelman, W.A. 1996, PASP, 108, 488. The spectrum of the Planetary Nebula NGC6790
50. Allocchio, C., Morossi, C., Vladilo, G. 1984, A&A, 130, 410. The IUE blaze function in the Mg II region
51. Alloin, D., Boisson, C., Pelat, D. 1988, A&A, 200, 17. Evidence for an accretion disc in Akn 120
52. Alloin, D., Santos-Lleo, M., Peterson, B.M., Wamsteker, W., Altieri, B., Brinkmann, W., Clavel, J., Crenshaw, D.M., George, I.M., Glass, L.S., Johnson, W.N., Kriss, G.A., Malkan, M.A., Polidan, R.S., Reichert, G.A., Rodriguez-Pascual, P.M., Romanishin, W., Starr, C.H., Stirpe, G.M., Taylor, M., Turner, T.J., Vega, H., Winge, C., Wood, D.O.S. 1995, A&A, 293, 293. A snapshot of the continuous emission of the active galactic nucleus in NGC 3783 from gamma-ray to radio wavelengths
53. Almozno E., Brosch N., 1998, MNRAS, 298, 920. Late-type dwarf galaxies in the Virgo cluster - I. The samples
54. Altamore, A., Baratta, G.B., Cassatella, A., Grasdalen, G.L., Persi, P., Viotti, R. 1980, A&A, 90, 290. Ultraviolet, optical, and infrared observations of the Herbig Be star HD 200775
55. Altamore, A., Angeletti, L., Capuzzo-Dolcetta, R., Giannone, P. 1981, A&A, 103, 424 Ultraviolet spectrophotometry of the galactic globular cluster M5
56. Altamore, A., Baratta, G.B., Cassatella, A., Friedjung, M., Giangrande, A., Ricciardi, O., Viotti, R. 1981, APJ, 245, 630. Ultraviolet and coordinated ground-based observations of Z Andromedae
57. Altamore, A., Giangrande, A., Viotti, R. 1982, A&AS, 49, 511. The ultraviolet spectrum of KQ Puppis (Boss 1985)
58. Altamore, A., Angeletti, L., Capuzzo-Dolcetta, R., Giannone, P. 1983, A&A, 118, 332. On the stellar content of the galactic globular cluster M5
59. Altamore, A., Rossi, C., Rossi, L., Villada de Arnedo, M. 1990, A&A, 234, 332. The ultraviolet spectrum of solar analogs
60. Altamore, A., Rossi, C., Viotti, R., Baratta, G. 1992, A&AS, 92, 685. The spectrum of the VV Cephei star KQ Puppis (Boss 1985). II. Atlas of the optical and ultraviolet spectrum
61. Altamore, A., Cassatella, A. 1997, A&A, 317, 712. The 1978-1995 variability of the symbiotic star AG Pegasi in the ultraviolet

62. Altner, B., Chapman, R., Kondo, Y., Stencel, R. 1986, *A&AS*, 65, 199. Scattered light in the IUE spectra of Epsilon Aurigae
63. Altner, B., Matilsky, T.A. 1993, *APJ*, 410, 116. Ultraviolet properties of individual hot stars in globular cluster cores. I. NGC 1904 (M 79)
64. Amado, P.J., Doyle, J.G., Byrne, P.B., Cutispoto, G., Kilkenny, D., Mathioudakis, M., Neff, J.E. 2000, *A&A*, 359, 159. Rotational modulation and flares on RS CVn and BY Dra stars. XX. Photometry and spectroscopy of CC Eri in late 1989
65. Ambruster, C.W., Pettersen, B.R., Sundland, S.R. 1989, *A&A*, 208, 198. High resolution IUE observations of the flare star AD Leonis: implications for the Mg II Wilson-Bappu effect
66. Ambruster, C.W., Fekel, F., Guinan, E., Hrivnak, B. 1997, *APJ*, 479, 960. The extremely active single giant 1E 1751+7046 = ET Draconis: Revised properties and a re-evaluation of its evolutionary status
67. Anderson, S.F., Wachter, S., Margon, B., Downes, R.A., Blair, W.P., Halpern, J.P. 1994, *APJ*, 436, 319. Ultraviolet spectra of HZ Herculis/Hercules X-1 from HST: hot gas during total eclipse of the neutron star
68. Andrea, J., Drechsel, H., Sniijders, M.A.J., Cassatella, A. 1991, *A&A*, 214, 111. The nebular stage of Nova PW Vulpeculae
69. Andrea, J., Drechsel, H., Starrfield, S. 1994, *A&A*, 291, 869. Element abundances of classical novae
70. Andrews, A.D., Rodono, M., Linsky, J.L., Brown, A., Butler, C.J., Catalano, S., Scaltriti, F., Busso, M., Nha, I.-S., Oh, J.Y., Henry, M.C.D., Hopkins, J.L., Landis, H.J., Engelbrektson, S. 1988, *A&A*, 204, 177. Rotational modulation and flares on RS CVn and BY Dra stars IX. IUE spectroscopy and photometry of II Peg and V711 Tau during February 1983
71. Angelini, L., Osborne, J.P., Stella, L. 1990, *MNRAS*, 245, 652. The changing soft X-ray light curve of the AM Her system MR Serpentis (PG 1550+191)
72. Anthony-Twarog, B.J., Shawl, S.J., Twarog, B.A. 1992, *AJ*, 104, 2229. CN anomalies in extremely metal-deficient red giants
73. Antonucci, R.R.J, Cohen, R.D. 1983, *APJ*, 271, 564. Time development of the emission lines and continuum of NGC 4151
74. Anupama, G.C., Prabhu, T.P. 1991, *MNRAS*, 253, 605. H-alpha variability in the quiescent spectrum of the recurrent nova T Coronae Borealis
75. Apparao, K.M.V., Tarafdar, S.P. 1988, *APJ*, 335, 147. Optical and ultraviolet line and continuum emission from the Large Magellanic Cloud X-ray Be star A0538-66
76. Appenzeller, I., Wolf, B. 1979, *A&A*, 75, 164. The satellite-UV spectrum of S CrA
77. Appenzeller, I., Wolf, B. 1979, *A&AS*, 38, 51. IUE observations of the extreme B1 supergiant Zeta Sco
78. Appenzeller, I., Chavarria, C., Krautter, J., Mundt, R., Wolf, B. 1980, *A&A*, 90, 184. UV spectrograms of T Tauri stars
79. Appenzeller, I., Mandel, H., Krautter, J., Bowyer, S., Hurwitz, M., Grewing, M., Kramer, G., Kappelman, N. 1995, *APJ*, 439, 33. Medium-Resolution far-ultraviolet spectroscopy of PKS 2155-304

80. Appenzeller I., Krautter J., Mandel H., Boyer S., Dixon W.V., Hurwitz M., Barnsted J., Grewing M., Kappelmann N., Kraemer G. 1998, APJ, 500, L9. ORFEUS II Far-ultraviolet observations of 3C 273: the intrinsic spectrum
81. Ardila, D.R., Basri, G. 2000, APJ, 539, 834. The Balmer wavelength range of BP Tauri
82. Arellano Ferro, A., Madore, B.F. 1985, OBS, 105, 207. Discovery of the hot companion to the two-day Cepheid HD 129708
83. Armand, C., Milliard, B. 1994, A&A, 282, 1. Ultraviolet (2000A) galaxy counts: comparison with predictions
84. Arnaboldi, M., Capaccioli, M., Barbaro, G., Buson, L., Longo, G. 1993, A&A, 268, 103. Studies of narrow polar rings around E galaxies. II. The UV spectrum of AM 2020-504
85. Arquilla, R. 1993, PASP, 105, 603. Periodicities in the IUE particle radiation data
86. Artru, M.-C. 1986, A&A, 168, L5. Autoionizing levels in Si II and identifications of the 1400 Å feature of Ap-Si stars
87. Artru, M.-C., Lanz, T. 1987, A&A, 182, 273. Silicon absorption in UV spectra of ApSi stars
88. Artru, M.-C., Freire-Ferrero, R. 1988, A&A, 203, 111. Line variations in the ultra-violet spectrum of the Ap-Si star HD 25823
89. Artru, M.-C., Borsenberger, J., Lanz, T. 1989, A&AS, 80, 17. The IUE spectral atlas of two normal B stars: Pi Ceti and Nu Capricorni (125-198 nm)
90. Asplund, M., Gustaffson, B., Kiselman, D., Eriksson, K. 1997, A&A, 318, 521. Line-blanketed model atmospheres for R Coronae Borealis stars and hydrogen-deficient carbon stars
91. Auer, L.H., Koenigsberger, G. 1994, APJ, 436, 859. Line profile variations from atmospheric eclipses: constraints on the wind structure in Wolf-Rayet stars
92. Aufdenberg, J.P. 1993, APJS, 87, 337. IUE short-wavelength high-dispersion line list for the symbiotic nova RR Telescopii
93. Aufdenberg, J. P., Hauschildt, P. H., Baron, E. 1999, MNRAS, 302, 599. A non-local thermodynamic equilibrium spherical line-blanketed stellar atmosphere model of the early B giant beta CMa
94. Augarde, R., Lequeux, J. 1985, A&A, 147, 273. Peculiar motions and star formation in the interacting galaxy complex Mk 171 = NGC 3690+IC 694
95. Augarde, R., Figon, P., Vanderriest, C., Lemonnier, J.P. 1990, A&A, 233, 348. Spectro-imagery of small diameter galaxies. I. Markarian 600 = MCG 1-08-008
96. Auriere, M., Adams, S., Seaton, M.J. 1983, MNRAS, 205, 571. Ultraviolet and optical observations of two stars belonging to the blue horizontal branch of the globular cluster M15
97. Auriere, M., Bonnet-Bidaud, J., Koch-Miramond, L. 1994, A&A, 284, 457. Hot stars near the position of X0512-401 in the globular cluster NGC 1851
98. Austin, s., Wagner, R., Starrfield, S., Shore, S., Sonneborn, G., Bertram, R. 1996, AJ, 111, 869. V1974 Cygni 1992: Optical and ultraviolet evolution and analysis
99. Avcioglu, K., Mentese, H.H. 1989, AP&SS, 151, 227. Ultraviolet studies of the interstellar gas in the direction of the stars AE Aur (O9.5 V) and Theta-2 Ori A (O9.0 V)
100. Avcioglu, M., Turker Ozkan, M., Mentese, H.H. 1990, AP&SS, 164, 263. Comparison of the near-ultraviolet continuum and chromospheric emission line fluxes of the late-type giant stars

101. Aydin, C., Brandi, E., Engin, S., Ferrer, O.E., Hack, M., Sahade, J., Solivella, G., Yilmaz, N. 1988, *A&A*, 193, 202. A study of the continuum flux and the line structure in the IUE spectrum of Beta Lyrae
102. Ayres, T.R., Linsky, J.L. 1980, *APJ*, 235, 76. Outer atmospheres of cool stars. III. IUE spectra and transition region models for Alpha Centauri A and B
103. Ayres, T.R., Linsky, J.L. 1980, *APJ*, 241, 279. Outer atmospheres of cool stars. V. IUE observations of Capella: the rotation-activity connection
104. Ayres, T.R., Moos, H.W., Linsky, J.L. 1981, *APJ*, 248, L137. Far-ultraviolet fluorescence of carbon monoxide in the red giant Arcturus
105. Ayres, T.R., Marstad, N.C., Linsky, J.L. 1981, *APJ*, 247, 545. Outer atmospheres of cool stars. IX. A survey of ultraviolet emission from F-K dwarfs and giants with IUE
106. Ayres, T.R., Linsky, J.L., Basri, G.S., Landsman, W., Henry, R.C., Moos, H.W., Stencel, R.E. 1982, *APJ*, 256, 550. Outer atmospheres of cool stars. XI. High-dispersion IUE spectra of five late-type dwarfs and giants
107. Ayres, T.R., Simon, T., Linsky, J.L. 1982, *APJ*, 263, 791. Evolution of chromospheres and coronae in solar mass stars: a far-ultraviolet and soft X-ray comparison of Arcturus (K2 III) and Alpha Centauri A (G2 V)
108. Ayres, T.R., Linsky, J.L. 1982, *APJ*, 254, 168. Outer atmospheres of cool stars. X. HR 1099 at quadrature
109. Ayres, T.R., Schiffer, F.H., Linsky, J.L. 1983, *APJ*, 272, 223. Outer atmospheres of cool stars. XIII. Capella at critical phases
110. Ayres, T., Eriksson, K., Linsky, J., Stencel, R. 1983, *APJ*, 270, L17. The narrow ultraviolet emission lines of the red dwarf AU Microscopii (dM1.6e)
111. Ayres, T.R., Linsky, J.L., Simon, T., Jordan, C., Brown, A. 1983, *APJ*, 274, 784. Outer atmospheres of cool stars. XV. High-dispersion ultraviolet studies of active chromosphere G-K dwarfs
112. Ayres, T.R., Stencel, R.E., Linsky, J.L., Simon, T., Jordan, C., Brown, A., Engvold, O. 1983, *APJ*, 274, 801. Redshifts of high-temperature emission lines in the far-ultraviolet spectra of late-type stars
113. Ayres, T.R. 1984, *APJ*, 284, 784. The many faces of Capella: a search for rotational modulations and a study of systematic velocities of emission lines in the ultraviolet
114. Ayres, T.R., Simon, T., Linsky, J.L. 1984, *APJ*, 279, 197. Sigma Geminorum (K1 III + ?): variability of the ultraviolet lines near conjunction
115. Ayres, T.R. 1985, *APJ*, 291, L7. Alpha Trianguli Australis (K2 II-III): hybrid or composite?
116. Ayres, T.R. 1986, *APJ*, 308, 246. Far-ultraviolet fluorescence of carbon monoxide in the red giant Arcturus. II. Analysis of high-dispersion IUE spectra
117. Ayres, T.R., Judge, P., Jordan, C., Brown, A., Linsky, J.L. 1986, *APJ*, 311, 947. High-dispersion observations of Alpha Bootis (K1 III) with the International Ultraviolet Explorer
118. Ayres, T.R. 1988, *APJ*, 331, 467. A spectral dissection of the ultraviolet emissions of Capella
119. Ayres, T.R., Jensen, E., Engvold, O. 1988, *APJS*, 66, 51. Redshifts of high-temperature emission lines in the far-ultraviolet spectra of late-type stars. II. New, precise measurements of dwarfs and giants

120. Ayres, T.R. 1990, *PASP*, 102, 1420. Signal-to-noise ratios in IUE SWP-LO spectra of chromospheric emission-line sources
121. Ayres, T.R. 1991, *APJ*, 375, 704. The many faces of F stars: a rotation modulation study of Capella, Procyon, and Caph with the International Ultraviolet Explorer
122. Ayres, T.R., Brown, A., Gayley, K., Linsky, J.L. 1993, *APJ*, 402, 710. The hydrogen Lyman-alpha emission of Capella
123. Ayres, T.R. 1993, *PASP*, 105, 538. Signal-to-noise ratios in IUE low-dispersion spectra. II. Photometrically corrected images
124. Ayres, T.R., Fleming, T.A., Simon, T., Haisch, B.M., Brown, A., Lenz, D., Wamsteker, W., de Martino, D., Gonzalez, C., Bonnell, J., Mas-Hesse, J.M., Rosso, C., Schmitt, J.H.M.M., Trumper, J., Voges, W., Pye, J., Dempsey, R.C., Linsky, J.L., Guinan, E.F., Harper, G.M., Jordan, C., Montesinos, B.M., Pagano, I., Rodono, M. 1995, *APJS*, 96, 223. The RIASS coronathon: joint X-ray and ultraviolet observations of normal F-K stars
125. Ayres, T.R., Simon, T., Stauffer, J., Stern, R., Pye, J., Brown, A. 1996, *APJ*, 473, 279. Sleuthing the dynamo: HST FOS observations of solar-type dwarfs in young galactic clusters
126. Baade, R., Kirsch, T., Reimers, D., Toussant, F., Bennett, P., Brown, A., Harper, G. 1996, *APJ*, 466, 979. The wind outflow of zeta Aurigae: A model revision using HST spectra
127. Babel, J., Lanz, T. 1992, *A&A*, 263, 232. Stratification of chemical elements in the atmosphere of the Ap star 53 Camelopardalis
128. Bagnuolo, W.G., Gies, D.R. 1991, *APJ*, 376, 266. Tomographic separation of composite spectra: the components of the O-star spectroscopic binary AO Cassiopeiae
129. Bagnuolo, W.G., Gies, D.R., Wiggs, M.S. 1992, *APJ*, 385, 708. Tomographic separation of composite spectra. I. The components of Plaskett's star
130. Bagnuolo, W.G., Gies, D.R., Hahula, M.E., Wiemker, R., Wiggs, M.S. 1994, *APJ*, 423, 446. Tomographic separation of composite spectra. II. The components of 29 UW Canis Majoris
131. Bagnuolo, W.G.Jr., Gies, D.R., Riddle, R., Penny, L.R. 1999, *APJ*, 527, 353. The Struve-Sahade effect: a tale of three stars
132. Bahcall, J.N., Jannuzi, B.T., Schneider, D.P., Hartig, G.F., Bohlin, R., Junkkarinen, V. 1991, *APJ*, 377, L5. The ultraviolet absorption spectrum of 3C 273
133. Bahcall, J.N., Bergeron, J., Boksenberg, A., Hartig, G.F., Jannuzi, B.T., Kirhakos, S., Sargent, W.L.W., Savage, B.D., Schneider, D.P., Turnshek, D.A., Weymann, R.J., Wolfe, A.M. 1993, *APJS*, 87, 1. The Hubble Space Telescope Quasar Absorption Line Key Project. I. First observational results, including Lyman-alpha and Lyman-limit systems
134. Baines, K.H., Smith, W.H. 1990, *ICARUS*, 85, 65. The atmospheric structure and dynamical properties of Neptune derived from ground-based and IUE spectrophotometry
135. Baird, S.R., Cardelli, J.A. 1985, *APJ*, 290, 689. The 2200 Å circumstellar dust absorption feature in the spectra of three bright RV Tauri stars
136. Bajtlik, S., Duncan, R.C., Ostriker, J.P. 1988, *APJ*, 327, 570. Quasar ionization of Lyman-alpha clouds: the proximity effect, a probe of the ultraviolet background at high redshift
137. Bakker, E.J. 1994, *A&AS*, 103, 189. Spectral line identification of the ultraviolet spectrum of the peculiar post-AGB star HD 101584 (F0Iape)
138. Bakker, E.J., Lamers, H., Waters, L., Waelkens, C., Trams, N., van Winckel, H. 1996, *A&A*, 307, 869. A study on the nature of the peculiar supergiant HD101584

139. Baldwin, J.A., Rees, M.J., Longair, M.S., Perryman, M.A.C. 1978, APJ, 226, L57. The Lyman alpha/H beta/Paschen alpha ratio in the quasar PG 0026+129
140. Baldwin, J.A., Wampler, E.J., Gaskell, C.M. 1989, APJ, 338, 630. Emission-line properties of optically and radio-selected complete quasar samples
141. Baliunas, S.L., Dupree, A.K. 1982, APJ, 252, 668. Ultraviolet and optical spectrum studies of Lambda Andromedae: evidence for atmospheric inhomogeneities
142. Baliunas, S.L., Hartmann, L., Dupree, A.K. 1983, APJ, 271, 672. Chromospheric and coronal emissions from the giants in the Hyades
143. Baliunas, S.L. 1983, PASP, 95, 532. Progress in stellar chromospheres observed with the International Ultraviolet Explorer satellite
144. Baliunas, S.L., Guinan, E.F., Dupree, A.K. 1984, APJ, 282, 733. Ultraviolet flare on Lambda Andromedae
145. Baliunas, S.L., Raymond, J.C. 1984, APJ, 282, 728. Ultraviolet and visible flare observations of EQ Pegasi B
146. Ballester, G.E., Moos, H.W., Feldman, P.D., Strobel, D.F., Summers, M.E., Bertaux, J.-L., Skinner, T.E., Festou, M.C., Lieske, J.H. 1987, APJ, 319, L33. Detection of neutral oxygen and sulfur emissions near Io using IUE
147. Ballester, G.E., Strobel, D.F., Moos, H.W., Feldman, P.D. 1990, ICARUS, 88, 1. The atmospheric abundance of SO₂ on Io
148. Band, D.L., Malkan, M.A. 1989, APJ, 345, 122. Synthesis of accretion disk and nonthermal source models for active galactic nuclei
149. Baratta, G.B., Cassatella, A., Viotti, R. 1995, A&AS, 113, 1. The ultraviolet spectrum of Eta Carinae. II. 1980 IUE observations of the Homunculus
150. Barbaro, G., Olivi, F.M. 1989, APJ, 337, 125. Models of spectral energy distributions of elliptical galaxies
151. Barbaro, G., Olivi, F.M. 1991, AJ, 101, 922. Analysis of the UV spectra of young clusters of the Large Magellanic Cloud
152. Barbero, J., Brocato, E., Cassatella, A., Castellani, V., Geyer, E.H. 1990, APJ, 351, 98. The age calibration of integrated ultraviolet colors and young stellar clusters in the Large Magellanic Cloud
153. Baribaud, T., Alloin, D., Glass, I., Pelat, D. 1992, A&A, 256, 375. Variability pattern from X-ray to IR wavelengths in the active nucleus of NGC 1566
154. Barker, P.K. 1984, AJ, 89, 899. Ripple correction of high-dispersion IUE spectra: blazing echelles
155. Barker, P.K., Marlborough, J.M. 1985, APJ, 288, 329. Carbon IV absorption troughs in the ultraviolet spectra of Be stars: gone with the wind?
156. Barker, T. 1982, APJ, 253, 167. The ionization structure of the ring nebula. II. Ultraviolet observations
157. Barker, T. 1983, APJ, 267, 630. The ionization structure of planetary nebulae. III. NGC 7009
158. Barker, T. 1984, APJ, 284, 589. The ionization structure of planetary nebulae. IV. NGC 6853

159. Barker, T. 1985, APJ, 294, 193. The ionization structure of planetary nebulae. V. NGC 3242
160. Barker, T. 1986, APJ, 308, 314. The ionization structure of planetary nebulae. VI. NGC 7662
161. Barker, T. 1987, APJ, 322, 922. The ionization structure of planetary nebulae. VII. New observations of the Ring Nebula
162. Barker, T. 1988, APJ, 326, 164. The ionization structure of planetary nebulae. VIII. NGC 6826
163. Barker, T. 1989, APJ, 340, 921. The ionization structure of planetary nebulae. IX. NGC 1535
164. Barker, T. 1991, APJ, 371, 217. The ionization structure of planetary nebulae. X. NGC 2392
165. Barlow, M.J., Smith, L.J., Willis, A.J. 1981, MNRAS, 196, 101. Mass-loss rates for 21 Wolf-Rayet stars
166. Barlow, M.J., Brodie, J.P., Brunt, C.C., Hanes, D.A., Hill, P.W., Mayo, S.K., Pringle, J.E., Ward, M.J., Watson, M.G., Whelan, J.A.J., Willis, A.J. 1981, MNRAS, 195, 61. The 1979 outburst of U Scorpii
167. Barlow, M., Morgan, B., Standley, C., Vine, H. 1986, MNRAS, 223, 151. The determination of the mass of a Magellanic Cloud planetary nebula by speckle interferometry
168. Barr, P., Willis, A.J., Wilson, R. 1983, MNRAS, 203, 201. IUE observations of X-ray selected Seyfert galaxies
169. Barr, P., Willis, A.J., Wilson, R. 1983, MNRAS, 202, 453. The ultraviolet variability of NGC 3783
170. Barral, J., Canto, J., Meaburn, J., Walsh, J. 1982, MNRAS, 199, 817. The physical conditions within the poly-polar nebula NGC 6302. III
171. Barry, D.C., Schoolman, S.A. 1982, APJ, 261, 220. Low-resolution Mg II h and k observations of solar type stars
172. Barsella, B., Panagia, N., Perinotto, M. 1982, A&A, 111, 130. The graphite rich Cepheus OB3 association
173. Barstow, M.A., Tweedy, R.W. 1990, MNRAS, 242, 484. The photospheric temperature and metal abundance of the compact star H1504+65
174. Barstow, M.A., Holberg, J.B. 1990, MNRAS, 245, 370. The photospheric temperatures and composition of very hot He-rich white dwarfs
175. Barstow, M.A., Bromage, G.E., Pankiewicz, G.S., Gonzalez-Riestra, R., Denby, M., Pye, J.P. 1991, NATURE, 353, 635. Detection of a stellar flare at extreme ultraviolet wavelengths
176. Barstow, M.A., Holberg, J.B., Werner, K., Buckley, D.A.H., Stobie, R.S. 1994, MNRAS, 267, 653. The nature of the newly discovered DO white dwarf RE 0503-289
177. Barstow, M.A., Holberg, J.B., Fleming, T.A., Marsh, M.C., Koester, D., Wonnacott, D. 1994, MNRAS, 270, 499. A ROSAT survey of hot DA white dwarfs in non-interacting binary systems
178. Barstow, M.A., Holberg, J.B., Koester, D. 1994, MNRAS, 270, 516. Extreme-ultraviolet spectrophotometry of HD 15638 and HR 8210 (IK Peg)

179. Barstow, M.A., Holberg, J.B., Marsh, M.C., Tweedy, R.W., Burleigh, M.R., Fleming, T.A., Koester, D., Penny, A.J., Sansom, A.E. 1994, MNRAS, 271, 175. RE 1738+665: the hottest DA white dwarf detected by ROSAT
180. Barstow, M.A., Sion, E.M. 1994, MNRAS, 271, L52. Detection of episodic mass outflow in the newly discovered hot DO white dwarf RE 0503-289
181. Barstow, M.A., Jordan, S., O'Donoghue, D., Burleigh M.R., Napiwotzki, R., Harrop-Allin, M.K. 1995, MNRAS, 277, 971. REJ0317-853; The hottest known highly magnetic DA White Dwarf
182. Barstow, M. A., Holberg, J. B., Cruise, A. M., Penny, A. J. 1997, MNRAS, 290, 505. The mass, temperature and distance of the white dwarf in V471 Tauri
183. Barstow, M.A., Hubeny, I. 1998, MNRAS, 299, 379. An alternative explanation of the EUV spectrum of the white dwarf G191-B2B invoking a stratified H+He envelope including heavier elements
184. Barstow, M. A., Dreizler, S., Holberg, J. B., Finley, D. S., Werner, K., Hubeny, I., Sion, E. M. 2000, MNRAS, 314, 109 The discovery of photospheric nickel in the hot DO white dwarf REJ 0503-289
185. Barvainis, R. 1992, APJ, 400, 502. Dust reverberation: a model for the infrared variations of Fairall 9
186. Barvainis, R. 1993, APJ, 412, 513. Free-free emission and the big blue bump in active galactic nuclei
187. Barylak, M., Rakos, K.D. 1983, A&A, 127, 366. Investigation of IUE spectra of the Cp star ET And (HD 219749)
188. Barylak, M., Doazan, V. 1986, A&A, 159, 65. Luminosity and colour variations of 88 Her through phase changes from the far UV to the visual region. I. A confrontation with tradition Be-star modelling
189. Baschek, B., Kudritzki, R., Scholz, M., Simon, K. 1982, A&A, 108, 387. Spectral analysis of the OB subdwarf HD 149382
190. Baschek, B., Hoffich, P., Scholz, M. 1982, A&A, 112, 76. The OB subdwarf Feige 66, a chemical-composition twin to HD 149382
191. Baschek, B., Heck, A., Jaschek, C., Jaschek, M., Koppen, J., Scholz, M., Wehrse, R. 1984, A&A, 131, 378. The ultraviolet (IUE) spectra of the Lambda Bootis stars
192. Baschek, B., Slettebak, A. 1988, A&A, 207, 112. The chemical composition of the Lambda Bootis stars
193. Basri, G., Clarke, J.T., Haisch, B.M. 1985, A&A, 144, 161. An analysis of scattered light in low-dispersion IUE spectra
194. Basri, G., Laurent, R., Walter, F.M. 1985, APJ, 298, 761. Stellar activity in synchronized binaries. I. Dependence on rotation
195. Basri, G. 1987, APJ, 316, 377. Stellar activity in synchronized binaries. II. A correlation analysis with single stars
196. Basri, G.S., Linsky, J.L. 1979, APJ, 234, 1023. Outer atmospheres of cool stars. II. MgII flux profiles and chromospheric radiative loss rates

197. Basri, G.S., Linsky, J.L., Eriksson, K. 1981, APJ, 251, 162. Outer atmospheres of cool stars. VII. IUE observations and chromospheric models for the supergiant stars Beta Draconis, Epsilon Geminorum, and Alpha Orionis
198. Bassani, L., Butler, R.C., Di Cocco, G., Ventura, A.D., Perotti, F., Villa, G., Baker, R.E., Dean, A.J., Lee, T.J. 1986, APJ, 311, 623. A broad-band contemporaneous study of the Seyfert galaxy NGC 4151
199. Bassani, L., Coe, M.J., Malkan, M.A., Mandolesi, N., Partridge, B., Spinoglio, L. 1989, APJ, 344, 726. A new narrow-line Seyfert 1 galaxy: IRAS 1652+395
200. Bates, B., Giarretta, D.L., McCartney, D.J., McQuoid, J.A., Bankhead, R.E.L. 1980, MNRAS, 190, 611. IUE and balloon spectral observations of mass loss from Beta Orionis
201. Bates, B., Giarretta, D.L., Brown-Kerr, W. 1981, MNRAS, 195, 9P. IUE observations of high-velocity components in spectra of Beta Orionis
202. Bates, B., Brown-Kerr, W., Giarretta, D.L., Keenan, F.P. 1983, A&A, 122, 64. IUE observations of high velocity interstellar gas tentatively associated with Radio Loop II
203. Bates, B., Catney, M.G., Keenan, F.P. 1988, AP&SS, 146, 195. IRAS maps for a region of sky containing nearby high-velocity gas, identified from IUE spectra
204. Bates, B., Catney, M.G., Keenan, F.P. 1990, MNRAS, 242, 267. High-velocity gas components towards 4 Lac
205. Bates, B., Gilheany, S. 1990, MNRAS, 243, 320. IUE observations of mass-loss spectral features in B5-B9 supergiants
206. Bates, B., Catney, M.G., Gilheany, S., Keenan, F.P., Davies, R.D., Hummel, E. 1991, MNRAS, 249, 282. Radio and optical observations of high- and intermediate-velocity gas in the nearby interstellar medium
207. Bates, B., Gilheany, S., Wood, K.D. 1991, MNRAS, 252, 600. The nearby interstellar material in the general direction towards M22
208. Bates, B., Montgomery, A.S., Kemp, S.N. 1995, MNRAS, 277, 811. Optical and UV spectroscopy of stars in the direction of the Riegel & Crutcher cold cloud
209. Bates, B., Shaw, C.R., Kemp, S.N., Keenan, F.P., Davies, R.D. 1995, APJ, 444, 672. Optical and HI observations of the low-velocity and intermediate-velocity gas towards the Globular Cluster M13
210. Bath, G.T., Pringle, J.E., Whelan, J.A.J. 1980, MNRAS, 190, 185. Spectrophotometry of dwarf novae in the wavelength range 1250-7500 Å
211. Bath, G.T., Pringle, J.E. 1982, MNRAS, 201, 345. The evolution of viscous discs - III. Giant discs in symbiotic stars
212. Bauer, F., Hausfeld, D. 1995, A&A, 300, 481. Metal abundances in subdwarf O Stars
213. Bauer, W.H., Stencel, R.E. 1989, APJS, 69, 667. Line identifications in the ultraviolet spectrum of 31 Cygni
214. Bauer, W.H., Stencel, R.E., Neff, D.H. 1991, A&AS, 90, 175. Twelve years of IUE spectra of the interacting binary VV Cephei
215. Bauer, W. H., Bennett, P. D. 2000, PASP, 112, 31. The Ultraviolet Spectrum of VV Cephei Out of Eclipse

216. Bechtold, J., Green, R.F., Weymann, R.J., Schmidt, M., Estabrook, F.B., Sherman, R.D., Wahlquist, H.D., Heckman, T.M. 1984, APJ, 281, 76. IUE observations of high-redshift quasars
217. Bechtold, J., Czerny, B., Elvis, M., Fabbiano, G., Green, R.F. 1987, APJ, 314, 699. X-ray spectra of PG quasars. II. The X-ray-ultraviolet excess of PG 1211+143
218. Becker, S.R., Butler, K. 1995, A&A, 294, 215. Non-LTE line formation for iron group elements. II. Fe VI
219. Becker, S.R., Butler, K. 1995, A&A, 300, 453. Non-LTE line formation for iron group elements. IV. Ni IV, Vand VI
220. Becker, S.R., Butler, K. 1995, A&A, 301, 187. Non-LTE line formation for iron group elements. III. Fe IV
221. Beckman, J.E., Crivellari, L., Selvelli, P.L. 1982, A&AS, 47, 295. The spectra of late-type dwarfs and sub-dwarfs in the near ultra-violet. I. Line identifications
222. Beintema, D. A., Pottasch, S. R. 1999, A&A, 347, 942. The ISO spectrum of the planetary nebula NGC 6302. I. Observations
223. Belle, K., Nguyen, Q., Fabian, D., Sion, E. M., Huang, M. 1998, PASP, 110, 47 An IUE Spectroscopic Study of the Ultra-Short-Period Dwarf Nova T Leonis in Outburst,
224. Belton, M.J.S. 1990, ICARUS, 86, 30. Rationalization of comet Halley's periods
225. Belyakina, T.S., Bondar, N.I., Chochol, D., Chuvaev, K.K., Efimov, Y.S., Gershberg, R.E., Grygar, J., Hric, L., Krasnobabtsev, V.I., Piirola, V., Poutanen, M., Savanov, I.S., Huovelin, J., Tuominen, I., Shakhovskaya, N.L., Shakhovskoy, N.M., Shenavrin, V.I., Shcherbakov, A.G. 1989, A&A, 223, 119. The Kuwano-Honda's peculiar object (PU Vulpeculae) in 1983-1986
226. Benacchio, L., Galletta, G. 1981, APJ, 243, L65. UV observations of the nucleus of NGC 3077
227. Benetti, S., Patat, F., Turatto, M., Contarini, G., Gratton, R., Cappellaro, E. 1994, A&A, 285, L13. Narrow features in the early spectrum of SN 1993J
228. Bennett, J.O., Ayres, T.R. 1988, PASP, 100, 1129. Empirical continuum modeling for IUE low-dispersion spectra
229. Bensammar, S., Friedjung, M., Muratorio, G., Viotti, R. 1983, A&A, 126, 427. The LMC emission line star S22 (=HD 34664). III. Ultraviolet to infrared energy distribution
230. Benvenuti, P., Casini, C., Heidmann, J. 1979, NATURE, 282, 272. IUE UV spectra of the clumpy irregular galaxy MKN 297
231. Benvenuti, P., D'Odorico, S., Dopita, M.A. 1979, NATURE, 277, 99. UV spectrum of supernova remnant reveals carbon depletion in the interstellar medium
232. Benvenuti, P., Dopita, M., D'Odorico, S. 1980, APJ, 238, 601. Far-ultraviolet spectrophotometry of supernova remnants: observations and astrophysical interpretation
233. Benvenuti, P., Perinotto, M. 1981, A&A, 95, 127. An ultraviolet study of NGC 7662
234. Benvenuti, P., Casini, C., Heidmann, J. 1982, MNRAS, 198, 825. IUE spectra of clumpy irregular galaxies
235. Benvenuti, P., Porceddu, I. 1989, A&A, 223, 329. Diffuse absorption bands and the 2175 Å feature: results from a sample of galactic stars

236. Bergeron, J., Maccacaro, T., Perola, C. 1981, *A&A*, 97, 94. Far UV study on the non-thermal activity in the narrow line galaxies NGC 4507 and NGC 5506
237. Bergeron, J., Kunth, D. 1983, *MNRAS*, 205, 1053. Three low-redshift quasars with absorption systems: IUE and optical observations
238. Bergeron, J., D'Odorico, S., Kunth, D. 1987, *A&A*, 180, 1. Comprehensive study of the QSO-galaxy pair 1327-206 and the extent of low ionization galactic haloes
239. Bergeron, P., Kidder, K.M., Holberg, J.B., Liebert, J., Wesemael, F., Saffer, R.A. 1991, *APJ*, 372, 267. The isolated massive DA white dwarf GD 50
240. Bergeron, P., Wesemael, F., Lamontagne, R., Chayer, P. 1993, *APJ*, 407, L85. Metal-line blanketing and the peculiar H-beta line profile in the DAO star Feige 55
241. Bergeron, P., Wesemael, F., Beauchamp, A., Wood, M.A., Lamontagne, R., Fontaine, G., Liebert, J. 1994, *APJ*, 432, 305. A spectroscopic analysis of DAO and hot DA white dwarfs: the implications of the presence of helium and the nature of DAO stars
242. Bergeron, P., Wesemael, F., Lamontagne, R., Fontaine, G., Saffer, R.A., Allard, N.F. 1995, *APJ*, 449, 258. Optical and ultraviolet analyses of ZZ Ceti stars and study of the atmospheric convective efficiency in DA white dwarfs
243. Bergoffen, M.J., Van Buren, D. 1988, *AJ*, 95, 130. IUE observations of stars in the neighborhood of the Lambda Orionis nebula
244. Bergoffen, M.J., Stocke, J., Walter, F., Fleming, T.A. 1988, *PASP*, 100, 736. IUE observations of X-ray-selected stars
245. Bergvall, N. 1985, *A&A*, 146, 269. Star formation and chemical abundances in the blue compact galaxy ESO 338-IG04
246. Bernabeu, G., Magazzu, A., Stalio, R. 1989, *A&A*, 226, 215. Stellar wind velocities and luminosities of O stars
247. Bernabeu, G. 1992, *AP&SS*, 197, 237. Stellar wind velocities and the radiation-driven winds theory for O stars
248. Bernacca, P.L., Bianchi, L. 1981, *A&A*, 94, 345. IUE observations of X Persei, the proposed optical counterpart of the X-ray source 4U 0352+30
249. Bernacca, P.L., Bianchi, L., Dorren, J.D., Perryman, M.A.C. 1983, *A&A*, 122, 17. IUE spectrophotometry of X Persei (4U 0352+30)
250. Bernat, A.P. 1982, *APJ*, 252, 644. International Ultraviolet Explorer observations of Alpha Scorpii
251. Bertaux, J.-L., Clarke, J.T. 1989, *NATURE*, 338, 567. Deuterium content of the Venus atmosphere
252. Bertola, F., Capaccioli, M., Holm, A., Oke, J.B. 1980, *APJ*, 237, L65. IUE observations of M87
253. Bertola, F., Capaccioli, M., Oke, J.B. 1982, *APJ*, 254, 494. IUE observations of NGC 4649, an elliptical galaxy with a strong ultraviolet flux
254. Bertola, F., Casini, C., Bettoni, D., Galletta, G., Noreau, L., Kronberg, P.P. 1984, *AJ*, 89, 350. NGC 3448 revisited: a combined optical, radio, and UV investigation
255. Bertola, F., Gregg, M.D., Gunn, J.E., Oemler, A. 1986, *APJ*, 303, 624. The stellar population of NGC 6166

256. Bertola, F., Burstein, D., Buson, L.M. 1993, APJ, 403, 573. NGC 5018: a metal-poor giant elliptical
257. Bertola, F., Burstein, D., Buson, L., Renzini, A. 1993, APJ, 403, 577. An IUE search for star formation in ellipticals with gaseous disks
258. Bertout, C., Basri, G., Bouvier, J. 1988, APJ, 330, 350. Accretion disks around T Tauri stars
259. Bessell, M.S. 1991, A&A, 242, L17. Concerning the reddening of the Magellanic Clouds
260. Beuermann, K., Thomas, H.-C. 1990, A&A, 230, 326. Detection of emission lines from the secondary star in IX Velorum (=CPD-48 1577)
261. Beuermann, K., Reinsch, K., Barwig, H., Burwitz, V., de Martino, D., Mantel, K.-H., Mantel, K.-H., Pakull, M.W., Pakull, K.-H., Robinson, E.L., Robinson, E.L., Schwope, A.D., Thomas, H.-C., Trumper, J., van Teeseling, A., Zhang, E. 1995, A&A, 294, L1. Discovery of a galactic supersoft binary X-ray source
262. Beust, H., Lagrange-Henri, A.M., Vidal-Madjar, A., Ferlet, R. 1989, A&A, 223, 304. The Beta Pictoris circumstellar disk. IX. Theoretical results on the infall velocities of Ca II, Al III, and Mg II
263. Beust, H., Lagrange-Henri, A.M., Vidal-Madjar, A., Ferlet, R. 1990, A&A, 236, 202. The Beta Pictoris circumstellar disk. X. Numerical simulations of infalling evaporating bodies
264. Beust, H., Tagger, M. 1993, ICARUS, 106, 42. A hydrodynamical model for infalling evaporating bodies in the Beta Pictoris circumstellar disk
265. Beust, H., Vidal-Madjar, A., Ferlet, R., Lagrange-Henri, A.M. 1994, AP&SS, 212, 147. Cometary-like bodies in the protoplanetary disk around Beta Pictoris
266. Bhardwaj, A., Haider, S.A., Singhal, R.P. 1990, ICARUS, 85, 216. Auroral and photoelectron fluxes in cometary ionospheres
267. Bhatia, A.K., Underhill, A.B. 1986, APJS, 60, 323. The statistical equilibrium of hydrogen and helium in a radiation field, with an application to interpreting Wolf-Rayet spectra
268. Bhatia, A.K., Underhill, A.B. 1988, APJS, 67, 187. Carbon and nitrogen lines in the spectra of Wolf-Rayet stars
269. Bhatia, A.K., Kastner, S.O. 1993, APJ, 408, 744. The optically thin C III spectrum: line and multiplet intensities
270. Bianchi, L., Bernacca, P.L. 1980, A&A, 89, 214. IUE observations of HD 102567, the proposed optical counterpart of 4U 1145-61
271. Bianchi, L., Bohlin, R.C. 1984, A&A, 134, 31. Quantification of the order overlap problem for IUE high resolution spectra (SWP camera). A correction algorithm
272. Bianchi, L., Grewing, M., Kappelmann, N. 1985, A&A, 149, 41. Simultaneous ultraviolet and optical observations of FK Comae
273. Bianchi, L., Pakull, M. 1985, A&A, 146, 242. The first IUE observations of LMC X-1 (star 32)
274. Bianchi, L., Cerrato, S., Grewing, M. 1986, A&A, 169, 227. Mass loss from central stars of planetary nebulae: the nucleus of NGC 6543
275. Bianchi, L., Grewing, M. 1987, A&A, 181, 85. NGC 40: IUE observations of the nucleus

276. Bianchi, L., Jurcsik, J., Fekel, F.C. 1991, *A&A*, 245, 604. The nature of HD 220140 from optical and IUE observations
277. Bianchi, L., Hutchings, J.B., Massey, P. 1991, *A&A*, 249, 14. Stellar winds and UV extinction of OB stars in M33 and M31
278. Bianchi, L. 1992, *A&A*, 253, 447. Mass loss from central stars of planetary nebulae. II. NGC 40
279. Bianchi, L., Lamers, H.J.G.L.M., Hutchings, J.B., Massey, P., Kudritzki, R., Herrero, A., Lennon, D.J. 1994, *A&A*, 292, 213. Ultraviolet and optical spectroscopy of a B supergiant star in M 31
280. Bianchi, L., Ford, H., Bohlin, R., Paresce, F., De Marchi, G. 1995, *A&A*, 301, 537. HST imaging of the planetary nebula K 648 in M 15
281. Bianchi, L., Hutchings, J., Massey, P. 1996, *AJ*, 111, 2303. The winds of hot stars in external galaxies, III: HST UV spectroscopy of O and B supergiants in M31 and M33
282. Bianchi, L., Clayton, G., Bohlin, R., Hutchings, J., Massey, P. 1996, *APJ*, 471, 203. Ultraviolet extinction by interstellar dust in external galaxies:M31
283. Bianchi, L., Vassiliadis, E., Dopita, M. 1997, *APJ*, 480, 290. Hot evolved objects in different parent galaxies: the stellar winds of three Planetary Nebulae nuclei in the LMC
284. Bianchi, L., Hutchings, J.B., Fullerton, A.W., Morton, D.C., Ohl, R.G., Sonneborn, G., Massa, D., Brownsberger, K.R., Willis, A.J. 2000, *APJ*, 538, L57. Measuring the ionization of O star winds
285. Bianchini, A., Sabadin, F. 1983, *A&A*, 125, 112. The old nova GK Per (1901). III. Accretion disc models
286. Bica, E., Alloin, D. 1988, *A&A*, 192, 98. Constraints provided by star cluster spectra on the nature of the UV turn-up in giant elliptical galaxies
287. Bica, E., Alloin, D., Schmidt, A.A. 1990, *A&A*, 228, 23. Star formation history and chemical enrichment in the nuclear regions of M 31 and its dwarf companions M 32 and NGC 205
288. Bica, E., Bonatto, C., Giovannini, O. 1996, *A&AS*, 119, 211. A library of IUE white dwarf spectra for stellar population analyses
289. Bica, E., Bonatto, C., Pastoriza, M., Alloin, D. 1996, *A&A*, 313, 405 On the nature of the UV turnup in early-type galaxies
290. Binette, L., Prieto, A., Szuszkiewicz, E., Zheng, W. 1989, *APJ*, 343, 135. Relation between the ionizing continuum and the emission lines in Fairall 9
291. Binette, L., Wang, J., Villar-Martin, M., Martin, P.G., Magris C., G. 1993, *APJ*, 414, 535. Effects of internal dust on the narrow-line region Lyman and Balmer decrements
292. Binette, L., Fosbury, R.A., Parker, D. 1993, *PASP*, 105, 1150. Interpretation of the ionizing photon deficit of AGN
293. Biretta, J.A., Stern, C.P., Harris, D.E. 1991, *AJ*, 101, 1632. The radio to X-ray spectrum of the M87 jet and nucleus
294. Bjorkman, J.E., Ignace, R., Tripp, T.M., Cassinelli, J.P. 1994, *APJ*, 435, 416. Evidence for a disk in the wind of HD 93521: UV line profiles from an axisymmetric model
295. Bjorkman, K.S. 1994, *AP&SS*, 221, 335. Spectropolarimetric variability in OB stars

296. Black, J.H., Dupree, A.K., Hartmann, L.W., Raymond, J.C. 1980, APJ, 239, 502. Highly-ionized species in the interstellar medium
297. Blades, J.C., Morton, D.C. 1983, MNRAS, 204, 317. Interstellar absorption lines in the directions of extragalactic objects - I.
298. Blades, J.C., Hunstead, R.W., Murdoch, H.S., Pettini, M. 1985, APJ, 288, 580. The near-ultraviolet spectrum of the high-redshift BL Lacertae object 0215+015
299. Blades, J.C., Wheatley, J.M., Panagia, N., Grewing, M., Pettini, M., Wamsteker, W. 1988, APJ, 334, 308. An ultraviolet spectral atlas of interstellar lines toward SN 1987A
300. Blades, J.C., Wheatley, J.M., Panagia, N., Grewing, M., Pettini, M., Wamsteker, W. 1988, APJ, 332, L75. Abundances in intermediate-velocity clouds toward SN 1987A
301. Blair, W.P., Stencel, R.E., Feibelman, W.A., Michalitsianos, A.G. 1983, APJS, 53, 573. Spectrophotometric observations of symbiotic stars and related objects
302. Blair, W.P., Raymond, J.C., Fesen, R., Gull, T. 1984, APJ, 279, 708. Ultraviolet observations of the peculiar supernova remnant in NGC 4449
303. Blair, W.P., Raymond, J.C., Dupree, A.K., Wu, C.-C., Holm, A.V., Swank, J.H. 1984, APJ, 278, 270. IUE observations of Centaurus X-4 during the 1979 May outburst
304. Blair, W.P., Raymond, J.C., Danziger, J., Matteucci, F. 1989, APJ, 338, 812. The ultraviolet spectrum of an oxygen-rich supernova remnant in the Small Magellanic Cloud
305. Blair, W.P., Long, K.S., Vancura, O., Bowers, C.W., Conger, S., Davidsen, A.F., Kriss, G.A., Henry, R.B.C. 1992, APJ, 399, 611. Far-ultraviolet observations of the Crab Nebula using the Hopkins Ultraviolet Telescope
306. Blair, W.P., Raymond, J.C., Long, K.S. 1994, APJ, 423, 334. IUE spectra and optical imaging of the oxygen-rich supernova remnant N 132D
307. Blanco, A., Fonti, S., Strafella, F. 1988, A&A, 197, 249. The circumstellar environment of the Herbig Ae/Be stars. The case of AB Aurigae
308. Blanco, C., Catalano, S., Marilli, E. 1979, NATURE, 280, 661. IUE observations of an active region of HD 206860
309. Blanco, C., Bruca, L., Catalano, S., Marilli, E. 1982, A&A, 115, 280. Chromospheric Mg II emission in A5 to K5 main sequence stars from high resolution IUE spectra
310. Blinnikov, S., Lundqvist, P., Bartunov, O., Nomoto, K., Iwamoto, K. 2000, APJ, 532, 1132. Radiation Hydrodynamics of SN 1987A. I. Global Analysis of the Light Curve for the First 4 Months
311. Blomme, R., Hensberge, H. 1985, A&A, 148, 97. The outer layers of the Beta Cephei stars BW Vul and Sigma Sco
312. Blomme, R., Van Rensbergen, W. 1988, A&A, 207, 70. Mass loss and C IV ionization in the stellar wind of OB stars
313. Blomme, R. 1990, A&A, 229, 513. The terminal velocity of the stellar wind in O-type stars
314. Blondel, P.F.C., Tjin A Djie, H.R.E., The, P.S. 1989, A&AS, 80, 115. The variable Herbig Ae star HR 5999. IX. Variability in the UV shell lines
315. Blondel, P.F.C., Talavera, A., Tjin A Djie, H. 1993, A&A, 268, 624. Lyman-alpha emission in spectra of Herbig Ae stars. An indication of accretion?

316. Bocchino, F., Maggio, A., Sciortino, S., Raymond, J. 2000, *A&A*, 359, 316. Multi-wavelength observations and modelling of shock-cloud interaction regions in the Vela Supernova Remnant
317. Boehm, C., Ferluga, S., Hack, M. 1984, *A&A*, 130, 419. The eclipse of Epsilon Aurigae in the ultraviolet
318. Boehm, T., et al. 1996, *A&AS*, 120, 431. Azimuthal structures in the wind and chromosphere of the Herbig Ae star AB Aurigae. Results from the MUSICOS 1992 campaign.
319. Boesgaard, A.M., Simon, T. 1984, *APJ*, 277, 241. Rotational modulation of the chromospheric activity in Chi 1 Orionis (G0 V)
320. Boffin, H.M.J., Jorissen, A. 1989, *A&A*, 224, L31. HD 145206: the first semibarium star with a main-sequence close companion?
321. Boggess, A., Carr, F.A., Evans, D.C., Fischel, D., Freeman, H.R., Fuechsel, C.F., Klinglesmith, D.A., Krueger, V.L., Longanecker, G.W., Moore, J.V., Pyle, E.J., Rebar, F., Sizemore, K.O., Sparks, W., Underhill, A.B., Vitagliano, H.D., West, D.K., Macchetto, F., Fitton, B., Barker, P.J., Dunford, E., Gondhalekar, P.M., Hall, J.E., Harrison, V.A.W., Oliver, M.B., Sandford, M.C.W., Vaughan, P.A., Ward, A.K., Anderson, B.E., Boksenberg, A., Coleman, C.I., Snijders, M.A.J., Wilson, R. 1978, *NATURE*, 275, 372. The IUE spacecraft and instrumentation
322. Boggess, A., Bohlin, R.C., Evans, D.C., Freeman, H.R., Gull, T.R., Heap, S.R., Klinglesmith, D.A., Longanecker, G.R., Sparks, W., West, D.K., Holm, A.V., Perry, P.M., Schiffer, F.H., Turnrose, B.E., Wu, C.-C., Lane, A.L., Linsky, J.L., Savage, B.D., Benvenuti, P., Cassatella, A., Clavel, J., Heck, A., Macchetto, F., Penston, M.V., Selvelli, P.L., Dunford, E., Gondhalekar, P., Oliver, M.B., Sandford, M.C.W., Stickland, D., Boksenberg, A., Coleman, C.I., Snijders, M.A.J., Wilson, R. 1978, *NATURE*, 275, 377. In-flight performance of the IUE
323. Boggess, A., Daltabuit, E., Torres-Peimbert, S., Estabrook, F.B., Wahlquist, H.D., Lane, A.L., Green, R., Oke, J.B., Schmidt, M., Zimmerman, B., Morton, D.C., Roeder, R.C. 1979, *APJ*, 230, L131. IUE observations of the quasar 3C273
324. Boggess, A., Bruhweiler, F.C., Grady, C.A., Ebbets, D.C., Kondo, Y., Trafton, L.M., Brandt, J.C., Heap, S.R. 1991, *APJ*, 377, L49. First results from the Goddard High-Resolution Spectrograph: resolved velocity and density structure in the Beta Pictoris circumstellar gas
325. Boggs, D., Bohm-Vitense, E. 1989, *APJ*, 339, 209. Ultraviolet extinction differences within NGC 6530
326. Boggs, D., Bohm-Vitense, E. 1990, *APJ*, 358, 441. Ultraviolet gas absorption and dust extinction toward M8
327. Bohlin, R.C., Holm, A.V., Savage, B.D., Snijders, M.A.J., Sparks, W.M. 1980, *A&A*, 85, 1. Photometric calibration of the IUE: low dispersion
328. Bohlin, R.C., Savage, B.D. 1981, *APJ*, 249, 109. Ultraviolet interstellar extinction toward stars in the Orion Nebula and toward HD 147889
329. Bohlin, R.C., Harrington, J.P., Stecher, T.P. 1982, *APJ*, 252, 635. IUE observations of the central stars of the planetary nebulae NGC 6853 and NGC 7293
330. Bohlin, R.C., Cornett, R.H., Hill, J.K., Smith, A.M., Stecher, T.P., Sweigart, A.V. 1983, *APJ*, 267, L89. Discovery of a nitrogen-rich UV-bright star in the globular cluster M5
331. Bohlin, R.C., Cornett, R.H., Hill, J.K., Smith, A.M., Stecher, T.P. 1983, *APJ*, 274, L53. Images in the rocket ultraviolet: the starburst in the nucleus of M83

332. Bohlin, R.C. 1986, APJ, 308, 1001. The ultraviolet calibration of the Hubble Space Telescope. I. Secondary standards of absolute ultraviolet flux and the recalibration of IUE
333. Bohlin, R.C., Cornett, R.H., Hill, J.K., Hill, R.S., Stecher, T.P. 1988, APJ, 334, 657. Images in the rocket ultraviolet: UV fluxes of M31 globular clusters
334. Bohlin, R.C., Grillmair, C.J. 1988, APJS, 68, 487. The ultraviolet calibration of the Hubble Space Telescope. III. A correction for the change in sensitivity of the LWR camera on IUE
335. Bohlin, R.C., Grillmair, C.J. 1988, APJS, 66, 209. The ultraviolet calibration of the Hubble Space Telescope. II. A correction for the change in sensitivity of the SWP camera on the IUE
336. Bohlin, R.C., Harris, A.W., Holm, A.V., Gry, C. 1990, APJS, 73, 413. The ultraviolet calibration of the Hubble Space Telescope. IV. Absolute IUE fluxes of Hubble Space Telescope standard stars
337. Bohlin, R.C., Deutsch, E.W., McQuade, K.A., Hill, J.K., Landsman, W.B., O'Connell, R.W., Roberts, M.S., Smith, A.M., Stecher, T.P. 1993, APJ, 417, 127. Ultraviolet Imaging Telescope: globular clusters in M 31
338. Bohlin, R.C., Henrichs, H.F., Nichols, J.S. 1994, A&AS, 105, 305. High-dispersion microfiche atlas of OB stars for the first 10 years of IUE
339. Bohlin, R.C. 1996, AJ, 111, 1743. Spectrophotometric standards from the far-UV to the near-IR on the White Dwarf scale
340. Bohm, K.-H., Noriega-Crespo, A., Solf, J. 1993, APJ, 416, 647. Ultraviolet spectroscopy of Herbig-Haro objects: spatial structure, spectroscopic diagnostics, and variability
341. Bohm, K.H., Bohm-Vitense, E., Brugel, E.W. 1981, APJ, 245, L113. The ultraviolet spectrum of Herbig-Haro object 1
342. Bohm, K.H., Bohm-Vitense, E. 1982, APJ, 263, L35. Ultraviolet radiation from the environment of the Cohen-Schwartz star
343. Bohm, K.H., Bohm-Vitense, E. 1984, APJ, 277, 216. The ultraviolet spectrum of a strongly reddened, high-excitation Herbig-Haro object
344. Bohm, K.H., Buhrke, Th., Raga, A.C., Brugel, E.W., Witt, A.N., Mundt, R. 1987, APJ, 316, 349. Ultraviolet spectra of HH 1 and HH 2: spatial variations and the continuum problem
345. Bohm, K.H., Scott, D.M., Solf, J. 1991, APJ, 371, 248. The ultraviolet continuum and the fluorescent H2 lines in low-excitation Herbig-Haro objects
346. Bohm, K.H., Raga, A.C., Binette, L. 1991, PASP, 103, 85. Ultraviolet and optical extinction for the Herbig-Haro objects HH1 and HH2
347. Bohm, K.H., Noriega-Crespo, A., Solf, J., Brugel, E.W. 1992, PASP, 104, 251. The ultraviolet spectrum of HH 24A and its relation to optical spectra
348. Bohm-Vitense, E., Dettmann, T., Kapranidis, S. 1979, APJ, 232, L189. On the energy distribution in Sirius B
349. Bohm-Vitense, E. 1980, A&A, 92, 219. A comparison of the Mg resonance lines in Am and non-Am stars of similar temperatures
350. Bohm-Vitense, E., Dettmann, T. 1980, APJ, 236, 560. The boundary line in the H-R diagram for stellar chromospheres and the theory of convection

351. Bohm-Vitense, E. 1980, APJ, 239, L79. The white dwarf companion of the barium star Zeta Capricorni
352. Bohm-Vitense, E. 1981, APJ, 244, 504. Interstellar absorption in the MgII resonance line k2 and h2 emissions
353. Bohm-Vitense, E. 1981, APJ, 243, 213. Far-ultraviolet energy distributions of the metal-poor A stars HD 109995 and HD 161817
354. Bohm-Vitense, E. 1981, APJ, 244, 938. The ultraviolet energy distributions of late A stars
355. Bohm-Vitense, E. 1982, APJ, 258, 628. The Mg II resonance line emission at 2800 Å in stars with different rotational velocities and different metal abundances
356. Bohm-Vitense, E., Bohm, K.H., Cardelli, J.A., Nemec, J.M. 1982, APJ, 262, 224. The ultraviolet continuous and emission-line spectra of the Herbig-Haro objects HH 2 and HH 1
357. Bohm-Vitense, E., Woods, J. 1983, APJ, 265, 331. An attempt to determine stellar Lyman-alpha emission-line fluxes for F stars with different metal abundances
358. Bohm-Vitense, E., Nemec, J., Proffitt, C. 1984, APJ, 278, 726. The problem of the barium stars
359. Bohm-Vitense, E., Boggs, D., Hodge, P. 1984, APJ, 287, 825. The ultraviolet spectra of the O and B stars in the young galactic cluster NGC 6530
360. Bohm-Vitense, E., Proffitt, C. 1984, PASP, 96, 897. Ultraviolet analysis of the peculiar F supergiant HD 112374=HR 4912
361. Bohm-Vitense, E., Proffitt, C. 1985, APJ, 296, 175. Blue companions of Cepheids
362. Bohm-Vitense, E. 1985, APJ, 296, 169. Cepheid distances from blue main-sequence companions
363. Bohm-Vitense, E., Johnson, H.R. 1985, APJ, 293, 288. Detection of a compact companion of the mild barium star Xi 1 Ceti
364. Bohm-Vitense, E., Hodge, P., Proffitt, C. 1985, APJ, 292, 130. Ultraviolet studies of stars in the populous cluster NGC 2100 in the Large Magellanic Cloud
365. Bohm-Vitense, E. 1986, APJ, 303, 262. The Cepheid mass problem and Cepheid binaries
366. Bohm-Vitense, E., Van Dyk, S.D. 1987, AJ, 93, 1527. A nonspherically symmetric model for the peculiar A star Alpha-2 CVn
367. Bohm-Vitense, E., Boggs, D., Morgan, S. 1989, AJ, 97, 131. Effects of SN 1987A on the interstellar medium around it
368. Bohm-Vitense, E., Clark, M., Cottrell, P.L., Wallerstein, G. 1990, AJ, 99, 353. The dynamical mass of S Muscae
369. Bohm-Vitense, E., Mena-Werth, J. 1991, APJ, 378, 718. Heating mechanism(s) for transition layers in giants
370. Bohm-Vitense, E. 1992, AJ, 103, 608. Rotation and transition layer emission in cool giants
371. Bohm-Vitense, E. 1992, AJ, 104, 1539. Detection of a white dwarf in a visual binary system
372. Bohm-Vitense, E., Mena-Werth, J. 1992, APJ, 390, 253. Carbon and nitrogen abundances determined from transition layer lines

373. Bohm-Vitense, E. 1993, *AJ*, 106, 1113. Detection of a white dwarf companion to the Hyades star HD 27483
374. Bohm-Vitense, E. 1993, *AJ*, 106, 2510. Silicon abundances in Population I giants
375. Bohm-Vitense, E., Love, S.G. 1994, *APJ*, 420, 401. Emission lines in the long-period Cepheid ι Carinae
376. Boisson, C., Durret, F. 1986, *A&A*, 168, 32. The ultraviolet to infrared continuum of ten narrow emission line active galaxies
377. Boksenberg, A., Sniijders, M.A.J., Wilson, R., Benvenuti, P., Clavel, J., Macchetto, F., Penston, M.V., Boggess, A., Gull, T.R., Gondhalekar, P., Lane, A.L., Turnrose, B., Wu, C.-C., Burton, W.M., Smith, A., Bertola, F., Capaccioli, M., Elvius, A.M., Fosbury, R., Tarenghi, M., Ulrich, M.-H., Hackney, R.L., Jordan, C., Perola, G.C., Roeder, R.C., Schmidt, M. 1978, *NATURE*, 275, 404. IUE observations of extragalactic objects
378. Boksenberg, A., Sniijders, M.A.J. 1981, *MNRAS*, 194, 353. IUE observations of the high redshift QSO Q1101-264
379. Bomans, D.J., de Boer, K.S., Koorneef, J., Grebel, E.K. , 1996, *A&A*, 313, 101. CIV absorption from hot gas inside the supergiant shell LMC4 observed with HST and IUE
380. Bonatto, C., Bica, E., Alloin, D. 1995, *A&AS*, 112, 71. Ultraviolet spectral evolution of star clusters in the IUE library
381. Bonatto, C., Bica, E., Pastoriza, M., Alloin, D. 1996, *A&AS*, 118, 89 The ultraviolet properties of early-type galaxies
382. Bonatto C., Pastoriza M.G., Alloin D., Bica E., 1998, *A&A*, 334, 439. Probing nuclear starburst activity in a sample of nearby spiral galaxies
383. Bonatto, C., Bica, E., Pastoriza, M. G., Alloin, D. 1999, *A&A*, 343, 100. Ultraviolet spectral properties of magellanic and non-magellanic irregulars, H BT II and starburst galaxies
384. Bonatto, C., Bica, E., Pastoriza, M. G., Alloin, D. 2000, *A&A*, 355, 99. Star formation in distant starburst galaxies
385. Bond, H.E., Grauer, A.D., Green, R., Liebert, J. 1984, *APJ*, 279, 751. Two new extremely hot pulsating white dwarfs
386. Bonifacio, P., Castelli, F., Hack, M. 1995, *A&AS*, 110, 441. The field horizontal-branch B-type star Feige 86
387. Bonnell, J.T., Bell, R.A. 1985, *PASP*, 97, 236. Observations of RR Lyrae and X Arietis with the IUE satellite
388. Bonnell, J.T., Vestrand, W.T., Stacy, J.G. 1994, *APJ*, 420, 545. Ultraviolet observations of the gamma-ray blazar 3C 279 following the gamma-ray flare of 1991 June
389. Bonnet-Bidaud, J.M., Ilovaisky, S.A., Mouchet, M., Hammerschlag-Hensberge, G., van der Klis, M., Glencross, W.M., Willis, A.J. 1981, *A&A*, 101, 184. Ultraviolet observations of LMC X-4 and SMC X-1
390. Bonnet-Bidaud, J.M., Mouchet, M., Motch, C. 1982, *A&A*, 112, 355. First ultraviolet observations of two new cataclysmic variables 1E 0643-1648 and 4U 1849-31
391. Bonnet-Bidaud, J.M., Motch, C., Mouchet, M. 1985, *A&A*, 143, 313. The continuum variability of the puzzling X-ray three-period cataclysmic variable 2A 0526-328 (TV Col)

392. Bonnet-Bidaud, J.M., Mouchet, M. 1987, *A&A*, 188, 89. The anomalous ultraviolet spectrum of the AM Her star H 0538+608
393. Bookbinder, J.A., Brugel, E.W., Brown, A. 1989, *APJ*, 342, 516. Mg II line profiles of the Mira S Carinae
394. Bopp, B.W., Stencel, R.E. 1981, *APJ*, 247, L131. The FK Comae stars
395. Bopp, B.W., Africano, J.L., Stencel, R.E., Noah, P.V., Klimke, A. 1983, *APJ*, 275, 691. Observations of active chromosphere stars
396. Bopp, B.W., Ake, T.B., Goodrich, B.D., Africano, J.L., Noah, P.V., Meredith, R.J., Palmer, L.H., Quigley, R. 1985, *APJ*, 297, 691. HD 8358: a new active chromosphere binary
397. Bopp, B.W., Saar, S.H., Ambruster, C., Feldman, P., Dempsey, R., Allen, M., Barden, S.C. 1989, *APJ*, 339, 1059. The active chromosphere binary HD 17433 (VY Arietis)
398. Bopp, B.W., Parsons, S.B., Dempsey, R.C. 1991, *PASP*, 103, 444. Optical and ultraviolet spectroscopy of three F + B binary stars
399. Bord, D.J., Davidson, J.P. 1982, *APJ*, 258, 674. An application of the method of wavelength coincidence statistics to the ultraviolet spectrum of Kappa Cancri
400. Bord, D.J., Davidson, J.P. 1985, *A&A*, 143, 461. IUE data analysis: radial velocities from line coincidence statistics
401. Borkowski, K.J., Harrington, J.P., Tsvetanov, Z., Clegg, R.E.S. 1993, *APJ*, 415, L47. HST imaging of hydrogen-poor ejecta in Abell 30 and Abell 78: wind-blown cometary structures
402. Boroson, B., Kallman, T., McCray, R., Vrtilik, S. D., Raymond, J. 1999, *APJ*, 519, 191. Models of X-Ray Photoionization in LMC X-4: Slices of a Stellar Wind
403. Bottorff, M.C., Korista, K.T., Shlosman, I. 2000, *APJ*, 537, 134. Dynamics of warm absorbing gas in Seyfert galaxies: NGC5548
404. Boulanger, F., Prevot, M.L., Gry, C. 1994, *A&A*, 284, 956. The contribution of small particles to the extinction curve
405. Bouret, J. -C., Catala, C. 1998, *A&A*, 340, 163. Multi-line analysis of the spectra of Herbig Ae/Be stars
406. Bouvier, J. 1990, *AJ*, 99, 946. Rotation in T Tauri stars. II. Clues for magnetic activity
407. Bowen, D., Pettini, M., Penston, M., Blades, C. 1991, *MNRAS*, 248, 153. On the absence of interstellar absorption from NGC 4319 in the spectrum of Mrk 205
408. Bowyer, S., Sasseen, T.P., Lampton, M., Wu, X. 1993, *APJ*, 415, 875. In-flight performance and preliminary results from the Far Ultraviolet Space Telescope (FAUST) flown on ATLAS-1
409. Boyce, P., Disney, M., Macchetto, F., Boksenberg, A., Blades, J., Mackay, C. 1996, *A&A*, 305, 715. Faint Object Camera observations of complex nuclear structure in PKS 2158-380
410. Brage, T., Fischer, F.C., Judge, P.G. 1995, *APJ*, 445, 457. Transition probabilities for the UV0.01 multiplet in N III
411. Branch, D., Venkatakrisna, K.L. 1986, *APJ*, 306, L21. On the ultraviolet spectra of type I supernovae
412. Brandi, E., Gosset, E., Swings, J.-P. 1987, *A&A*, 175, 151. The ultraviolet spectrum of the peculiar emission-line star GG Carinae

413. Brandi, E., Gosset, E. 1987, *A&AS*, 68, 283. The ultraviolet spectrum of the peculiar emission-line star GG Carinae: the line identifications
414. Brandi, E., Garcia, L.G., Kondo, Y., Sahade, J. 1989, *A&A*, 215, 331. The region of formation of the ultraviolet high temperature resonance lines in the eclipsing binary Beta Persei (Algol)
415. Brandi, E., Ferrer, O.E., Sahade, J. 1989, *APJ*, 340, 1091. An interpretation of the line profile variations in the IUE spectrum of the Wolf-Rayet binary Gamma-2 Velorum
416. Brandt, J.C., Heap, S.R., Beaver, E.A., Boggess, A., Carpenter, K.G., Ebbets, D.C., Hutchings, J.B., Jura, M., Leckrone, D.S., Linsky, J.L., Maran, S.P., Savage, B.D., Smith, A.M., Trafton, L.M., Walter, F.M., Weymann, R.J., Snow, M., Randall, C.E., Lindler, D.J., Shore, S.N., Morris, S.L., Gilliland, R.L., Lu, L., Robinson, R.D. 1993, *AJ*, 105, 831. Observations of 3C 273 with the Goddard High Resolution Spectrograph on the Hubble Space Telescope
417. Brandt, J.C., Heap, S.R., Beaver, E.A., Boggess, A., Carpenter, K.G., Ebbets, D.C., Hutchings, J.B., Jura, M., Leckrone, D.S., Linsky, J.L., Maran, S.P., Savage, B.D., Smith, A.M., Trafton, L.M. 1994, *PASP*, 106, 890. The Goddard High Resolution spectrograph: instrument, goals, and science results
418. Brandt J.C., Heap S.R., Beaver E.A., Boggess A., Carpenter K.G., Ebbets D.C., Hutchings J.B., Jura M., Leckrone D.S., Linsky J.L., Maran S.P., Savage B.D., Smith A.M., Trafton L.M., Walter F.M., Weymann R.J., Snow M., Ake T.B., Hogen R.H. 1998, *AJ*, 116, 941. An ultraviolet spectral Atlas of 10 Lacertae obtained with the Goddard High Resolution Spectrograph on the Hubble Space Telescope
419. Brandt, W., Fabian, A., Nandra, K., Tsuruta, S. 1993, *MNRAS*, 265, 996. ROSAT PSPC observations of NGC 7469 and Ark 120
420. Brandt, W. N., Laor, A., Wills, B. J. 2000, *APJ*, 528, 637. On the Nature of Soft X-Ray Weak Quasi-stellar Objects
421. Bregman, J.N., Glassgold, A.E., Huggins, P.J. 1981, *APJ*, 249, 13. Detection of Lyman continuum absorption in the BL Lacertae object PKS 0735+178
422. Bregman, J.N., Glassgold, A.E., Huggins, P.J., Pollock, J.T., Pica, A.J., Smith, A.G., Webb, J.R., Ku, W.H.-M., Rudy, R.J., LeVan, P.D., Williams, P.M., Brand, P.W.J.L., Neugebauer, G., Balonek, T.J., Dent, W.A., Aller, H.D., Aller, M.F., Hodge, P.E. 1982, *APJ*, 253, 19. Simultaneous observations of the BL Lacertae object I Zw 187
423. Bregman, J.N., Glassgold, A.E., Huggins, P.J., Aller, H.D., Aller, M.F., Hodge, P.E., Rieke, G.H., Lebofsky, M.J., Pollack, J.T., Pica, A.J., Leacock, R.J., Smith, A.G., Webb, J., Balonek, T.J., Dent, W.A., O'Dea, C.P., Ku, W.H.-M., Schwartz, D.A., Miller, J.S., Rudy, R.J., LeVan, P.D. 1984, *APJ*, 276, 454. Multifrequency observations of the BL Lacertae object 0735+178
424. Bregman, J.N., Glassgold, A.E., Huggins, P.J., Kinney, A.L. 1986, *APJ*, 301, 698. Variability of Lyman-alpha and the ultraviolet continuum of 3C 446
425. Bregman, J.N., Glassgold, A.E., Huggins, P.J., Neugebauer, G., Soifer, B.T., Matthews, K., Elias, J., Webb, J., Pollock, J.T., Pica, A.J., Leacock, R.J., Smith, A.G., Aller, H.D., Aller, M.F., Hodge, P.E., Dent, W.A., Balonek, T.J., Barvainis, R.E., Roellig, T.P.L., Wisniewski, W.Z., Rieke, G.H., Lebofsky, M.J., Wills, B.J., Wills, D., Ku, W.H.-M., Bregman, J.D., Witteborn, F.C., Lester, D.F., Impey, C.D., Hackwell, J.A. 1986, *APJ*, 301, 708. Multifrequency observations of the superluminal quasar 3C 345
426. Bregman, J.N., Glassgold, A.E., Huggins, P.J., Kinney, A.L., McHardy, I., Webb, J.R., Pollock, J.T., Leacock, R.J., Smith, A.G., Pica, A.J., Aller, H.D., Aller, M.F., Hodge, P.E., Miller, J.S., Stephens, S.A., Dent, W.A., Balonek, T.J., Barvainis, R., Neugebauer, G.,

- Impey, C.D., Soifer, B.T., Matthews, K., Elias, J.H., Wisniewski, W.Z. 1988, APJ, 331, 746. Multifrequency observation of the optically violent variable quasar 3C 446
427. Bregman, J.N., Glassgold, A.E., Huggins, P.J., Neugebauer, G., Soifer, B.T., Matthews, K., Elias, J.H., Webb, J.R., Pollock, J.T., Leacock, R.J., Smith, A.G., Aller, H.D., Aller, M.F., Hughes, P.A., Maccagni, D., Garilli, B., Giommi, P., Miller, J.S., Stephens, S., Balonek, T.J., Dent, W.A., Kinsel, W., Wisniewski, W.Z., Williams, P.M., Brand, P.W.J.L., Ku, W.H.-M. 1990, APJ, 352, 574. Multifrequency observations of BL Lacertae
428. Bressan, A., Chiosi, C., Fagotto, F. 1994, APJS, 94, 63. Spectrophotometric evolution of elliptical galaxies. I. Ultraviolet excess and color-magnitude-redshift relations
429. Briggs, S.A., Sniijders, M.A.J., Boksenberg, A. 1982, NATURE, 300, 336. Lyman Alpha absorption at a high velocity in NGC 1275
430. Brissenden, R.J.V., Remillard, R.A., Tuohy, I.R., Schwartz, D.A., Hertz, P.L. 1990, APJ, 350, 578. H1722+119: a highly polarized X-ray-selected BL Lacertae object
431. Brocato, E., Matteucci, F., Mazzitelli, I., Tornambe, A. 1990, APJ, 349, 458. Synthetic colors and the chemical evolution of elliptical galaxies
432. Brodie, J., Bowyer, S., Tennant, A. 1987, APJ, 318, 175. Simultaneous multifrequency observations of Markarian 421
433. Bromage, G.E., Nandy, K. 1983, MNRAS, 204, 29P. The conspicuous absence of normal graphite grains in the Small Magellanic Cloud
434. Bromage, G.E., Boksenberg, A., Clavel, J., Elvius, A., Penston, M.V., Perola, G.C., Pettini, M., Sniijders, M.A.J., Tanzi, E.G., Ulrich, M.-H. 1985, MNRAS, 215, 1. Detailed observations of NGC 4151 with IUE - IV. Absorption line spectrum and variability
435. Bromage, G.E., Phillips, K.J.H., Dufton, P.L., Kingston, A.E. 1986, MNRAS, 220, 1021. Flares on dMe stars: IUE and optical observations of AT Mic, and comparison of far-ultraviolet stellar and solar flares
436. Brosch, N., Gondhalekar, P.M. 1984, A&A, 140, L43. Gas in cosmic voids
437. Brosch, N., Greenberg, J.M., Rahe, R., Shaviv, G. 1984, A&A, 135, 330. Ultraviolet spectrophotometry of isolated galaxies
438. Brosch, N. 1991, MNRAS, 250, 780. A model of the Galaxy in the ultraviolet
439. Brosch, N. 1995, MNRAS, 276, 1185. The first UV spectrum of 2060 Chiron
440. Brosius, J.W., Mullan, D.J., Stencel, R.E. 1985, APJ, 288, 310. Rotational modulation of chromospheric emission in cool giants and "hybrid" stars
441. Brosius, J.W., Mullan, D.J. 1986, APJ, 301, 650. Models of transition regions in hybrid stars
442. Brown, A., Jordan, C. 1980, MNRAS, 191, 37P. SI emission in EUV spectra of late-type stars
443. Brown, A., Jordan, C. 1981, MNRAS, 196, 757. The chromosphere and corona of Procyon (Alpha Canis Minor, F5 IV-V)
444. Brown, A., Jordan, C., Millar, T.J., Gondhalekar, P.M., Wilson, R. 1981, NATURE, 290, 34. H2 emission in the EUV spectrum of T Tauri and Burnham's nebula
445. Brown, A., Jordan, C., Stencel, R.E., Linsky, J.L., Ayres, T.R. 1984, APJ, 283, 731. High-resolution, far-ultraviolet study of Beta Draconis (G2 Ib-II): transition region structure and energy balance

446. Brown, A., Carpenter, K.G. 1984, APJ, 287, L43. The temperature of C II emission-line formation regions in cool stars
447. Brown, A., de M. Ferraz, M.C., Jordan, C. 1984, MNRAS, 207, 831. The chromosphere and corona of T Tauri
448. Brown, A., Drake, S.A., Van Steenberg, M.E., Linsky, J.L. 1991, APJ, 373, 614. X-ray emission from hybrid-chromosphere stars
449. Brown, A., Deeney, B., Ayres, T., Veale, A., Bennett, P. 1996, APJS, 107, 263. Mg emission from hybrid-chromosphere stars: 1.5 decades of chromospheric variability monitoring
450. Brown, D.A., Perez, M.R., Yusef-Zadeh, F. 1993, AJ, 106, 2000. Radio continuum observations of the Herbig Ae/Be stars HD 163296 and HR 5999
451. Brown, D.N., Shore, S.N., Sonneborn, G. 1985, AJ, 90, 1354. The magnetically controlled stellar wind of HD 21699
452. Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R. 1986, MNRAS, 219, 671. The spectral shape and variability of the blazar 3C 446
453. Brown, L.M.J., Robson, E.I., Gear, W.K., Hughes, D.H., Griffin, M.J., Geldzahler, B.J., Schwartz, P.R., Smith, M.G., Smith, A.G., Shepherd, D.W., Webb, J.R., Valtaoja, E., Terasranta, H., Salonen, E. 1989, APJ, 340, 129. Multifrequency observations of blazars. III. The spectral shape of the radio to X-ray continuum
454. Brown, T.M., Ferguson, H.C., Stanford, S. A., Deharveng, J.M. 1998, APJ, 504, 113. Color-Luminosity Relations for the Resolved Hot Stellar Populations in the Centers of M31 and M32
455. Brugel, E.W., Shull, J.M., Seab, C.G. 1982, APJ, 262, L35. The ultraviolet spectrum of Herbig-Haro object 2H
456. Brugel, E.W., Bohm, K.H., Shull, J.M., Bohm-Vitense, E. 1985, APJ, 292, L75. The unexpected ultraviolet variability of Herbig-Haro object 1
457. Bruhweiler, F.C., Kondo, Y., McCluskey, G.E. 1979, APJ, 229, L39. The "semitorrid" gas observed in the direction of Gamma 2 Velorum and the Gum Nebula
458. Bruhweiler, F.C., Kondo, Y. 1980, APJ, 237, 19. Interstellar CIV and SiIV column densities toward early-type stars
459. Bruhweiler, F.C., Gull, T.R., Henize, K.G., Cannon, R.D. 1981, APJ, 251, 126. On the nebulosities associated with the extreme Of star HD 148937
460. Bruhweiler, F.C., Kondo, Y. 1981, APJ, 248, L123. The interstellar medium and the highly ionized species observed in the spectrum of the nearby white dwarf G191-B2B
461. Bruhweiler, F.C., Kondo, Y., McCluskey, G.E. 1981, APJS, 46, 255. The ultraviolet spectrum of the O-type subdwarf HD 49798
462. Bruhweiler, F.C., Kondo, Y. 1982, APJ, 260, L91. The detection of interstellar CI in the immediate vicinity of the sun
463. Bruhweiler, F.C., Parsons, S.B., Wray, J.D. 1982, APJ, 256, L49. Comparison of winds in the Small Magellanic Cloud and galactic early-type stars
464. Bruhweiler, F.C., Kondo, Y. 1982, APJ, 259, 232. The UV spectra of nearby white dwarfs and the nature of the local interstellar medium

465. Bruhweiler, F.C., Dean, C.A. 1983, APJ, 274, L87. Sharp shortward-shifted features in the spectra of O subdwarfs
466. Bruhweiler, F.C., Kondo, Y. 1983, APJ, 269, 657. Mass loss, levitation, accretion, and the sharp-lined features in hot white dwarfs
467. Bruhweiler, F.C., Feibelman, W.A., Kondo, Y. 1986, AJ, 92, 441. The ultraviolet spectrum of the eclipsing binary IM Aurigae
468. Bruhweiler, F.C., Kafatos, M., Sofia, U.J. 1986, APJ, 303, L31. The unusual ultraviolet variability of the QSO 3C 232
469. Bruhweiler, F.C., Sion, E.M. 1986, APJ, 304, L21. Ultraviolet observations of V471 Tauri: evidence for a nova-like outburst
470. Bruhweiler, F.C., Kondo, Y., Sion, E.M. 1986, NATURE, 324, 235. The historical record for Sirius: evidence for a white-dwarf thermonuclear runaway?
471. Bruhweiler, F.C., Cheng, K.-P. 1988, APJ, 335, 188. The stellar radiation field and the ionization of H and He in the local interstellar medium
472. Bruhweiler, F.C., Smith, A.M. 1988, APJ, 327, 664. Ultraviolet spectroscopy of the "jetlike" condensations of NGC 4151
473. Bruhweiler, F.C., Grady, C.A., Chiu, W.A. 1989, APJ, 340, 1038. Highly ionized species and circumstellar shells in B8-A1 stars
474. Bruhweiler, F.C., Kondo, Y., Grady, C.A. 1991, APJ, 371, L27. Mass outflow in the nearby proto-planetary system, Beta Pictoris
475. Bruhweiler, F.C., Truong, K.Q., Altner, B. 1991, APJ, 379, 596. IUE observations of NGC 1068: the extremely luminous starburst knots
476. Bruhweiler, F.C., Feibelman, W.A. 1993, AJ, 105, 1477. International Ultraviolet Explorer observations of the white dwarf nucleus of the very old, diffuse planetary nebula, IW-2
477. Bruhweiler, F.C., Boggess, A., Norman, D.J., Grady, C.A., Urry, C.M., Kondo, Y. 1993, APJ, 409, 199. The galactic halo and local intergalactic medium toward PKS 2155-304
478. Brunner, A.R., Clayton, G.C., Ayres, T.R. 1998, PASP, 110, 1412. A Search for an Emission-Line Region in the Hydrogen-deficient Carbon Star HD 182040
479. Brunner, H., Mueller, C., Friedrich, P., Doerrner, T., Staubert, R., Riffert, H. 1997, A&A, 326, 885. UV to X-ray spectra of radio-quiet quasars. Comparison with accretion disk models.
480. Bruzual A., G., Peimbert, M., Torres-Peimbert, S. 1982, APJ, 260, 495. The UV continuum spectrum of M81
481. Bruzual A., G. 1983, APJ, 273, 105. Spectral evolution of galaxies. I. Early-type systems
482. Bruzual A., G. 1983, RMAA, 8, 29. Spectral evolution of galaxies. II. An atlas of IUE spectra of late type stars and nearby early type stellar systems
483. Bruzual A., G., Charlot, S. 1993, APJ, 405, 538. Spectral evolution of stellar populations using isochrone synthesis
484. Bryan, G.L., Kwok, S. 1991, APJ, 368, 252. Energy distributions of symbiotic novae
485. Buat V., Burgarella D., 1998 A&A, 334, 772. The observation of the nearby universe in UV and FIR: an evidence for a moderate extinction in present day star forming galaxies

486. Budding, E., Kadouri, T.H., Gimenez, A. 1982, *AP&SS*, 88, 453. IUE observations of certain short-period RS CVn-like stars
487. Budzien, S.A., Feldman, P.D. 1991, *ICARUS*, 90, 308. OH prompt emission in Comet IRAS-Araki-Alcock (1983 VII)
488. Budzien, S.A., Feldman, P.D. 1992, *ICARUS*, 99, 143. Upper limits to the S2 abundance in several comets observed with the International Ultraviolet Explorer
489. Budzien, S.A., Festou, M.C., Feldman, P.D. 1994, *ICARUS*, 107, 164. Solar flux variability and the lifetimes of cometary H₂O and OH
490. Buratti, B.J., Nelson, R.M., Lane, A.L. 1988, *NATURE*, 333, 148. Surficial texture of the Galilean satellites
491. Burgarella, D., Vogel, M., Paresce, F. 1992, *A&A*, 262, 83. R Aquarii: an attempt at a unified model
492. Burger, M., de Jager, C., van den Oord, G.H.J., Sato, N. 1982, *A&A*, 107, 320. The pulsation of the outer layers of the Beta Cephei-type variable BW Vul
493. Burger, M., de Jager, C., van den Oord, G.H.J. 1982, *A&A*, 109, 289. The pulsation of the outer layers of the Beta Cephei star Sigma Sco
494. Burgh, E.B., McCandliss, S.R., Andersson, B.G., Feldman, P.D. 2000, *APJ*, 541, 250. On the correlation between CO absorption and far-ultraviolet nonlinear extinction toward galactic OB stars
495. Burki, G., Llorente de Andres, F. 1979, *A&A*, 79, L13. Ultraviolet P Cygni profiles of the C IV resonance line for O-type stars in the open cluster IC 1805
496. Burki, G., Heck, A., Bianchi, L., Cassatella, A. 1982, *A&A*, 107, 205. Variability and mass loss in the extreme supergiant Zeta 1 Sco
497. Burki, G., Kviz, Z., North, P. 1992, *A&A*, 256, 463. A photometric survey of the eclipsing RS CVn-type system RZ Eridani: starspot variability, circumstellar matter, tidal evolution
498. Burks, G.S., York, D.G., Blades, J.C., Bohlin, R.C., Wamsteker, W. 1991, *APJ*, 381, 55. Probing the Galactic halo along the 3C 273 sight line using IUE
499. Burleigh, M., Barstow, M., Fleming, T. 1997, *MNRAS*, 287, 381. A search for hidden white dwarfs in the ROSAT extreme ultraviolet survey
500. Burleigh, M., Barstow, M., Dobbie, P. 1997, *A&A*, 317, L27. The close DAO+dM binary RE J0720-318: A stratified white dwarf with a thin H layer and a possible circumbinary disk
501. Burleigh, M.R., Barstow, M.A. 2000, *A&A*, 359, 977. Spectroscopic confirmation of a white dwarf companion to the B star 16 Dra
502. Burstein, D., Bertola, F., Buson, L.M., Faber, S.M., Lauer, T.R. 1988, *APJ*, 328, 440. The far-ultraviolet spectra of early-type galaxies
503. Busa, I., Pagano, I., Rodono, M., Neff, J. E., Lanzafame, A. C. 1999, *A&A*, 350, 571. Chromospheric imaging of the active binary system V 711 Tauri = HR 1099 in December 1992
504. Buson, L.M., Ulrich, M.-H. 1990, *A&A*, 240, 247. The Lyman-alpha and C IV lines in 10 low-redshift active galactic nuclei/quasars
505. Buss, R.H., Snow, T.P. 1988, *APJ*, 335, 331. Hot components and circumstellar grains in M supergiant syncretic binaries

506. Buss, R.H., Lamers, H.J.G.L.M., Snow, T.P. 1989, APJ, 347, 977. Grain ultraviolet extinction properties of recently discovered post asymptotic giant branch stars
507. Butler, C.J., Byrne, P.B., Andrews, A.D., Doyle, J.G. 1981, MNRAS, 197, 815. Ultraviolet spectra of dwarf solar neighborhood stars. I.
508. Butler, C., Rodono, M., Foing, B., Haisch, B. 1986, NATURE, 321, 679. Coordinated EXOSAT and spectroscopic observations of flare stars and coronal heating
509. Butler, C.J., Doyle, J.G., Andrews, A.D., Byrne, P.B., Linsky, J.L., Bornmann, P., Rodono, M., Pazzani, V., Simon, T. 1987, A&A, 174, 139. Rotational modulation and flares on RS CVn and BY Dra systems. II. IUE observations of BY Draconis and AU Microscopii
510. Butler, C.J. 1988, IAJ, 18, 198. Multiwavelength observations of stellar flares
511. Butterworth, P.S., Caldwell, J., Moore, V., Owen, T., Rivolo, A.R., Lane, A.L. 1980, NATURE, 285, 308. An upper limit to the global SO₂ abundance on Io
512. Butterworth, P.S., Meadows, A.J., Hunt, G.E., Moore, V., Willis, D.M. 1980, NATURE, 287, 701. Ultraviolet spectra of asteroids
513. Butterworth, P.S., Meadows, A.J. 1985, ICARUS, 62, 305. Ultraviolet reflectance properties of asteroids
514. Buzasi, D.L., Ramsey, L.W., Huenemoerder, D.P. 1987, APJ, 322, 353. A flare event on the long-period RS Canum Venaticorum system IM Pegasi
515. Buzzoni, A., Cacciari, C., Fusi Pecci, F., Buonanno, R., Corsi, C.E. 1992, A&A, 254, 110. IUE observations of UV-bright stars in M 3
516. Byrne, P.B., Doyle, J.G., Butler, C.J. 1984, MNRAS, 206, 907. Optical photometry and ultraviolet spectroscopy of the flare/BY Dra star G1 182 (V1005 Ori)
517. Byrne, P.B., Doyle, J.G., Butler, C.J., Andrews, A.D. 1984, MNRAS, 211, 607. Optical photometry and UV spectroscopy of the flare star G1 735 (= V1285 Aql)
518. Byrne, P.B., Doyle, J.G., Brown, A., Linsky, J.L., Rodono, M. 1987, A&A, 180, 172. Rotational modulation and flares on RS CVn and BY Dra stars. VI. Physical parameters of the chromospheres/transition regions of V711 Tau (HR 1099), II Peg and AR Lac during October 1981
519. Byrne, P.B., Dufton, P.L., Kingston, A.E., Lennon, D.J., Murphy, H.M. 1988, A&A, 197, 205. Electron densities in late-type stars
520. Byrne, P.B., Doyle, J.G. 1989, A&A, 208, 159. Activity in late-type dwarfs. III. Chromospheric and transition region line fluxes for two dM stars
521. Byrne, P.B., McKay, D. 1989, A&A, 223, 241. Activity in late-type stars. IV. The 1980 August 20 flare on Proxima Centauri revisited
522. Byrne, P.B., Panagi, P., Doyle, J.G., Englebrecth, C.A., McMahan, R., Marang, F., Wegner, G. 1989, A&A, 214, 227. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XII. Near-to-simultaneous high resolution UV and optical observations of II Pegasi during July 1984
523. Byrne, P.B., McKay, D. 1990, A&A, 227, 490. Activity in late-type stars. V. Rotational modulation and flaring in UV lines on the most rapidly rotating dMe star, G1 890 (=BD-16 6218)
524. Byrne, P.B., Butler, C.J., Lyons, M.A. 1990, A&A, 236, 455. Activity in late-type stars. VI. Optical photometry and UV spectroscopy of the active dMe star, FK Aquarii in late 1983

525. Byrne, P.B., Doyle, J.G. 1990, *A&A*, 238, 221. Activity in late-type stars. VII. Chromospheric and transition region line fluxes in 2 dM and 1 dM(e) stars
526. Byrne, P.B. 1993, *A&A*, 272, 495. Activity in late-type stars. VIII. The nature of the dM(e) or "zero" H-alpha stars
527. Byrne, P.B. 1993, *A&A*, 278, 520. Activity in late-type stars. IX. The weakest chromosphere M dwarf yet discovered: Gl 105B
528. Cacciari, C., Cassatella, A., Bianchi, L., Fusi-Pecchi, F., Kron, R.G. 1982, *APJ*, 261, 77. Optical and ultraviolet observations of the X-ray globular cluster Bo 158 in M31
529. Cacciari, C., Caloi, V., Castellani, V., Fusi-Pecchi, F. 1984, *A&A*, 139, 285. IUE observations of UV bright stars in the globular clusters M15 and Omega Cen
530. Cacciari, C. 1985, *A&AS*, 61, 407. UV fluxes of Population II stars
531. Cacciari, C., Fusi Pecchi, F., Bragaglia, A., Buzzoni, A. 1995, *A&A*, 301, 684. IUE observations of blue horizontal branch stars in the globular clusters M 3 and NGC 675
532. Caillault, J.-P., Vilhu, O., Linsky, J.L. 1991, *APJ*, 383, 594. IUE observations of solar-type stars in the Pleiades and the Hyades
533. Caldwell, J., Owen, T., Rivolo, A.R., Moore, V., Hunt, G.E., Butterworth, P.S. 1981, *AJ*, 86, 298. Observations of Uranus, Neptune, and Titan by the International Ultraviolet Explorer
534. Caldwell, J., Wagener, R., Owen, T. 1983, *NATURE*, 303, 310. Tentative confirmation of an aurora on Uranus
535. Caldwell, J., Wagener, R., Fricke, K.H. 1988, *ICARUS*, 74, 133. Observations of Neptune and Uranus below 2000 Å with the IUE
536. Caloi, V., Cassatella, A., Castellani, V., Macchetto, F., Melnick, J. 1981, *A&A*, 103, 386. Far ultraviolet investigation of three nuclei of globular clusters
537. Caloi, V., Castellani, V., Panagia, N. 1982, *A&A*, 107, 145. The O type subdwarf ROB 162 in the globular cluster NGC 6397
538. Caloi, V., Castellani, V. 1983, *A&A*, 121, 198. IUE observations of the nucleus of the galactic globular cluster NGC 2808
539. Caloi, V., Castellani, V., Galluccio, D., Wamsteker, W. 1984, *A&A*, 138, 485. Far-ultraviolet spectra of the nuclei of globular clusters M30, M54, M70
540. Caloi, V., Castellani, V., Tarengi, M. 1985, *A&A*, 145, 286. M62: an RR Lyrae-rich, UV-bright galactic globular cluster
541. Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R., Cannon, R.D., Hill, P.W., Boksenberg, A. 1986, *MNRAS*, 222, 55. Optical and UV spectroscopy of blue horizontal branch stars in the globular cluster NGC 6752
542. Caloi, V., Cassatella, A., Castellani, V., Walker, A. 1993, *A&A*, 271, 109. A far UV investigation of luminous hot stars in the SMC cluster NGC 330
543. Caloi, V., Cassatella, A. 1995, *A&A*, 295, 63. On the evolutionary status of the LMC cluster NGC 2004
544. Calvet, N., Basri, G., Imhoff, C., Giampapa, M. 1985, *APJ*, 293, 575. Simultaneous observations of Ca II K and Mg II k in T Tauri stars
545. Calzetti, D., Kinney, A.L. 1992, *APJ*, 399, L39. Lyman-alpha emission in star-forming galaxies: low-redshift counterparts of primeval galaxies?

546. Calzetti, D., Kinney, A.L., Storchi-Bergmann, T. 1994, APJ, 429, 582. Dust extinction of the stellar continua in starburst galaxies: the ultraviolet and optical extinction law
547. Calzetti, D., Bohlin, R.C., Kinney, A.L., Storchi-Bergmann, T., Heckman, T.M. 1995, APJ, 443, 136. The heating of dust in starburst galaxies: the contribution of the nonionizing radiation
548. Cameron, M., Liseau, R. 1990, A&A, 240, 409. UV observations of Herbig-Haro objects associated with bipolar molecular outflows: HH 7, HH 11, and HH 29
549. Cannizzo, J.K., Pudritz, R.E. 1988, APJ, 327, 840. A new angular momentum loss mechanism for cataclysmic variables
550. Canuto, V.M., Levine, J.S., Augustsson, T.R., Imhoff, C.L. 1982, NATURE, 296, 816. UV radiation from the young Sun and oxygen and ozone levels in the prebiological paleoatmosphere
551. Canuto, V.M., Levine, J.S., Augustsson, T.R., Imhoff, C.L., Giampapa, M.S. 1983, NATURE, 305, 281. The young Sun and the atmosphere and photochemistry of the early Earth
552. Cappelli, A., Cerruti-Sola, M., Cheng, C.C., Pallavicini, R. 1989, A&A, 213, 226. A comparison of solar and stellar ultraviolet spectra obtained with Skylab and IUE
553. Cardelli, J.A., Bohm-Vitense, E. 1982, APJ, 262, 213. The interstellar absorption-line spectrum of Mu Ophiuchi
554. Cardelli, J.A., Bohm, K.H. 1984, APJ, 285, 613. The reflection nebula NGC 1999
555. Cardelli, J.A., Clayton, G.C., Mathis, J.S. 1988, APJ, 329, L33. The determination of ultraviolet extinction from the optical and near-infrared
556. Cardelli, J.A., Savage, B.D. 1988, APJ, 325, 864. Two lines of sight with exceedingly anomalous ultraviolet interstellar extinction
557. Cardelli, J.A., Clayton, G.C., Mathis, J.S. 1989, APJ, 345, 245. The relationship between infrared, optical, and ultraviolet extinction
558. Cardelli, J.A., Clayton, G.C. 1991, AJ, 101, 1021. Absolute extinction and the influence of environment: dark cloud sight lines toward VCT 10, 30, and Walker 67
559. Cardelli, J.A., Sembach, K.R., Mathis, J.S. 1992, AJ, 104, 1916. The quantitative assessment of UV extinction derived from IUE data of giants and supergiants
560. Carini, M.T., Miller, H.R. 1992, APJ, 385, 146. The optical variability of PKS 2155-304
561. Carpay, J., de Jager, C., Nieuwenhuijzen, H. 1991, A&A, 248, 475. The luminosity of the B2 hypergiant HD 80077
562. Carpenter, K.G. 1984, APJ, 285, 181. Characteristics of the Fe II and C II emission in high-resolution IUE spectra (2300-3000 Å) of Alpha Orionis
563. Carpenter, K.G., Slettebak, A., Sonneborn, G. 1984, APJ, 286, 741. Rotational velocities of later B type and A type stars as determined from ultraviolet versus visual line profiles
564. Carpenter, K.G., Brown, A., Stencel, R.E. 1985, APJ, 289, 676. The geometric extent of C II (UV 0.01) emitting regions around luminous late-type stars
565. Carpenter, K.G., Wing, R.F., Stencel, R.E. 1985, APJS, 57, 405. Line identifications, line strengths, and continuum flux measurements in the ultraviolet spectrum of Arcturus

566. Carpenter, K.G., Pesce, J.E., Stencel, R.E., Brown, A., Johansson, S., Wing, R.F. 1988, APJS, 68, 345. The ultraviolet spectrum of noncoronal late-type stars: the Gamma Crucis (M3.4 III) reference spectrum
567. Carpenter, K.G., Robinson, R.D., Wahlgren, G.M., Ake, T.B., Ebbets, D., Linsky, J.L., Brown, A., Walter, F. 1991, APJ, 377, L45. First results from the Goddard High-Resolutions Spectrograph: the chromosphere of Alpha Tauri
568. Carpenter, K.G., Robinson, R.D., Wahlgren, G.M., Linsky, J.L., Brown, A. 1994, APJ, 428, 329. GHRS observations of cool, low-gravity stars. I. The far-ultraviolet spectrum of Alpha Orionis (M2 Iab)
569. Carpenter, K.G., Robinson, R.D., Judge, P.G. 1995, APJ, 444, 424. GHRS observations of cool, low-gravity stars, 2: Flow and turbulent velocities in the outer atmosphere of gamma Cru (M3.4III)
570. Carpenter, K.G., Robinson, R.D., Johnson, H.R., Eriksson, K., Gustafsson, B., Pijpers, F.P., Querci, F., Querci, M. 1997, APJ, 486, 457. Hubble Space Telescope Spectroscopy of the Carbon Star TX Piscium
571. Carrasco, L., Costero, R., Stalio, R. 1981, A&A, 100, 183. Far-UV wind line profile changes in the O-type star HD 175754
572. Casey, S.C. 1991, APJ, 371, 183. Emission from dust in visual reflection nebulae at infrared and submillimeter wavelengths
573. Cassatella, A., Giangrande, A., Viotti, R. 1979, A&A, 71, L9. The ultraviolet spectrum and expansion velocity of Eta Carinae from IUE observations
574. Cassatella, A., Beeckmans, F., Benvenuti, P., Clavel, J., Heck, A., Lamers, H.J.G.L.M., Macchetto, F., Penston, M., Selvelli, P.L., Stickland, D.J. 1979, A&A, 79, 223. On the high resolution ultraviolet spectrum of P Cygni
575. Cassatella, A., Benvenuti, P., Clavel, J., Heck, A., Penston, M., Selvelli, P.L., Macchetto, F. 1979, A&A, 74, L18. On the ultraviolet spectrum of nova Cygni 1978
576. Cassatella, A., Barbero, J., Benvenuti, P. 1985, A&A, 144, 335. The International Ultraviolet Explorer (IUE) point spread function at low resolution
577. Cassatella, A., Holm, A., Reimers, D., Ake, T., Stickland, D.J. 1985, MNRAS, 217, 589. IUE high-resolution observations of Mira B
578. Cassatella, A., Fransson, C., van Santvoort, J., Gry, C., Talavera, A., Wamsteker, W., Panagia, N. 1987, A&A, 177, L29. Spectral evolution of SN 1987A in the far-ultraviolet
579. Cassatella, A., Barbero, J., Geyer, E.H. 1987, APJS, 64, 83. Ultraviolet observations by the IUE of 31 clusters of the Large Magellanic Cloud
580. Cassatella, A., Smolinski, J. 1991, A&A, 250, 365. The discovery of a hot companion to the K-type supergiant HD 4817
581. Cassatella, A., Gonzalez-Riestra, R., Imhoff, C., Oliverson, N., Lloyd, C. 1992, A&A, 256, 309. Photometric calibration of the International Ultraviolet Explorer (IUE) at low resolution: the LWP camera
582. Cassatella, A., Fernandez-Castro, T., Gonzalez-Riestra, R., Fuensalida, J.J. 1992, A&A, 258, 368. The active phase of the symbiotic star BF Cygni
583. Cassatella, A., Selvelli, P.L., Ponz, J.D., Gonzalez-Riestra, R., Vogel, M. 1994, A&A, 281, 594. Photometric calibration of the International Ultraviolet Explorer (IUE) for high resolution spectra

584. Cassatella, A., Barbero, J., Brocato, E., Castellani, V., Geyer, E. 1996, *A&A*, 306, 125. Ultraviolet ages of young clusters in the Magellanic Clouds
585. Cassatella, A., Altamore, A., González-Riestra, R., Ponz, J. D., Barbero, J., Talavera, A., Wamsteker, W. 2000, *A&AS*, 141, 331. The INES system. II. Ripple correction and absolute calibration for IUE high resolution spectra
586. Cassinelli, J.P., Mathis, J.S., Savage, B.D. 1981, *SCIENCE*, 212, 1497. Central object of the 30 Doradus Nebula, a supermassive star
587. Cassinelli, J.P., Hartmann, L., Sanders, W.T., Dupree, A.K., Myers, R.V. 1983, *APJ*, 268, 205. Simultaneous X-ray and ultraviolet observations of Epsilon Orionis and Kappa Orionis
588. Castelaz, M.W., Mccollum, B. 1995, *AJ*, 109, 341. Search for companion stars to the Mira variables S Leo and U Cnc
589. Castelli, F., Hoekstra, R., Kondo, Y. 1982, *A&AS*, 50, 233. The mid-ultraviolet spectrum of Epsilon Aurigae
590. Castelli, F., Cornachin, M., Hack, M., Morosi, C. 1984, *A&A*, 141, 223. The chemical composition of the He-w Bp star HR 6000
591. Castelli, F., Cornachin, M., Hack, M., Morossi, C. 1985, *A&AS*, 59, 1. Abundance analysis from the UV spectrum of the He-w star HR 6000
592. Castelli, F., Bonifacio, P. 1990, *A&AS*, 84, 259. A computed spectrum for the normal star iota Herculis (B3 IV) in the region 122.8-195.0 nm
593. Castelli, F., Kurucz, R.L. 1994, *A&A*, 281, 817. Model atmospheres for Vega
594. Castelli, F., Parthasarathy, M., Hack, M. 1997, *A&A*, 321, 254. Abundances of the (3)He stars 3 Cen A (B5IIIp) from IUE spectra
595. Castor, J.I., Lutz, J.H., Seaton, M.J. 1981, *MNRAS*, 194, 547. Ultraviolet spectra of planetary nebulae - III. Mass loss from the central star of NGC 6543
596. Catala, C. 1983, *A&A*, 125, 313. The dust envelope of the Herbig Ae star, AB Aur
597. Catala, C., Talavera, A. 1984, *A&A*, 140, 421. The presence of Si³⁺ and C³⁺ in the wind of AB Aur
598. Catala, C., Czarny, J., Felebok, P., Praderie, F. 1986, *A&A*, 154, 103. Spectral similarities in the visible and UV spectrum of Herbig Ae/Be stars
599. Catala, C., Praderie, F., Felenbok, P. 1987, *A&A*, 182, 115. Rotational modulation of the wind of the PMS star AB Aur: new observations in C IV and Mg II
600. Catala, C. 1988, *A&A*, 193, 222. Line formation in the winds of Herbig Ae/Be stars. The C IV resonance lines
601. Catala, C., Simon, T., Praderie, F., Talavera, A., The, P.S., Tjin A Djie, H.R.E. 1989, *A&A*, 221, 273. Active phenomena in the pre-main sequence Herbig Ae star HD 163296
602. Catalano, S., Marilli, E., Freire Ferrero, R., Gouttebroze, P. 1991, *A&A*, 250, 573. The chromospheric Lyman-alpha emission of Altair (A7 IV-V) observed with the IUE
603. Celotti, A., Maraschi, L., Treves, A. 1991, *APJ*, 377, 403. A model for the spectral variability of BL Lacertae objects at high frequencies
604. Centurion, M., Vladilo, G. 1991, *APJ*, 372, 494. The local interstellar medium toward the center of Loop I

605. Cerruti-Sola, M., Perinotto, M. 1985, APJ, 291, 237. Winds in central stars of planetary nebulae
606. Cerruti-Sola, M., Perinotto, M. 1989, APJ, 345, 339. Fast winds in central stars of some planetary nebulae
607. Cerruti-Sola, M., Cheng, C.-C., Pallavicini, R. 1992, A&A, 256, 185. Mg II absolute line profiles for late-type stars and for spatially-resolved solar regions
608. Chaffee, F.H. 1983, PASP, 95, 700. Optical and ultraviolet high-resolution spectroscopy of galaxies and QSOs
609. Chapman, G.N.F., Geller, M.J., Huchra, J.P. 1985, APJ, 297, 151. The ultraviolet variability of Seyfert 1 galaxies
610. Chapman, R.D. 1980, NATURE, 286, 580. IUE observations of the atmospheric eclipsing binary system Zeta Aurigae
611. Chapman, R.D. 1981, APJ, 248, 1043. The 1979-1980 eclipse of Zeta Aurigae. I. The circumstellar envelope
612. Chapman, R.D., Kondo, Y., Stencel, R.E. 1983, APJ, 269, L17. The partial phase of the eclipse of Epsilon Aurigae
613. Charles, P.A., Booth, L., Densham, R.H., Bath, G.T., Thorstensen, J.R., Howarth, I.D., Willis, A.J., Skinner, G.K., Olszewski, E. 1983, MNRAS, 202, 657. Extreme variability in the Be-type, periodic recurrent X-ray transient A0538-66: a highly eccentric interacting binary
614. Charlot, S., Fall, S.M. 1993, APJ, 415, 580. Lyman-alpha emission from galaxies
615. Charlot, S., Fall, S.M. 2000, APJ, 539, 718. A simple model for the absorption of starlight by dust in galaxies.
616. Chavez, M., Stalio, R., Holberg, J.B. 1995, APJ, 449, 280. Far-ultraviolet (912-1900 Å) energy distribution in early-type main-sequence stars
617. Che, A., Reimers, D. 1983, A&A, 127, 227. Boss 1985: mass loss investigation based on IUE spectra
618. Che, A., Hempe, K., Reimers, D. 1983, A&A, 126, 225. A study of ultraviolet spectra of Zeta Aur/VV Cep systems. II Mass loss of supergiants in Zeta Aur, 32 Cyg, and 31 Cyg
619. Che-Bohnenstengel, A. 1984, A&A, 138, 333. A study of ultraviolet spectra of Zeta Aur/VV Cep systems. VI. Excitation temperature within the wind of the K supergiant 32 Cyg
620. Che-Bohnenstengel, A., Reimers, D. 1986, A&A, 156, 172. The accretion of supergiant wind material onto the hot companion in Zeta Aurigae binaries
621. Chen, F., Judge, D.L., Wu, C.Y.R., Caldwell, J., White, H.P., Wagener, R. 1991, JGR, 96, 17,519. High-resolution low-temperature photoabsorption cross sections of C₂H₂, PH₃, AsH₃, and GeH₄, with application to Saturn's atmosphere
622. Chen, H., Kondo, Y., Sahade, J., Ringuet, A. 1989, APJ, 347, 1082. Analysis of the velocity law in the wind of the Be star Lambda Pavonis
623. Chen, K., Halpern, J.P., Filippenko, A.V. 1989, APJ, 339, 742. Kinematic evidence for a relativistic Keplerian disk: Arp 102B
624. Cheng, A.F., Lanzerotti, L.J., Pirronello, V. 1982, JGR, 87, 4567. Charged particle sputtering of ice surfaces in Saturn's magnetosphere

625. Cheng, F.H., Fang, L.Z. 1987, MNRAS, 226, 485. An archival study of IUE observations of low-redshift quasars
626. Cheng, F.H., Gaskell, C.M., Koratkar, A.P. 1991, APJ, 370, 487. The shape of the ultraviolet continuum of quasars and intergalactic dust.
627. Cheng, F.H., Horne, K., Panagia, N., Shrader, C.R., Gilmozzi, R., Paresce, F., Lund, N. 1992, APJ, 397, 664. The Hubble Space Telescope observations of X-ray Nova Muscae 1991 and its spectral evolution
628. Cheng, F.H., Horne, K., Marsh, T.R., Hubeny, I., Sion, E.M. 2000, APJ, 542, 1064. Temporal variations of the white dwarf and disk in OY Carinae following the 1992 superoutburst
629. Cheng, K.-P., Grady, C.A., Bruhweiler, F.C. 1991, APJ, 366, L87. A search for circumstellar dust around HR 10, a proposed Beta Pictoris star
630. Cheng, K.-P., Feibelman, W.A., Bruhweiler, F.C. 1991, APJ, 377, 235. Ultraviolet Fe VII absorption and Fe II emission lines of central stars of planetary nebulae
631. Cheng, K.-P., Bruhweiler, F.C., Kondo, Y. 1994, APJ, 425, L33. A search for ultraviolet circumstellar gas absorption features in Alpha Piscis Austrinus (Fomalhaut), a possible Beta Pictoris-like system
632. Cheng, K.-P., Bruhweiler, F., Neff, J. 1997, APJ, 481, 866. Detection of beta Pictoris-like gaseous infall in 2 Andromedae
633. Cherepashchuk, A.M., Koenigsberger, G., Marchenko, S.V., Moffat, A.F.J. 1995, A&A, 293, 142. On the relative luminosities of the stars in the Wolf-Rayet binary V444 Cygni
634. Chevalier, R.A. 1988, NATURE, 332, 514. The interaction of supernova 1987A with dense circumstellar gas
635. Chiappetti, L., Maraschi, L., Tanzi, E., Treves, A. 1982, APJ, 258, 236. Far-ultraviolet observations of MV Lyrae
636. Chiappetti, L., Maraschi, L., Tanzi, E.G., Treves, A. 1983, APJ, 265, 354. Ultraviolet spectroscopy of V1341 Cygni (=Cygnus X-2)
637. Chiappetti, L., Belloni, T., Bonnet-Bidaud, J.M., Del Gratta, C., De Martino, D., Maraschi, L., Mouchet, M., Mukai, K., Osborne, J.P., Corbet, R.H.D., Tanzi, E.G., Treves, A. 1989, APJ, 342, 493. X-ray, ultraviolet, and optical observations of the intermediate polar FO Aquarii (H2215-086)
638. Chiappetti, L., Treves, A., Branduardi-Raymont, G., Ciapi, A.L., Ercan, E.N., Freeman, P.E., Kahn, S.M., Maraschi, L., Paerels, F.B.S., Tanzi, E.G. 1990, APJ, 361, 596. EXOSAT observations of Cygnus X-2 continuum and line spectrum
639. Chjonacki, G.T., Cowley, C.R., Bord, D.J. 1984, APJ, 286, 736. An analysis by wavelength coincidence statistics of the ultraviolet spectrum of Kappa Cancri
640. Chlebowski, T., Garmany, C.D. 1991, APJ, 368, 241. On winds and X-rays of O-type stars
641. Chochol, D., Grygar, J., Pribullai, T., Komzik, R., Hric, L., Elkin, V. 1997, A&A, 318, 908. The expansion of the envelope of Nova V1974 Cygni and the distance problem
642. Christian, D., Vennes, S., Thorstensen, J., Mathioudakis, M. 1996, AJ, 112, 258. Discovery of a white dwarf companion (MS0354.6-3650=EUVEJ0356-366) to a G2V star
643. Chu, Y.-H., Wakker, B., Mac Low, M.-M., Garcia-Segura, G. 1994, AJ, 108, 1696. Ultraviolet interstellar absorption lines in the LMC: searching for hidden SNRs

644. Ciani, A., D'Odorico, S., Benvenuti, P. 1984, *A&A*, 137, 223. The stellar population of the nucleus of M33 from an analysis of its lambda-lambda 1200-3000 A spectrum
645. Claret, A. 1996, *A&A*, 315, 415. The apsidal motion in extragalactic stars: the masses of the eclipsing binary HV2274 in the Large magellanic Cloud
646. Clarke, J.T., Moos, H.W., Atreya, S., Lane, A.L. 1980, *APJ*, 241, L179. Observations from earth orbit and variability of the polar aurora on Jupiter
647. Clarke, J.T., Weaver, H.A., Feldman, P.D., Moos, H.W., Fastie, W.G., Opal, C.B. 1980, *APJ*, 240, 696. Spatial imaging of hydrogen Lyman alpha emission from Jupiter
648. Clarke, J.T., Moos, H.W., Feldman, P.D. 1981, *APJ*, 245, L127. IUE monitoring of the spatial distribution of the H Ly alpha emission from Jupiter
649. Clarke, J.T., Moos, H., Atreya, S., Lane, A.L. 1981, *NATURE*, 290, 226. IUE detection of bursts of H LY alpha emission from Saturn
650. Clarke, J.T. 1982, *APJ*, 263, L105. Detection of auroral hydrogen Lyman-alpha emission from Uranus
651. Clarke, J.T., Moos, H.W., Feldman, P.D. 1982, *APJ*, 255, 806. The far-ultraviolet spectra and geometric albedos of Jupiter and Saturn
652. Clarke, J.T., Bowyer, S., Fahr, H.J., Lay, G. 1984, *A&A*, 139, 389. IUE high resolution spectrophotometry of H Lyman alpha emission from the local interstellar medium
653. Clarke, J.T., Bowyer, S., Grewing, M. 1986, *APJ*, 305, 167. Far-ultraviolet and optical spectrophotometry of X-ray selected Seyfert galaxies
654. Clarke, J.T., Durrance, S., Atreya, S., Barnes, A., Belcher, J., Festou, M., Imhoff, C., Mihalov, J., Moos, H.W., Murthy, J., Pradhan, A., Skinner, T. 1986, *JGR*, 91, 8771. Continued observations of the H Ly-alpha emission from Uranus
655. Clarke, J.T., Hudson, M.K., Yung, Y.L. 1987, *JGR*, 92, 15139. The excitation of the far ultraviolet electroglow emissions on Uranus, Saturn, and Jupiter
656. Clarke, J.T. 1988, *GRL*, 15, 701. IUE observations of Neptune for H Lyman-alpha emission
657. Clarke, J.T., Trauger, J., Waite, J.H. 1989, *GRL*, 16, 587. Doppler shifted H Ly-alpha emission from Jupiter's aurora
658. Clarke, J.T. 1990, *ASR*, 10, 121. Current ideas about the production of the electroglow of Uranus
659. Clarke, J.T., Gladstone, G.R. 1990, *JGR*, 95, 21281. The center to limb variation in Jupiter's H Ly-alpha emission
660. Clarke, J.T., Gladstone, G.R., Ben Jaffel, L. 1991, *GRL*, 18, 1935. Jupiter's dayglow H Ly-alpha emission line profile
661. Clarke, J.T., Stern, S.A., Trafton, L.M. 1992, *ICARUS*, 95, 173. Pluto's extended atmosphere: an escape model and initial observations
662. Clarke, J.T. 1992, *ASR*, 12 #8, 137. Variability in the outer planet aurorae
663. Clavel, J., Flower, D.R. 1980, *MNRAS*, 190, 1P. A search for absorption in the fourth positive system of CO in the spectrum of the planetary nebula IC 418
664. Clavel, J., Benvenuti, P., Cassatella, A., Heck, A., Penston, M.V., Selvelli, P.L., Beeckmans, F., Macchetto, F. 1980, *MNRAS*, 192, 769. The UV spectrum of the narrow emission line X-ray emitting nucleus of the galaxy NGC 7582

665. Clavel, J., Flower, D.R., Seaton, M.J. 1981, MNRAS, 197, 301. Ultraviolet spectra of planetary nebulae - V. The C II 1335 dielectronic recombination lines in IC 418
666. Clavel, J., Joly, M., Collin-Souffrin, S., Bergeron, J., Penston, M.V. 1983, MNRAS, 202, 85. The Seyfert 1 galaxy NGC 4593 - I. Variability of the UV spectrum and physical conditions in the broad line emitting region
667. Clavel, J. 1983, MNRAS, 204, 189. The Seyfert 1 galaxy NGC 4593 - II. The pattern of variability of the UV spectrum
668. Clavel, J., Joly, M. 1984, A&A, 131, 87. The 1200-3200 Å spectra of Seyfert I galaxies: MK 304, NGC 7603, MCG 8-11-11, ESO 12-G 21, and NGC 1566
669. Clavel, J., Altamore, A., Boksenberg, A., Bromage, G.E., Elvius, A., Pelat, D., Penston, M.V., Perola, G.C., Snijders, M.A.J., Ulrich, M.-H. 1987, APJ, 321, 251. A detailed study of the C IV 1550 line profile and adjacent spectral features in NGC 4151 from 1978 to 1983
670. Clavel, J., Wamsteker, W. 1987, APJ, 320, L9. The fading of the narrow-line region in 3C 390.3
671. Clavel, J., Gilmozzi, R., Prieto, A. 1988, A&A, 191, 392. A correction method for the sensitivity loss of the LWR camera on board the IUE satellite
672. Clavel, J., Wamsteker, W., Glass, I.S. 1989, APJ, 337, 236. Hot dust on the outskirts of the broad-line region in Fairall 9
673. Clavel, J., Santos-Lleo, M. 1990, A&A, 230, 3. The turn-over of the "big bump" in Fairall 9 and HS1700+6416: a genuine difference between Seyfert galaxies and quasars?
674. Clavel, J., Boksenberg, A., Bromage, G.E., Elvius, A., Penston, M.V., Perola, G.C., Santos-Lleo, M., Snijders, M.A.J., Ulrich, M.-H. 1990, MNRAS, 246, 668. The ultra-compact broad emission line region in NGC 4151
675. Clavel, J., Reichert, G.A., Alloin, D., Crenshaw, D.M., Kriss, G., Krolik, J.H., Malkan, M.A., Netzer, H., Peterson, B.M., Wamsteker, W., Altamore, A., Baribaud, T., Barr, P., Beck, S., Binette, L., Bromage, G.E., Brosch, N., Diaz, A.I., Filippenko, A.V., Fricke, K., Gaskell, C.M., Giommi, P., Glass, I.S., Gondhalekar, P., Hackney, R.L., Halpern, J.P., Hutter, D.J., Jorsater, S., Kinney, A.L., Kollatschny, W., Koratkar, A., Korista, K.T., Laor, A., Lasota, J.P., Leibowitz, E., Maoz, D., Martin, P.G., Mazeh, T., Meurs, E.J.A., Nair, A.D., O'Brien, P., Pelat, D., Perez, E., Perola, G.C., Ptak, R.L., Rodriguez-Pascual, P., Rosenblatt, E.I., Sadun, A.C., Santos-Lleo, M., Shaw, R.A., Smith, P.S., Stirpe, G.M., Stoner, R., Sun, W.H., Ulrich, M.-H., van Groningen, E., Zheng, W. 1991, APJ, 366, 64. Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. I. An 8 month campaign of monitoring NGC 5548 with IUE
676. Clavel, J., Nandra, K., Makino, F., Pounds, K.A., Reichert, G.A., Urry, C.M., Wamsteker, W., Peracaula-Bosch, M., Stewart, G.C., Otani, C. 1992, APJ, 393, 113. Correlated hard X-ray and ultraviolet variability in NGC 5548
677. Clayton, G.C., Martin, P.G. 1985, APJ, 288, 558. Interstellar dust in the Large Magellanic Cloud
678. Clayton, G.C., Fitzpatrick, E.L. 1987, AJ, 93, 157. Anomalous dust in the open cluster Trumpler 37
679. Clayton, G.C., Cardelli, J.A. 1988, AJ, 96, 695. Polarization and the ratio of total-to-selective extinction

680. Clayton, G.C., Whitney, B.A., Stanford, S.A., Drilling, J.S., Judge, P.G. 1992, APJ, 384, L19. The unusual ultraviolet chromospheric spectrum of the R Coronae Borealis star, V854 Centauri (NSV 6708), at minimum light
681. Clayton, G.C., Whitney, B.A., Stanford, S.A., Drilling, J.S. 1992, APJ, 397, 652. Observations of R Coronae Borealis stars in decline: empirical arguments for dust formation near the stellar surface
682. Clayton, G.C., Hanson, M.M. 1993, AJ, 105, 1880. A new look at the dust toward Omicron Persei and Sigma Scorpii with the International Ultraviolet Explorer
683. Clayton, G.C., Lawson, W.A., Whitney, B.A., Pollacco, D.L. 1993, MNRAS, 264, L13. High-velocity spectral features in V854 Centauri: evidence for dust formation?
684. Clayton, G.C., Lawson, W.A., Cottrell, P.L., Whitney, B.A., Stanford, S.A., de Ruyter, F. 1994, APJ, 432, 785. An ultraviolet and visible spectroscopic study of a pulsational cycle of RY Sagittarii
685. Clayton, G.C., Wolff, M., Allen, R.G., Lupie, O. 1995, APJ, 445, 947. Ultraviolet interstellar linear polarization. II. The wavelength dependence
686. Clayton, G.C., Green, J., Wolff, M., Zellner, N., Code, A., Davidsen, A., WUPPE Science Team, HUT Science Team. 1996, APJ, 460, 313. Astro-2 observations of interstellar dust and gas in the LMC
687. Clayton, G.C., Gordon, K.D., Wolff, M.J. 2000, APJS, 129, 147. Magellanic Cloud-type interstellar dust along low-density sight lines in the Galaxy
688. Clegg, R.E.S., Seaton, M.J., Peimbert, M., Torres-Peimbert, S. 1983, MNRAS, 205, 417. Analysis of nebulosity in the planetary nebula NGC 40
689. Clegg, R.E.S., Harrington, J.P., Storey, P.J. 1986, MNRAS, 221, 61P. Ne III charge-exchange lines in the planetary nebula NGC 3918
690. Clegg, R.E.S., Harrington, J.P., Barlow, M.J., Walsh, J.R. 1987, APJ, 314, 551. The planetary nebula NGC 3918
691. Clegg, R.E., Peimbert, M., Torres-Peimbert, S. 1987, MNRAS, 224, 761. The carbon-poor halo planetary nebula DDDM-1
692. Cochran, A.L., Schleicher, D.G. 1993, ICARUS, 105, 235. Observational constraints on the lifetime of cometary H₂O
693. Cochran, W.D., Wagener, R., Caldwell, J., Fricke, K.H. 1990, ICARUS, 83, 93. The ultraviolet continuum albedo of Uranus
694. Codina, S.J., de Freitas Pacheco, J.A., Lopes, D.F., Gilra, D. 1984, A&AS, 57, 239. The spectrum of the Be star HD 110432
695. Coe, M.J., Wickramasinghe, D.T. 1981, NATURE, 290, 119. UV observations of X-ray sources 2A 0311-227 and 2A 0526-328
696. Coe, M.J., Roche, P., Everall, C., Fishman, G.J., Hagedorn, K.S., Finger, M., Wilson, R.B., Buckley, D.A.H., Shrader, C., Fabregat, J., Polcaro, V.F., Giovannelli, F., Villada, M. 1994, A&A, 289, 784. Multiwaveband study of a major X-ray outburst from the Be/X-ray transient system A 1118-616
697. Cohen, J.G., Rich, R.M., Persson, S.E. 1984, APJ, 285, 595. IUE observations of the clusters of the Magellanic Clouds
698. Cohen, J.G., Gillett, F.C. 1989, APJ, 346, 803. The peculiar planetary nebula in M22

699. Cohen, M., Tielens, A.G.G.M, Bregman, J., Witteborn, F.C., Rank, D.M., Allamandola, L.J., Wooden, D.H., Muizon, M. J. de 1989, APJ, 341, 246. The infrared emission bands. III. Southern IRAS sources
700. Cohen, R.D., Rudy, R.J., Puetter, R.C., Ake, T.B., Foltz, C.B. 1986, APJ, 311, 135. Variability of Markarian 1018: Seyfert 1.9 to Seyfert 1
701. Colangeli, L., Mennella, V., Blanco, A., Fonti, S., Bussoletti, E., Gumlich, H.E., Mertins, H.C., Jung, Ch. 1993, APJ, 418, 435. Extreme-ultraviolet extinction measurements on hydrogenated and dehydrogenated amorphous carbon grains
702. Colina, L. 1992, APJ, 386, 59. The ionizing radiation field of NGC 4388 and its relation to the extranuclear emission-line regions
703. Colina, L., Garcia Vargas, M.L., Mas-Hesse, J.M., Alberdi, A., Krabbe, A. 1997, APJ, 484, L41. Nuclear Spiral and Ring Star-forming Structures and the Starburst-Active Galactic Nucleus Connection in Barred Spirals NGC 3351 and NGC 4303
704. Collier Cameron, A., Duncan, D.K., Ehrenfreund, P., Foing, B.H., Kuntz, K.D., Penston, M.V., Robinson, R.D., Soderblom, D.R. 1990, MNRAS, 247, 415. Fast spectroscopic variations on rapidly rotating, cool dwarfs - III. Masses of circumstellar absorbing clouds on AB Doradus
705. Collura, A., Maggio, A., Micela, G., Sciotino, S., Harnden, F.R., Rosner, R. 1993, APJ, 416, 204. ROSAT X-ray detection of Epsilon Taurus: revisiting the coronal and transition region emission of the Hyades giants
706. Combi, M.R., Feldman, P.D. 1992, ICARUS, 97, 260. IUE observations of H Lyman-alpha in Comet P/Giacobini-Zinner
707. Combi, M.R., Bos, B.J., Smyth, W.H. 1993, APJ, 408, 668. The OH distribution in cometary atmospheres: a collisional Monte Carlo model for heavy species
708. Combi, M.R., Feldman, P.D. 1993, ICARUS, 105, 557. Water production rates in comet P/Halley from IUE observations of H I Lyman-alpha
709. Conlon, E.S., Dufton, P.L., Keenan, F.P., McCausland, R.J.H. 1991, MNRAS, 248, 820. Two early-type post-AGB stars at high galactic latitudes
710. Conlon, E.S., Dufton, P.L., Keenan, F.P. 1994, A&A, 290, 897. Abundance analysis of the hot post-AGB star Barnard 29
711. Conti, P.S., Garmany, C.D. 1980, APJ, 238, 190. Mass loss from O-type stars
712. Conti, P.S., Morris, P.W. 1990, AJ, 99, 898. A new method to determine the interstellar reddening towards WN stars
713. Conti, P.S., Hanson, M.M., Morris, P.W., Willis, A.J., Fossey, S.J. 1995, APJ, 445, 35. Of-Type stars HD16691 and HD190429 show WN-like spectra in the infrared K band
714. Contini, M. 1997, APJ, 483, 887. The Evolving Structure of AG Pegasi, Emerging from the Interpretation of the Emission Spectra at Different Phases
715. Contini, M., Prialink, D. 1997, APJ, 475, 803. The shell of recurrent nova T Pyxidis: A model based on shocks
716. Contini, M., Viegas, S.M. 2000, APJ, 535, 721. The optical-ultraviolet continuum of Seyfert 2 galaxies
717. Cook, T.A., Cash, W., Snow, T.P. 1989, APJ, 347, L81. Far-ultraviolet spectrophotometry of Spica

718. Corbet, R.H.D., Mason, K.O., Cordova, F.A., Branduardi-Raymont, G., Parmar, A.N. 1985, MNRAS, 212, 565. Optical spectroscopy and photometry of the periodic X-ray transient A0538-66 (X0535-668) during an outburst and an OFF state
719. Corbin, M.R. 1991, APJ, 371, L51. A comparison of C IV and H-beta broad emission-line profiles in low-redshift active galactic nuclei
720. Corbin, M.R., Boroson, T. 1996, APJS, 107, 69. Combined ultraviolet and optical spectra of 48 low-redshift QSOs and the relation of the continuum and emission-line properties
721. Corcoran, M.F. 1991, APJ, 366, 308. Circumstellar material around the massive close binary DH Cephei
722. Corcoran, M. F., Petre, R., Swank, J. H., Drake, S. A., Koyama, K., Tsuboi, Y., Viotti, R., Damineli, A., Davidson, K., Ishibashi, K., White, S., Currie, D. 1998, APJ, 494, 381. The ASCA X-Ray Spectrum of eta Carinae
723. Cordova, F.A., Mason, K.O. 1982, APJ, 260, 716. High-velocity winds from a dwarf nova during outburst
724. Cordova, F.A., Fenimore, E.E., Middleditch, J., Mason, K.O. 1983, APJ, 265, 363. Time resolved ultraviolet and optical spectroscopy of the pulsating X-ray source H2252-035
725. Cordova, F.A., Mason, K.O. 1985, APJ, 290, 671. High-velocity winds in close binaries with accretion disks. II. The view along the plane of the disk
726. Cornett, R.H., Jenkins, E.B., Bohlin, R.C., Cheng, K.-P., Gull, T.R., O'Connell, R.W., Parker, R.A.R., Roberts, M.S., Smith, A.M., Smith, E.P., Stecher, T.P. 1992, APJ, 395, L9. Ultraviolet Imaging Telescope observations of the Cygnus Loop
727. Cornett R.H., Dorman B., Smith E.P., Fanelli M.A., Oegerle W.R., Bohlin R.C., Neff S.G., O'Connell R.W., Roberts M.S., Smith A.M., Stecher T.P. 1998, AJ, 116, 44. Ultraviolet imaging of the $z=0.23$ cluster Abell 2246
728. Costa, A., Ringuet, A. 1985, RMAA, 10, 293. The behaviour of the atmosphere of Sigma Scorpil
729. Costa, V.M., Gameiro, J.F., Lago, M.T.V.T. 1999, MNRAS, 307, L23. Is LkH α 264 like a young, extremely active Sun?
730. Costa, V. M., Lago, M. T. V. T., Norci, L., Meurs, E. J. A. 2000, A&A, 354, 621. T Tauri stars: The UV/X-ray connection
731. Costero, R., Stalio, R. 1984, A&AS, 58, 95. P Cygni and related profiles in the ultraviolet spectra of O-stars
732. Cottrell, P.L., Greenstein, J.L. 1980, APJ, 238, 941. Ultraviolet spectrum synthesis of the helium white dwarf Ross 640
733. Courtin, R., Wagener, R., McKay, C.P., Caldwell, J., Fricke, K.-H., Raulin, F., Bruston, P. 1991, ICARUS, 90, 43. UV spectroscopy of Titan's atmosphere, planetary organic chemistry and prebiological synthesis. II. Interpretation of new IUE observations in the 220-335 nm range
734. Courvoisier, T.J.-L., Ulrich, M.-H. 1985, NATURE, 316, 524. Ultraviolet continuum variability of the quasar 3C 273
735. Courvoisier, T.J.-L., Turner, M.J.L., Robson, E.I., Gear, W.K., Staubert, R., Blecha, A., Bouchet, P., Falomo, R., Valtonen, M., Terasranta, H. 1987, A&A, 176, 197. The radio to X-ray continuum emission of the quasar 3C 273 and its temporal variations

736. Courvoisier, T.J.-L., Robson, E.I., Blecha, A., Bouchet, P., Falomo, R., Maisack, M., Staubert, R., Terasranta, H., Turner, M.J.L., Valtaoja, E., Walter, R., Wamsteker, W. 1990, *A&A*, 234, 73. Multi-wavelength observations of 3C 273. II. 1986-1988
737. Courvoisier, T.J.-L., Reichen, M., Blecha, A., Golay, M., Huguenin, D. 1990, *A&A*, 238, 63. Far-UV imaging of the starburst galaxy M 82
738. Courvoisier, T.J.-L., Clavel, J. 1991, *A&A*, 248, 389. Observational constraints on disc models for quasars and Seyfert galaxies
739. Courvoisier, T.J.-L. 1993, *A&AS*, 97, 93. Multi-wavelength studies of active galactic nuclei
740. Courvoisier, T.J.-L. 1994, *APJS*, 92, 579. Multiwavelength properties of active galactic nuclei
741. Cowie, L.L., Taylor, W., York, D.G. 1981, *APJ*, 248, 528. On the origin and distribution of C IV and Si IV ions in the neighboring interstellar medium
742. Cowie, L.L., Hu, E.M., Taylor, W., York, D.G. 1981, *APJ*, 250, L25. A search for expanding supershells of gas around OB associations
743. Cowley, A.P., Burstein, D. 1988, *AJ*, 95, 1071. The ultraviolet spectra of M31 globular clusters
744. Cowley, A.P., Hartwick, F.D.A. 1992, *PASP*, 104, 1216. Ultraviolet colors of old LMC clusters
745. Cowley, A.P., Schmidtke, P.C., Hutchings, J.B., Crampton, D. 1994, *APJ*, 429, 826. Ultraviolet observations of the accretion disk in LMC X-3
746. Cowley, C.R., Merritt, D.R. 1987, *APJ*, 321, 553. Identification of lines in the satellite ultraviolet: the spectrum of Tau Scorpii
747. Cowley, C.R. 1987, *OBS*, 107, 189. Platinum and bismuth in HR 465
748. Cowley, C.R., Greenberg, M. 1987, *PASP*, 99, 1201. The third spectrum of erbium in HR 465
749. Cowley, C.R., Greenberg, M. 1988, *MNRAS*, 232, 763. Third spectra of rare earth elements in chemically peculiar stars: IUE spectra
750. Cram, L.E., Giampapa, M.S., Imhoff, C.L. 1980, *APJ*, 238, 905. Emission measures derived from far ultraviolet spectra of T Tauri stars
751. Crampton, D., Cowley, A.P., Hutchings, J.B., Schmidtke, P.C., Thompson, I.B., Liebert, J. 1987, *APJ*, 321, 745. CAL 83: a puzzling X-ray source in the Large Magellanic Cloud
752. Cranmer, S.R., Smith, M.A., Robinson, R.D. 2000, *APJ*, 537, 433. A multiwavelength campaign on γ Cassiopeiae. IV. The case for illuminated disk-enhanced wind streams
753. Crawford, C.S., Arnaud, K.A., Fabian, A.C., Johnstone, R.M. 1989, *MNRAS*, 236, 277. A2597: another massive cooling flow
754. Crawford, C.S., Fabian, A.C., George, I.M., Naylor, T. 1991, *MNRAS*, 248, 139. Implications of the ionizing continuum of 3C 263
755. Crawford, C.S., Fabian, A.C. 1993, *MNRAS*, 265, 431. On the nature of the blue light in central cluster galaxies
756. Crawford, C.S., Fabian, A.C. 1994, *MNRAS*, 266, 669. A non-thermal radio/optical/ X-ray source in PKS 2316-423
757. Crenshaw, D.M., Peterson, B.M., Wagner, R.M. 1988, *AJ*, 96, 1208. Ultraviolet and optical spectra of broadline radio galaxies

758. Crenshaw, D.M., Blackwell, J.H. 1990, APJ, 358, L37. Evidence for a supermassive black hole in the nucleus of the Seyfert galaxy NGC 5548
759. Crenshaw, D.M., Bruegman, O.W., Norman, D.J. 1990, PASP, 102, 463. Camera artifacts in IUE low-dispersion spectra
760. Crenshaw, D.M., Peterson, B.M., Korista, K.T., Wagner, R.M., Aufdenberg, J.P. 1991, AJ, 101, 1202. Ultraviolet and optical spectra of high-ionization Seyfert galaxies with narrow lines
761. Crenshaw, D.M., Boggess, A., Wu, C.-C. 1993, APJ, 416, L67. Faint Object Spectrograph spectra of the UV emission lines in NGC 5548: detection of strong narrow components
762. Crenshaw, D.M., Boggess, A., Wu, C.-C. 1995, AJ, 110, 1026. Faint object spectrograph observations of MKR 509: ultraviolet absorption lines near the redshift of the Seyfert galaxy
763. Crenshaw, D., Bruegman, M., Ottow, W., Johnson, R., Fitzurka, M. 1996, PASP, 108, 925. Camera artefacts in IUE High-Dispersion spectra
764. Crenshaw, D.M., et al. 1996, APJ, 470, 322. Multiwavelength observations of short-timescale variability in NGC4151, I: ultraviolet observations
765. Crenshaw D.M., Maran S.P., Mushotzky R.F. 1998, APJ, 496, 797. Resolving the intrinsic C IV absorption in the Seyfert 1 galaxy NGC 3516
766. Cristiani, S., Cappellaro, E., Turatto, M., Bergeron, J., Bues, I., Buson, L., Danziger, J., di Serego-Alighieri, S., Duerbeck, H.W., Heydari-Malayeri, M., Krautter, J., Schmutz, W., Schulte-Ladbeck, R.E. 1992, A&A, 259, 63. The SN 1986G in Centaurus A
767. Cristiani, S., Giallongo, E., Buson, L.M., Gouiffes, C., La Franca, F. 1993, A&A, 268, 86. Coordinated UV-optical observations of quasars: the evolution of the Lyman absorption
768. Crivellari, L., Praderie, F. 1982, A&A, 107, 75. On the search for transition zone lines in late A type stars
769. Crivellari, L., Morossi, C. 1982, A&A, 106, 332. An alternative procedure for extracting IUE low resolution spectra
770. Crivellari, L., Franco, M.L., Molaro, P., Vladilo, G., Beckman, J.E. 1983, A&AS, 52, 135. The spectra of late type dwarfs and sub-dwarfs in the near ultraviolet. II. Limits to variability in Mg II emission from IUE spectrophotometry
771. Crotts, A.P.S., Kron, R.G., Cacciari, C., Fusi-Pecchi, F. 1990, AJ, 100, 141. Ultraviolet fluxes for globular clusters in M31: a rediscussion
772. Crotts, A.P.S., Landsman, W.B., Bohlin, R.C., O'Connell, R.W., Roberts, M.S., Smith, A.M., Stecher, T.P. 1992, APJ, 395, L25. Observations of the light echoes from SN 1987A using the Astro-1 Ultraviolet Imaging Telescope
773. Crovisier, J., Despois, D., Bockelee-Morvan, D., Gerard, E., Paubert, G., Johansson, L.E.B., Ekelund, L., Winnberg, A., Ge, W., Irvine, W.M., Kinzel, W.M., Schloerb, F.P. 1990, A&A, 234, 535. A search for the millimetre lines of HCN in comets Wilson 1987VII and Machholz 1988XV
774. Crowther, P., Smith, L.J., Willis, A. 1995, A&A, 304, 269. Fundamental parameters of Wolf-Rayet stars, V: The nature of the WN/C star WR8
775. Crowther, P., Bohannon, B. 1997, A&A, 317, 532. The distinction between OIafpe and WNLha stars. A spectral analysis of HD151804, HD152408 and HDE313846

776. Crowther, P., Smith, L.J. 1997, *A&A*, 320, 500. Fundamental parameters of Wolf-Rayet stars, VI: Large Magellanic Cloud WNL stars
777. Crowther, P. A. 2000, *A&A*, 356, 191. Wind properties of Wolf-Rayet stars at low metallicity: Sk 41 (SMC)
778. Cugier, H., Molaro, P. 1983, *A&A*, 128, 429. High rotational velocity of a region around the primary of Algol
779. Cugier, H., Molaro, P. 1984, *A&A*, 140, 105. Accretion of mass in Algol
780. Cugier, H., Hardorp, J. 1988, *A&A*, 202, 101. Carbon abundance in Beta Persei and Lambda Tauri
781. Cugier, H., Hardorp, J. 1988, *A&A*, 197, 163. Analysis of C II resonance lines in some main sequence early-type stars
782. Cugier, H. 1989, *A&A*, 214, 168. Carbon abundance in the primaries of six Algol-type stars
783. Cugier, H., Nowak, D. 1997, *A&A*, 326, 620. Multiwavelength studies of beta Cephei stars: delta Ceti.
784. Cuntz, M. 1990, *APJ*, 349, 141. Chromospheric extents predicted by time-dependent acoustic wave models
785. Cuntz, M., Rammacher, W., Ulmschneider, P. 1994, *APJ*, 432, 690. Chromospheric heating and metal deficiency in cool giants: theoretical results versus observations
786. Cuntz, M., Deeney, B., Brown, A., Stencel, R. 1996, *APJ*, 464, 426. Short-term chromospheric variability in alpha Tauri (K5III): Results from IUE time series observations
787. Cuttela, M., Ringuelet, A.E. 1990, *MNRAS*, 246, 20. A model for the Ae star with detected magnetic field, HD 190073
788. D'Odorico, S., Benvenuti, P., Dennefeld, M., Dopita, M.A., Greve, A. 1980, *A&A*, 92, 22. Astrophysical interpretation of the 1200-7300 Å emission line spectrum of a filament in the Cygnus Loop supernova remnant
789. D'Odorico, S., Benvenuti, P. 1983, *MNRAS*, 203, 157. Astrophysical properties of a luminous Wolf-Rayet type object in the core of the extragalactic H II region IC 132 from an analysis of its 1200-6000 Å spectrum
790. Dachs, J., Hanuschik, R. 1984, *A&A*, 138, 140. A study of the expanding envelope from the pole-on Be star HR 5223
791. Daems, K., Waelkens, C., Mayor, M. 1997, *A&A*, 317, 823. The strongly constrained interacting binary BY Crucis
792. Daems, K., Waelkens, C. 1997, *A&A*, 327, 640. Spectroscopic observations of the interacting binary BY Crucis.
793. Danezis, E., Theodossiou, E. 1988, *A&AS*, 72, 497. The far UV spectrum of the Be star 88 Herculis
794. Danezis, E., Theodossiou, E. 1990, *AP&SS*, 174, 49. The UV spectrum of the Be star 88 Herculis
795. Danezis, E., Theodossiou, E., Laskarides, P.G. 1991, *AP&SS*, 179, 111. The far UV spectrum of the Be star AX Monocerotis
796. Danezis, E., Antonopoulou, E., Theodossiou, E. 1992, *AP&SS*, 187, 307. The UV spectrum of the binary system SZ Psc

797. Danezis, E., Antonopoulou, E., Theodossiou, E. 1993, AP&SS, 200, 47. The UV spectrum of the binary system TY Pyx
798. Danly, L. 1989, APJ, 342, 785. The kinematics of Milky Way halo gas. I. Observations of low-ionization species
799. Danly, L., Lockman, F., Meade, M., Savage, B.D. 1992, APJS, 81, 125. Ultraviolet and radio observations of Milky Way halo gas
800. Danly, L., Albert, C.E., Kuntz, K.D. 1993, APJ, 416, L29. A determination of the distance to the high-velocity cloud complex M
801. Danziger, I.J., Wood, R., Clark, D.H. 1980, MNRAS, 192, 83P. Ultraviolet spectroscopy of the Vela supernova remnant
802. Danziger, I.J., Bergeron, J., Fosbury, R.A.E., Maraschi, L., Tanzi, E.G., Treves, A. 1983, MNRAS, 203, 565. The UV spectrum of the BL Lac object PKS 0521-36
803. Danziger, I.J., Fosbury, R.A.E., Alloin, D., Cristiani, S., Dachs, J., Gouiffes, C., Jarvis, B., Sahu, K.C. 1987, A&A, 177, L13. Optical spectroscopy of SN 1987A
804. Davidson, J.P., Bord, D.J. 1982, A&A, 111, 362. A search for medium Z elements in the ultraviolet spectrum of Kappa Cancri
805. Davidson, K., Gull, T.R., Maran, S.P., Stecher, T.P., Fesen, R.A., Parise, R., Harvel, C., Kafatos, M., Trimble, V. 1982, APJ, 253, 696. The ultraviolet spectrum of the Crab Nebula
806. Davidson, K., Walborn, N.R., Gull, T.R. 1982, APJ, 254, L47. The remarkable spectrum of some material ejected by Eta Carinae
807. Davidson, K., Dufour, R., Walborn, N., Gull, T. 1986, APJ, 305, 867. Ultraviolet and visual wavelength spectroscopy of gas around Eta Carinae
808. Davidson, K., Humphreys, R., Hajian, A., Terzian, Y. 1993, APJ, 411, 336. He 3-519: a peculiar post-LBV, pre-WN star?
809. Davies, J.K., Mumma, M.J., Reuter, D.C., Hoban, S., Weaver, H.A., Puxley, P.J., Lumsden, S.L. 1993, MNRAS, 265, 1022. The infrared (3.2-3.6 micron) spectrum of comet P/Swift-Tuttle: detection of methanol and other organics
810. Davies, R.L., Sadler, E.M., Peletier, R.F. 1993, MNRAS, 262, 650. Line-strength gradients in elliptical galaxies
811. Davis, R., Hartmann, L. 1983, APJ, 270, 671. Constraints on the inclination and masses of the HDE 226868/Cygnus X-1 system from the observations
812. Davies, R.I., Alonso-Herrero, A., Ward, M.J. 1997, MNRAS, 291, 557. A multiwavelength study of the starburst galaxy NGC 7771
813. de Araujo, F.X., de Freitas Pacheco, J.A. 1990, AP&SS, 163, 49. Asymmetric winds in Be stars
814. de Boer, K.S., Savage, B.D. 1980, APJ, 238, 86. Evidence for hot gaseous coronae around the Magellanic Clouds
815. de Boer, K.S., Koornneef, J., Savage, B.D. 1980, APJ, 236, 769. Ultraviolet absorption by interstellar gas near 30 Doradus
816. de Boer, K.S., Code, A.D. 1981, APJ, 243, L33. The far-ultraviolet energy distribution of two globular cluster blue horizontal-branch stars in M13

817. de Boer, K.S., Preussner, P.R., Grewing, M. 1982, *A&A*, 115, 128. The width of echelle orders in IUE images as derived with the Astronomical Image Display and Analysis (AIDA) System in Tubingen
818. de Boer, K.S., Nash, A.G. 1982, *APJ*, 255, 447. Ultraviolet absorption by interstellar gas near the LMC star HD 36402 in the interstellar bubble N51D
819. de Boer, K.S., Savage, B.D. 1983, *APJ*, 265, 210. Absorption by halo gas in the direction of M13
820. de Boer, K.S., Savage, B.D. 1984, *A&A*, 136, L7. Inflow of halo gas from the direction of the galactic North Pole
821. de Boer, K.S. 1985, *A&A*, 142, 321. UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity
822. de Boer, K.S., Fitzpatrick, E.L., Savage, B.D. 1985, *MNRAS*, 217, 115. Abundances of O, Mg, S, Cr, Mn, Ti, Ni and Zn from absorption lines of neutral gas in the Large Magellanic Cloud in front of R136
823. de Boer, K.S., Grewing, M., Richtler, T., Wamsteker, W., Gry, C., Panagia, N. 1987, *A&A*, 177, L37. Interstellar lines in SN 1987A observed with the IUE
824. de Boer, K.S., Kuss, C. 1988, *A&A*, 203, 149. Scattered light between 2 and 13 arcmin from Zeta Orionis in the 1200 to 3000 Å wavelength range
825. de Boer, K.S., Heber, U., Richtler, T. 1988, *A&A*, 202, 113. The nature of the four blue halo stars of Tobin
826. de Boer, K.S., Morras, R., Bajaja, E. 1990, *A&A*, 233, 523. The location of intermediate- and high-velocity gas in the general direction of the Large Magellanic Cloud
827. de Boer, K.S., Rodriguez Pascual, P., Wamsteker, W., Sonneborn, G., Fransson, C., Bomans, D.J., Kirshner, R.P. 1993, *A&A*, 280, L15. Intergalactic and galactic clouds on the line of sight to SN 1993J in M 81 seen in IUE spectra
828. de Boer, K.S., Altan, A.Z., Bomans, D.J., Lilienthal, D., Moehler, S., van Woerden, H., Wakker, B.P., Bregman, J.N. 1994, *A&A*, 286, 925. The distance to the Complex C of high-velocity halo clouds
829. de Boer, K.S., Schmidt, J.H.K., Heber, U. 1995, *A&A*, 303, 95. Hot HB stars in globular clusters: physical parameters and consequences for theory. II. NGC 6397 and its short blue horizontal branch
830. de Boer, K. S., Richter, P., Bomans, D. J., Heithausen, A., Koornneef, J. 1998, *A&A*, 338, L5. ORFEUS II echelle spectra: Absorption by H₂ in the LMC
831. de Castro, E., Fernandez-Figueroa, M.J., Rego, M., Ponz, D. 1981, *A&A*, 102, 207. Analysis of the far ultraviolet emission lines in late type stars
832. de Castro, E., Fernandez-Figueroa, M.J., Rego, M. 1982, *A&A*, 113, 94. The outer atmosphere structure of three late type stars
833. de Freitas Pacheco, J., Gilra, D., Pottasch, S. 1982, *A&A*, 108, 111. Analysis of the IUE and optical spectra of the peculiar Be star HD 87643
834. de Freitas Pacheco, J.A. 1982, *MNRAS*, 199, 591. Mass loss from Be stars derived from UV spectra
835. de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L. 1985, *A&A*, 152, 101. HD 87643: a B [e] star with a cold wind

836. de Jager, C., Lamers, H.J.G.L.M., Macchetto, F., Snow, T.P. 1979, *A&A*, 79, L28 Short time changes in the terminal velocity of the stellar wind of Alpha Cam (O95 Ia)
837. de Jager, C., Nieuwenhuijzen, H., van der Hucht, K.A. 1982, *A&AS*, 72, 259. Mass loss rates in the Hertzsprung-Russell diagram
838. de Kool, M., de Jong, T. 1985, *A&A*, 149, 151. C IV and Si IV in the interstellar medium
839. de la Reza, R., da Silva, L. 1995, *APJ*, 439, 917. Lithium abundances in strong lithium K giant stars: LTE and non-LTE analyses
840. de Loore, C., Burger, M., Hensberge, H., Van Dessel, E.L. 1981, *A&A*, 104, 150. Ultraviolet observations of the Be Star and X-ray binary 4U1145-61 (=HD 102567=Hen 715) obtained with the IUE
841. de Loore, C., Giovannelli, F., van Dessel, E.L., Bartolini, C., Burger, M., Ferrari-Toniolo, M., Giangrande, A., Guarneri, A., Hellings, P., Hensberge, H., Persi, P., Piccioni, A., Van Diest, H. 1984, *A&A*, 141, 279. Multispectral analysis in the UV, optical and IR of HDE 245770 = A0535+26
842. de Martino, D., Buckley, D.A.H., Mouchet, M., Mukai, K. 1995, *A&A*, 298, L5. UV observations of the polar system RE 1938-461
843. de Martino, D., Mouchet, M., Bonnet-Bidaud, J.M., Vio, R., Rosen, S., Mukai, K., Augusteijn, T., Garlick, M. 1995, *A&A*, 298, 849. A photometric and spectroscopic study of BG Canis Minoris
844. de Martino, D., Silvotti, R., Buckley, D. A. H., Gansicke, B. T., Mouchet, M., Mukai, K., Rosen, S. R. 1999, *A&A*, 350, 517. Time-resolved HST and IUE UV spectroscopy of the intermediate polar FO AQR
845. de Medeiros, J.R., Mayor, M., Simon, T. 1992, *A&A*, 254, L36. An extremely active giant star: HD 218153
846. de Medeiros, J.R., Lebre, A., de Garcia Maia, M., Monier, R. 1997, *A&A*, 321, L37. IUE observations of Beryllium II lines in Lithium-rich giants
847. de Mello, D. F., Leitherer, C., Heckman, T. M. 2000, *APJ*, 530, 251. B Stars as a Diagnostic of Star Formation at Low and High Redshift
848. De Robertis, M.M., Hutchings, J.B., Pitts, R.E. 1988, *AJ*, 95, 1371. An optical and UV investigation of the IRAS Seyfert galaxy 1319-164
849. de Winter, D., Perez, M.R., Hu, J.Y., The, P.S. 1992, *A&A*, 257, 632. A study of the optical and ultraviolet spectral characteristics and of the circumstellar material around the new luminous blue variable WRA 751
850. Dean, C.A., Bruhweiler, F.C. 1985, *APJS*, 57, 133. An ultraviolet line list for O star spectra
851. Dearborn, D.S.P., Liebert, J., Aaronson, M., Dahn, C.C., Harrington, R., Mould, J., Greenstein, J.L. 1986, *APJ*, 300, 314. On the nature of the dwarf carbon star G77-61
852. Deasy, H.P. 1988, *MNRAS*, 231, 673. Observational evidence for mass loss from classical Cepheids
853. Deetjen, J.L., Dreizler, S., Rauch, T., Werner, K. 1999, *A&A*, 348, 940 The iron abundance in hot central stars of planetary nebulae derived from IUE spectra
854. Deharveng, J., Joubert, M., Monnet, G., Donas, J. 1982, *A&A*, 106, 16. Hot stars in the bulge of M31: upper limit to the star formation rate

855. Deharveng, J.-M., Bixler, J., Joubert, M., Bowyer, S., Malina, R. 1986, *A&A*, 154, 119. Search for ultraviolet emission lines from a hot gaseous halo in the edge-on galaxy NGC 4244
856. Deharveng, J.-M., Jedrzejewski, R., Crane, P., Disney, M.J., Rocca-Volmerange, B. 1997, *A&A*, 326, 528. Blue stars in the center of the S0 galaxy NGC 5102.
857. Deleuil, M., Viton, M. 1992, *A&A*, 263, 190. The Spacelab-1 very wide field survey of UV-excess objects. III. Analysis of the IUE high-resolution spectra of two very hot sdO stars
858. Deleuil, M., Gry, C., Lagrange-Henri, A.-M., Vidal-Madjar, A., Beust, H., Ferlet, R., Moos, H.W., Livengood, T.A., Ziskin, D., Feldman, P.D., McGrath, M.A. 1993, *A&A*, 267, 187. The Beta Pictoris circumstellar disk. XV. Highly ionized species near Beta Pictoris
859. Demers, S., Wesemael, F., Irwin, M.J., Fontaine, G., Lamontagne, R., Kepler, S.O., Holberg, J.B. 1990, *APJ*, 351, 271. Hot degenerates in the MCT Survey. I. MCT 0130-1937, a new, color-selected PG 1159 object
860. Dempsey, R.C., Parsons, S.B., Bopp, B.W. 1988, *PASP*, 100, 481. The long-period K + Be binary HR 2577 (MWC 827)
861. Dempsey, R., Parsons, S., Bopp, B., Fekel, F. 1990, *PASP*, 102, 312. HD 43246 and HD 127208: two unusual F-G + B binary systems
862. Dempsey, R.C., Neff, J., Thorpe, M., Linsky, J., Brown, A., Cutispoto, G., Rodono, M. 1996, *APJ*, 470, 1172. Goddard high resolution spectrograph observations of variability in the RS Canum Venaticorum system V711 Tauri (HR1099)
863. Deng, S.-B., Zhang, Z.-Y., Chen, J.-S. 1994, *A&A*, 281, 759. A statistical study of IUE spectra of dwarf novae. I. Quiescence
864. Denizman, L., Koktay, T., Hack, M., Eker, T. 1993, *AP&SS*, 208, 135. Multi-wavelength spectroscopy of the stable shell star HD 193182
865. Desert, F., Jenniskens, P., Dennefeld M. 1995, *A&A*, 303, 223. Diffuse interstellar bands and uv extinction curves. The missing link.
866. Desko, R.D., Bord, D.J., Davidson, J.P. 1986, *PASP*, 98, 948. VIRIS-VAX interactive reduction of IUE spectra
867. Dessart, L., Crowther, P.A., John Hillier, D., Willis, A.J., Morris, P.W., van der Hucht, K.A. 2000, *MNRAS*, 315, 407. Quantitative analysis of WC stars: constraints on neon abundances from ISO-SWS spectroscopy
868. Deuel, W., Nussbaumer, H. 1983, *APJ*, 271, L19. The evidence for shell formation in V1016 Cygni
869. Diaz, A.I., Prieto, M.A., Wamsteker, W. 1988, *A&A*, 195, 53. The optical and UV spectrum of the Seyfert type 2 galaxy NGC 3393
870. Dietrich, M., Kollatschny, W., Peterson, B.M., Bechtold, J., Bertram, R., Bochkarev, N.G., Boroson, T.A., Carone, T.E., Elvis, M., Filippenko, A.V., Gaskell, C.M., Huchra, J.P., Hutchings, J.B., Koratkar, A.P., Korista, K.T., Lam, N.J., Laor, A., MacAlpine, G.M., Malkan, M.A., Mendes de Oliveira, C., Netzer, H., Penfold, J., Penston, M.V., Perez, E., Pogge, R.W., Richmond, M.W., Rosenblatt, E.I., Shapovalova, A.I., Shields, J.C., Smith, H.A., Smith, P.S., Sun, W.-H., Thiele, U., Veilleux, S., Wagner, R.M., Wilkes, B.J., Wills, B.J., Wills, D. 1993, *APJ*, 408, 416. Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. IV. Intensity variations of the optical emission lines of NGC 5548

871. Digel, S.W., Shipman, H.L. 1984, PASP, 96, 996. The effective temperature of the white-dwarf star and ZZ Ceti candidate Wolf 485A
872. Diplas, A., Savage, B.D. 1994, APJ, 427, 274. An IUE survey of interstellar H I Ly-alpha absorption. II. Interpretations
873. Diplas, A., Savage, B.D. 1994, APJS, 93, 211. An IUE survey of interstellar H I Ly-alpha absorption. I. Column densities
874. Djorgovski, S., Piotto, G. 1992, AJ, 104, 2112. Dynamical evolution effects on the hot stellar populations in globular clusters
875. Doazan, V., Kuhl, L.V., Thomas, R.N. 1980, APJ, 235, L17. Variable mass flux in the Be star 59 Cygni
876. Doazan, V., Morossi, C., Stalio, R., Thomas, R.N., Willis, A. 1984, A&A, 131, 210. Abrupt changes in the C IV resonance lines of Theta CrB
877. Doazan, V., Grady, C.A., Snow, T.P., Peters, G.J., Marlborough, J.M., Barker, P.K., Bolton, C.T., Bourdonneau, B., Kuhl, L.V., Lyons, R.W., Polidan, R.S., Stalio, R., Thomas, R.N. 1985, A&A, 152, 182. The development of the new Be phase of 59 Cyg in the visual and in the far UV in 1978-1983
878. Doazan, V., Marlborough, J.M., Morossi, C., Peters, G.J., Rusconi, L., Sedmak, G., Stalio, R., Thomas, R.N., Willis, A. 1986, A&A, 158, 1. Ultraviolet and visual variability of Theta CrB during a normal B-phase following a shell phase (1980-1985)
879. Doazan, V., Morossi, C., Stalio, R., Thomas, R.N. 1986, A&A, 170, 77. Far UV variability of Theta CrB in 1980-1985. II. Evidence for variability patterns and ionization dependence
880. Doazan, V., Thomas, R.N., Barylak, M. 1986, A&A, 159, 75. Luminosity and colour variations of 88 Her through phase changes from the far UV to the visual spectral regions. II. Empirical atmospheric modelling: an association between photospheric and envelope variations
881. Doazan, V., Rusconi, L., Sedmak, G., Thomas, R.N. 1987, A&A, 173, L8. Far-UV variability of Theta CrB in 1985-86: a progression toward higher velocities
882. Doazan, V., Rusconi, L., Sedmak, G., Thomas, R.N., Bourdonneau, B. 1987, A&A, 182, L25. Long-term variability of the far-UV high velocity components in Gamma Cas (1978-1986)
883. Doazan, V., Thomas, R.N., Bourdonneau, B. 1988, A&A, 205, L11. The vanishing shell phase of Pleione in the far UV in 1988
884. Doazan, V., Barylak, M., Rusconi, L., Sedmak, G., Thomas, R.N., Bourdonneau, B. 1989, A&A, 210, 249. The first decade of envelope formation of 59 Cygni in the far UV and optical regions. II
885. Doazan, V., de la Fuente, A., Barylak, M., Cramer, N., Maun, N. 1993, A&A, 269, 415. Radiative energy flux changes of Pleione in the far-UV through the Be-shell- γ Be transition
886. Dobias, J.J., Plavec, M.J. 1985, AJ, 90, 773. A redetermination of the luminosity, distance, and reddening of Beta Lyrae
887. Dobias, J.J., Plavec, M.J. 1985, PASP, 97, 138. IUE and optical spectral scans of U Sagittae: an analysis and comparison with U Cephei
888. Dobias, J.J., Plavec, M.J. 1987, PASP, 99, 159. Flux distribution in the Algol binary system RW Persei

889. Dobias, J.J., Plavec, M.J. 1987, *PASP*, 99, 274. A spectrophotometric study of the Algol binary system RX Geminorum
890. Dobrzycka, D., Kenyon, S.J., Mikolajewska, J. 1993, *AJ*, 106, 284. Spectroscopic observations of V443 Herculis: a symbiotic binary with a low mass white dwarf
891. Doherty, L.R. 1985, *MNRAS*, 217, 41. A survey of Mg II h and k emission in near-solar-type stars
892. Dolan, J.F., Michalitsianos, A.G., Thompson, R.W., Boyd, P.T., Wolinski, K.G., Bless, R.C., Nelson, M.J., Percival, J.W., Taylor, M.J., Elliot, J.L., van Citters, G.W. 1995, *APJ*, 442, 87. The gravitational lens system Q0957+561 in the ultraviolet
893. Dolan J.F., Hill R.F., Boyd P.T., Silvis J.M., Percival J.W., Van Citters G.W., 1998, *A&A*, 331,1037. Reprocessed UV pulses from the binary companions of X-ray pulsars
894. Domgoergen, H., Bomans, D.J., de Boer, K.S. 1995, *A&A*, 296, 523. Gas motions in and origin of the supergiant shell LMC 4
895. Domingue, D.L., Lane, A.L. 1998, *GRL*, 25, 4421. IUE views Europa: Temporal variations in the UV
896. Dominy, J.F., Lambert, D.L. 1983, *APJ*, 270, 180. Do all barium stars have a white dwarf companion?
897. Donas, J., Milliard, B., Laget, M. 1995, *A&A*, 303, 661. Ultraviolet observations of galaxies in nearby clusters, III. Star forming galaxies in the Coma cluster
898. Done, C., Ward, M.J., Fabian, A.C., Kunieda, H., Tsuruta, S., Lawrence, A., Smith, M.G., Wamsteker, W. 1990, *MNRAS*, 243, 713. Simultaneous multifrequency observations of the Seyfert 1 galaxy NGC 4051: constant optical-infrared emission observed during large-amplitude X-ray variability
899. Dorren, J.D., Guinan, E.F. 1990, *APJ*, 348, 703. The evolution of magnetic activity on V711 Tauri and evidence for a significant facular contribution
900. Dorren, J.D., Guinan, E.F. 1994, *APJ*, 428, 805. HD 129333: the sun in its infancy
901. Doschek, G.A., Feldman, U., Mariska, J.T., Linsky, J.L. 1978, *APJ*, 226, L35. Electron densities in stellar atmospheres determined from IUE spectra
902. Doschek, G.A., Feibelman, W.A. 1993, *APJS*, 87, 331. An improved ultraviolet spectral line list for the symbiotic star RR Telescopii
903. Downes, R.A., Liebert, J., Margon, B. 1985, *APJ*, 290, 321. KPD 0005+5106: a post-PG 1159 type object?
904. Downes, R., Sion, E., Liebert, J., Holberg, J.B. 1987, *APJ*, 321, 943. Further observations of the peculiar hot helium-rich degenerate KPD 0005+5106
905. Downes, R.A. 1987, *APJ*, 316, 763. The stars with H-alpha missing
906. Downes, R.A. 1990, *AJ*, 99, 339. IUE observations of WX Ceti in outburst
907. Downes, R.A., Anderson, S.F., Margon, B. 1996, *PASP*, 108, 688. The diverse optical/ultraviolet spectra of the Globular Cluster X-Ray sources in NGC7078 and NGC6712
908. Doyle, J.G., Byrne, P.B., Butler, C.J. 1986, *A&A*, 156, 283. Flare activity and BY-Draconis-type variability on the late-type dMe star Gliese 867B
909. Doyle, J.G. 1987, *MNRAS*, 224, 1P. An activity-rotation relationship in F-M dwarfs from MgII h and k flux

910. Doyle, J.G. 1988, *A&A*, 192, 281. An active hemisphere on II Peg
911. Doyle, J.G., Byrne, P.B., van den Oord, G.H.J. 1989, *A&A*, 224, 153. Ultraviolet flares on II Pegasi
912. Doyle, J.G., Butler, C.J., Byrne, P.B., Rodono, M., Swank, J., Fowles, W. 1989, *A&A*, 223, 219. Rotational modulation and flares on RS CVn and BY Draconis stars. XIII. IUE spectroscopy and photometry of II Pegasi during September 1986
913. Doyle, J.G. 1989, *A&A*, 214, 258. An estimate of the total chromospheric, transition region and coronal radiative losses in late-type stars
914. Doyle, J.G., Panagi, P., Byrne, P.B. 1990, *A&A*, 228, 443. Ly-alpha and Mg II h & k fluxes in a sample of dwarf M stars
915. Doyle, J.G., Collier Cameron, A. 1990, *MNRAS*, 244, 291. Mass ejections from the rapidly rotating M dwarf star Gl 890
916. Doyle, J.G., Keenan, F.P., Harra, L.K., Aggarwal, K.M., Tayal, S.S. 1992, *A&A*, 261, 285. Al II as an electron density diagnostic for the upper chromosphere/lower transition region in late-type stars
917. Doyle, J.G., van den Oord, G.H.J., Kellett, B.J. 1992, *A&A*, 262, 533. Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. II. An interpretation
918. Doyle, J.G., Kellett, B.J., Butler, C.J., Byrne, P.B., Neff, J.E., Brown, A., Fox, D., Linsky, J.E., Bromage, G.E., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H., Mathioudakis, M., Murphy, H.M., Krzesinski, J., Pajdosz, G., Dadonas, V., Sperauskas, J., van Wyk, F., Marang, F., Olah, K., Collier Cameron, A., Antonopoulou, E., Rovithis, P., Rovithis-Livaniou, H. 1992, *A&AS*, 96, 351. Dynamic phenomena on the RS Canum Venaticorum binary II Pegasi in August 1989. I. Observational data
919. Doyle, J.G., Cook, J.W. 1992, *APJ*, 391, 393. The sun as a star: high spectral resolution solar data degraded to low-dispersion IUE resolution
920. Doyle, J.G., Mathioudakis, M., Murphy, H.M., Avgoloupis, S., Mavridis, L.N., Seiradakis, J.H. 1993, *A&A*, 278, 499. Rotational modulation and flares on RS Canum Venaticorum binary II Pegasi in July/September 1990: spots and flares on II Peg
921. Doyle, J.G., Mitrou, C.K., Mathioudakis, M., Antonopoulou, E. 1994, *A&A*, 283, 522. Ultraviolet flare activity on the eclipsing binary SZ Piscium
922. Doyle, J.G., Houdebine, E.R., Mathioudakis, M., Panagi, P.M. 1994, *A&A*, 285, 233. Lower chromospheric activity in low activity M dwarfs
923. Doyle, J.G., Mitrou, C.K., Mathioudakis, M., Avgoloupis, S., Mavridis, L.N., Varvoglis, P.P., Graos, F., Antonopoulou, E. 1994, *A&A*, 291, 135. Surface inhomogeneities on SZ Piscium
924. Doyle, J.G. 1996, *A&A*, 307, 162. Estimating the total radiative power output from the hot, outer layers of late-type stellar atmospheres: how many lines are required ?
925. Doyle, J.G. 1996, *A&A*, 307, L45. Mechanical heating levels in ultra-fast rotating dwarfs
926. Draine, B.T., Malhotra, S. 1993, *APJ*, 414, 632. On graphite and the 2175 A extinction profile
927. Drake, S.A., Brown, A., Linsky, J.L. 1984, *APJ*, 284, 774. The origin of low-velocity absorption components in the Mg II resonance lines of hybrid-chromosphere stars
928. Drake, S.A., Johnson, H.R., Brown, A. 1991, *AJ*, 101, 1483. A radio search for continuum emission from S-type red giants with white dwarf companions

929. Dravins, D., Linde, P., Fredga, K., Gahm, G.F. 1993, APJ, 403, 396. The distant future of solar activity: a case study of Beta Hydri. II. Chromospheric activity and variability
930. Dravins, D., Linde, P., Ayres, T.R., Linsky, J.L., Monsignori-Fossi, B., Simon, T., Wallinder, F. 1993, APJ, 403, 412. The distant future of solar activity: a case study of Beta Hydri. III. Transition region, corona, and stellar wind
931. Drechsel, H., Rahe, J., Holm, A., Krautter, J. 1981, A&A, 99, 166. Phase-dependent optical and ultraviolet observations of the old nova V603 Aquilae (1918)
932. Drechsel, H., Rahe, J., Kondo, Y., McCluskey, G. 1981, A&AS, 45, 473. The ultraviolet spectrum of UW Canis Majoris
933. Drechsel, H., Rahe, J. 1982, A&A, 106, 70. On the ionization and velocity structure of expanding circumstellar envelopes
934. Drechsel, H., Rahe, J., Wargau, W., Wolf, B. 1982, A&A, 110, 246. The interacting early-type contact binary SV Centauri
935. Dreizler, S. 1993, A&A, 273, 212. Spectral analysis of extremely helium rich subdwarf O-stars
936. Dreizler, S., Werner, K. 1993, A&A, 278, 199. Line blanketing by iron group elements in Non-LTE model atmospheres for hot stars
937. Dreizler, S., Heber, U., Napiwotzki, R., Hagen, H.J. 1995, A&A, 303, L53. Ultra-high excitation features in hot white dwarfs: one DAO and three DO stars discovered by the Hamburg-Schmidt survey
938. Dreizler, S., Werner, K. 1996, A&A, 314, 217. Spectral analysis of hot, helium-rich White Dwarfs
939. Drew, J., Verbunt, F. 1985, MNRAS, 213, 191. Investigation of a wind model for cataclysmic variable ultraviolet resonance line emission
940. Drew, J.E., Verbunt, F. 1988, MNRAS, 234, 341. Regular orbital variations in the ultraviolet resonance lines of YZ Cnc
941. Drew, J.E., Hoare, M.G., Woods, J.A. 1991, MNRAS, 250, 144. Ultraviolet observations of the long-period dwarf nova DX And in outburst
942. Drilling, J.S. 1981, APJ, 250, 701. The spectra of two new intermediate helium stars
943. Drilling, J.S., Schonberner, D. 1982, A&A, 113, L22. The hot component of KS Persei (HD 30353)
944. Drilling, J.S., Holberg, J.B., Schonberner, D. 1984, APJ, 283, L67. Far-ultraviolet spectrophotometry of two very hot O type subdwarfs
945. Drilling, J.S., Schonberner, D., Heber, U., Lynas-Gray, A.E. 1984, APJ, 278, 224. Spectrophotometry of extreme helium stars: ultraviolet fluxes and effective temperatures
946. Drilling, J.S. 1985, APJ, 294, L107. LSS 2018: a double-lined spectroscopic binary central star with an extremely large reflection effect
947. Drilling, J.S., Schonberner, D. 1989, APJ, 343, L45. On the nature of newly formed dust around the hydrogen-deficient star V348 Sagittarii
948. Drilling, J.S., Beers, T.C. 1995, APJ, 446, L27. UV spectrophotometry of the hottest stars from the southern HK survey

949. Drilling, J.S., Hecht, J., Clayton, G., Mattei, J., Landolt, A., Whitney, B. 1997, APJ, 476, 865. The ultraviolet extinction curve for circumstellar dust formed in the hydrogen poor environment of V348 Sagittarii
950. Drilling, J. S., Jeffery, C. S., Heber, U. 1998, A&A, 329, 1019. Spectral analysis of the extreme helium star LSS3184
951. Drossart, P., Maillard, J.-P., Caldwell, J., Kim, S.J., Watson, J.K.G., Majewski, W.A., Tennyson, J., Miller, S., Atreya, S.K., Clarke, J.T., Waite, J.H., Wagoner, R. 1989, NATURE, 340, 539. Detection of H3+ on Jupiter
952. Drossart, P., Prange, R., Maillard, J.-P. 1992, ICARUS, 97, 10. Morphology of infrared H3+ emissions in the auroral regions of Jupiter
953. Dudley, R.E., Jeffery, C.S. 1990, MNRAS, 247, 400. The mass ratio of Upsilon Sgr from ultraviolet radial velocities
954. Dudley, R.E., Jeffery, C.S. 1993, MNRAS, 262, 945. Improved effective temperatures for hydrogen-deficient binary stars
955. Dufour, R.J., Shields, G.A., Talbot, R.J. 1982, APJ, 252, 461. The carbon abundance in the Magellanic Clouds from IUE observations of H II regions
956. Dufour, R.J. 1984, APJ, 287, 341. The unique planetary nebula NGC 2818
957. Dufour, R.J. 1986, PASP, 98, 1025. XVII. Abundances in dwarf irregular galaxies
958. Dufour, R.J., Garnett, D.R., Shields, G.A. 1988, APJ, 332, 752. The abundances of carbon and nitrogen in I Zw 18
959. Dufour, R.J., Skillman, E.D., Garnett, D.R., Shields, G.A., Peimbert, M., Torres-Peimbert, S., Terlevich, E., Terlevich, R. 1993, RMAA, 27, 115. Comparisons of IUE & HST ultraviolet spectra of extragalactic H II regions
960. Dufton, P.L., Keenan, F.P., Kingston, A.E. 1984, MNRAS, 209, 1P. Si III emission line strengths in low density plasmas
961. Dufton, P.L., Lennon, D.J. 1989, A&A, 211, 397. The ultra-violet spectrum of the peculiar early-type supergiant, HD 157038
962. Dufton, P.L., Keenan, F.P., Hibbert, A., Stafford, R.P., Byrne, P.B., Agnew, D. 1991, MNRAS, 253, 474. The Si II intercombination multiplet in late-type stars
963. Dultzin-Hacyan, D., Salas, L., Daltabuit, E. 1982, A&A, 111, 43. IUE observations of quasars 3C 249.1 and 3C 232
964. Dultzin-Hacyan, D. 1983, A&A, 128, 148. The UV spectrum of PKS 2251+113 and physical conditions in the Broad Line Region
965. Dumm, T., Schmutz, W., Schild, H., Nussbaumer, H. 1999, A&A, 349, 169. Circumstellar matter around M-giants in symbiotic binaries: SY Muscae and RW Hydrae
966. Dumm, T., Folini, D., Nussbaumer, H., Schild, H., Schmutz, W., Walder, R. 2000, A&A, 354, 1014. A wind accretion wake in RW Hydrae?
967. Dumont, A-M, Collin-Souffrin S., Nazarova L. 1998, A&A, 331, 11. NGC 5548, a case study for active galactic nuclei. Inconsistencies of photoionized models for the BLR

968. Dupree, A.K., Davis, R.J., Gursky, H., Hartmann, L.W., Raymond, J.C., Boggess, A., Holm, A., Kondo, Y., Wu, C.-C., Macchetto, F., Sandford, M.C.W., Willis, A.J., Wilson, R., Ciatti, F., Hutchings, J.B., Johnson, H.M., Jugaku, J., Morton, D.C., Treves, A., van den Heuvel, E.P.J. 1978, NATURE, 275, 400. IUE observations of X-ray sources: HD 153919 (4U1700-37), HDE 226868 (Cyg X-1), HZ Her (Her X-1)
969. Dupree, A.K., Hartmann, L., Black, J.H., Davis, R.J., Matilsky, T.A., Raymond, J.C., Gursky, H. 1979, APJ, 230, L89. Ultraviolet spectroscopic measurements of globular clusters
970. Dupree, A.K., Gursky, H., Black, J.H., Davis, R.J., Hartmann, L., Matilsky, T., Raymond, J.C., Hammerschlag-Hensberge, G., van den Heuvel, E.P.J., Burger, M., Lamers, H.J.G.L.M., Vanden Bout, P.A., Morton, D.C., de Loore, C., van Dessel, E.L., Menzies, J.W., White-lock, P.A., Watson, M., Sanford, P.W., Pollard, G.S.G. 1980, APJ, 238, 969. Simultaneous ultraviolet, optical and X-ray observations of the X-ray source Vela X-1 (HD 77581)
971. Dupree, A.K., Raymond, J.C. 1982, APJ, 263, L63. Discovery of highly ionized species in the ultraviolet spectrum of Feige 24
972. Dupree, A.K., Raymond, J.C. 1983, APJ, 275, L71. White dwarfs and the interstellar medium
973. Dupree, A.K., Kirshner, R.P., Nassiopoulos, G.E., Raymond, J.C., Sonneborn, G. 1987, APJ, 320, 597. The interstellar medium toward SN 1987A
974. Dupree, A.K., Baliunas, S.L., Guinan, E.F., Hartmann, L., Nassiopoulos, G.E., Sonneborn, G. 1987, APJ, 317, L85. Periodic photospheric and chromospheric modulation in Alpha Orionis (Betelgeuse)
975. Dupree, A.K., Hartmann, L., Smith, G.H. 1990, APJ, 353, 623. Chromospheres of metal-deficient field giants
976. Dupree, A.K., Harper, G.M., Hartmann, L., Jordan, C., Rodgers, A.W., Smith, G.H. 1990, APJ, 361, L9. Chromospheres of two red giants in NGC 6752
977. Dupree, A.K., Brickhouse, N.S., Doschek, G.A., Green, J.C., Raymond, J.C. 1993, APJ, 418, L41. The extreme ultraviolet spectrum of Alpha Aurigae (Capella)
978. Dupree, A.K., Hartmann, L., Smith, G.H., Rodgers, A.W., Roberts, W.H., Zucker, D.B. 1994, APJ, 421, 542. Spectroscopy of chromospheric lines of giants in the globular cluster NGC 6752
979. Dupuis, J., Fontaine, G., Wesemael, F. 1993, APJS, 87, 345. A study of metal abundance patterns in cool white dwarfs. III. Comparison of the predictions of the two-phase accretion model with the observations
980. Dupuis J., Vennes S., Chayer P., Hurwitz M., Bowyer S., 1998, APJ, 500, L45. Properties of Hot DA White Dwarf HZ 43 based on Far-Ultraviolet (ORFEUS-SPAS II observations)
981. Dupuis, J., Chayer, P., Vennes, S., Christian, D.J., Kruk, J.W. 2000, APJ, 537, 977. Adding more mysteries to the DA white dwarf GD 394
982. Durrance, S.T., Feldman, P.D., Moos, H.W. 1982, GRL, 9, 652. The spectrum of the Jovian aurora 1150-1700 A
983. Durrance, S.T. 1982, JGR, 86, 9115. The carbon monoxide fourth positive bands in the Venus dayglow. I. Synthetic spectra
984. Durrance, S.T., Moos, H.W. 1982, NATURE, 299, 428. Intense Lyman Alpha emission from Uranus
985. Durrance, S.T., Feldman, P.D., Weaver, H.A. 1983, APJ, 267, L125. Rocket detection of ultraviolet emission from neutral oxygen and sulfur in the Io torus

986. Durret, F., Bergeron, J., Boksenberg, A. 1985, *A&A*, 143, 347. Gas and star content and spatial distribution in the giant extragalactic H II region Tol 89
987. Durret, F., Bergeron, J. 1986, *A&A*, 156, 51. The narrow line active galaxies NGC 3081 and NGC 4507: from the infrared to the UV
988. Durret, F., Tarrab, I. 1988, *A&A*, 205, 9. Markarian 52: a gas-rich starburst galaxy
989. Durret, F., Bergeron, J. 1988, *A&AS*, 75, 273. Long slit spectroscopy of emission line galaxies. I. The sample
990. Durret, F. 1990, *A&A*, 229, 351. Long slit spectroscopy of emission line galaxies. II. Physical properties of the ionized gas and general characteristics
991. Dwek, E., Felten, J.E. 1992, *APJ*, 387, 551. Line fluorescence from the ring around supernova 1987A
992. Eaton, J.A. 1983, *APJ*, 268, 800. Chromospheric emission of W Ursae Majoris-type stars and its relation to the structure of their common envelopes
993. Eaton, J., Cherepashchuk, A., Khaliullin, Kh.F. 1985, *APJ*, 297, 266. Stratification of the extended atmosphere of the Wolf-Rayet component of V444 Cygni
994. Eaton, J., Cherepashchuk, A., Khaliullin, Kh.F. 1985, *APJ*, 296, 222. Analysis of ultraviolet atmospheric eclipses in the Wolf-Rayet binary CV Serpentis
995. Eaton, J.A., Johnson, H.R., O'Brien, G.T., Baumert, J.H. 1985, *APJ*, 290, 276. Ultraviolet spectra and chromospheres of R stars
996. Eaton, J.A., Johnson, H.R. 1988, *APJ*, 325, 355. The outer atmospheres of the coolest M giants: ultraviolet spectra of Rho Persei, 2 Centauri, g Herculis, Theta Apodis, and R Lyrae
997. Eaton, J.A. 1988, *APJ*, 333, 288. The atmospheric eclipse of 31 Cygni in the ultraviolet
998. Eaton, J., Kondo, Y., McCluskey, G., Shore, S.N. 1990, *AJ*, 100, 799. The long-period binary AL Velorum: the atmospheric eclipse of a bright K0 giant
999. Eaton, J.A., Johnson, H.R., Cadmus, R.R. 1990, *APJ*, 364, 259. Chromospheric variability of M giant semiregular variables
1000. Eaton, J.A. 1990, *MNRAS*, 247, 62. The long-period binary UU Cancri as a system that has reversed its mass ratio
1001. Eaton, J.A. 1991, *AP&SS*, 186, 7. Ultraviolet light curves of V535 Arae
1002. Eaton, J.A. 1992, *MNRAS*, 258, 473. Intrinsic chromospheric emission from Zeta Aurigae binaries
1003. Eaton, J.A. 1993, *AJ*, 105, 1525. On the chromosphere of 32 Cygni
1004. Eaton, J.A. 1993, *AJ*, 106, 2081. 31 Cygni: the B star and the wind
1005. Eaton, J.A. 1993, *APJ*, 404, 305. On the chromospheric structure of Zeta Aurigae
1006. Eaton, J.A. 1994, *AJ*, 107, 729. A deep atmospheric eclipse of AL Velorum
1007. Eaton, J.A., Bell, C. 1994, *AJ*, 108, 2276. The 1992/93 eclipse of 31 Cygni
1008. Eaton, J.A., Hartkopf, W.I., McAlister, H.A., Mason, B.D. 1995, *AJ*, 109, 1856. Winds and accretion in Delta Sagittae
1009. Eaton, N.L., Herbst, W. 1995, *AJ*, 110, 2369. An ultraviolet and optical study of accreting pre-main-sequence stars: Uors

1010. Ebbets, C.D., Savage, B.D. 1982, APJ, 262, 234. Analysis of the ultraviolet spectrum RWT 152: a subluminescent O star with a main-sequence visual spectrum
1011. Echevarria, J., Jones, D.H.P., Wallis, R.E., Mayo, S.K., Hassall, B.J.M., Pringle, J.E., Whelan, J.A.J. 1981, MNRAS, 197, 565. Outburst spectra of UZ Serpentis
1012. Echevarria, J., Schwarzenberg-Czerny, A., Jones, D.H.P., Dick, J.S.B., Ward, M., Costero, R., Gilmozzi, R. 1988, RMAA, 16, 87. Multiwavelength observations of the AM Herculis type system: MR Serpentis
1013. Edelson, R. 1992, APJ, 401, 516. A survey of ultraviolet variability in blazars
1014. Edelson, R., Pike, G.F., Saken, J.M., Kinney, A., Shull, J.M. 1992, APJS, 83, 1. The Colorado IUE active galaxy survey. I. Blazars
1015. Edelson, R., Krolik, J., Madejski, G., Maraschi, L., Pike, G., Urry, C.M., Brinkmann, W., Courvoisier, T.J.-L., Ellithorpe, J., Horne, K., Treves, A., Wagner, S., Wamsteker, W., Warwick, R., Aller, H.D., Aller, M.F., Ashley, M., Blecha, A., Bouchet, P., Bratschi, P., Bregman, J.N., Carini, M., Celotti, A., Donahue, M., Feigelson, E., Filippenko, A.V., Fink, H., George, I., Glass, I., Heidt, J., Hewitt, J., Hughes, P., Kollgaard, R., Kondo, Y., Koratkar, A., Leighly, K., Marscher, A., Martin, P.G., Matheson, T., Miller, H.R., Noble, J.C., O'Brien, E., Pian, E., Reichert, G., Saken, J.M., Shull, J.M., Sitko, M., Smith, P.S., Sun, W.-H., Tagliaferri, G. 1995, APJ, 438, 120. Multiwavelength monitoring of the BL Lacertae object PKS 2155-304. IV. Multiwavelength analysis
1016. Edelson, R.A., Malkan, M.A. 1986, APJ, 308, 59. Spectral energy distributions of active galactic nuclei between 0.1 and 100 microns
1017. Edelson, R.A., Krolik, J.H. 1988, APJ, 333, 646. The discrete correlation function: a new method for analyzing unevenly sampled variability data
1018. Edelson, R.A., Krolik, J.H., Pike, G.F. 1990, APJ, 359, 86. Broad-band properties of the CfA Seyfert galaxies. III. Ultraviolet variability
1019. Edelson, R.A., Saken, J.M., Pike, G.F., Urry, C.M., George, I.M., Warwick, R.S., Miller, H., Carini, M., Webb, J. 1991, APJ, 372, L9. Rapid ultraviolet variability in the BL Lacertae object PKS 2155-304
1020. Edelson, R.A., et al. 1996, APJ, 470, 364. Multiwavelength observations of short-timescale variability in NGC4151, IV: Analysis of multiwavelength continuum variability
1021. Edgar, R.J., Savage, B.D. 1992, APJ, 396, 124. Highly ionized gas in the Gum Nebula and elsewhere: a comparison of IUE and Copernicus satellite results
1022. Edgington S.G., Atreya S.K., Trafton L.M., Caldwell J.J., Beebe R.F., Simon A.A., West R.A., Barnet C. 1998, Icar, 133, 192. On the latitude variation of Ammonia, Acetylene and Phosphine altitude profiles on Jupiter from HST Faint Object Spectrograph observations
1023. Eichendorf, W., Heck, A., Isserstedt, J., Lub, J., Pakull, M., Reipurth, B., van Genderen, A.M. 1981, A&A, 93, L5. On the nature of the 125-Day Cepheid V810 Cen (=HR 4511): IUE spectra
1024. Eichendorf, W., Heck, A., Caccin, B., Russo, G., Sollazzo, C. 1982, A&A, 109, 274. UV, optical and IR observations of the Cepheid R Muscae
1025. Eker, Z. 1989, MNRAS, 238, 675. High-resolution H-alpha spectroscopy of the bright RS CVn system HR 7275
1026. Elgaroy, O., Joras, P., Engvold, O., Jensen, E., Pettersen, B.R., Ayres, T.R., Ambruster, C., Linsky, J.L., Clark, M., Kunkel, W., Marang, F. 1988, A&A, 193, 211. Ultraviolet emission lines and optical photometry of the flare star AT Microscopii

1027. Elgaroy, O., Engvold, O., Carlsson, M. 1990, *A&A*, 234, 308. Deviation from the Wilson-Bappu relationship in faint red dwarf stars
1028. Elgaroy, O., Engvold, O., Joras, P. 1997, *A&A*, 326, 165. Stellar activity and the Wilson-Bappu relation.
1029. Elgaroy, O., Engvold, O., Lund, N. 1999, *A&A*, 343, 222. The Wilson-Bappu effect of the MgII K line - dependence on stellar temperature, activity and metallicity
1030. Elias, N., Ii, Wilson, R. E., Olson, E.C., Aufdenberg, J. P., Guinan, E.F., Guedel, M., Van Hamme, W.V., Stevens, H.L. 1997, *APJ*, 484, 394. New Perspectives on AX Monocerotis
1031. Ellis, R.S., Gondhalekar, P.M., Efstathiou, G. 1982, *MNRAS*, 201, 223. The ultraviolet spectra of the nuclei of spiral galaxies - I. NGC 4594, 3031, 5194 and 4258
1032. Elvis, M., Fabbiano, G. 1984, *APJ*, 280, 91. X-ray and UV observations of two radio-bright quasars
1033. Elvis, M., Green, R.F., Bechtold, J., Schmidt, M., Neugebauer, G., Soifer, B.T., Matthews, K., Fabbiano, G. 1986, *APJ*, 310, 291. X-ray spectra of PG quasars. I. The continuum from X-rays to infrared
1034. Elvis, M., Wilkes, B.J., McDowell, J.C., Green, R.F., Bechtold, J., Willner, S.P., Oey, M.S., Polomski, E., Cutri, R. 1994, *APJS*, 95, 1. Atlas of quasar energy distributions
1035. Emmering, R.T., Chevalier, R.A. 1989, *APJ*, 338, 388. Circumstellar infrared and scattered light echoes from SN 1987A
1036. Encrenaz, T., Combes, M., Atreya, S.K., Romani, P.N., Fricke, K., Moore, V., Hunt, G., Wagener, R., Caldwell, J., Owen, T., Butterworth, P. 1986, *A&A*, 162, 317. A study of the upper atmosphere of Uranus using the IUE
1037. Engvold, O., Ayres, T.R., Elgaroy, O., Jensen, E., Joras, P.B., Kjeldseth-Moe, O., Linsky, J.L., Schnopper, H.W., Westergaard, N.J. 1988, *A&A*, 192, 234. Far-ultraviolet and X-ray emission of the long period RS CVn star Sigma Geminorum
1038. Eriksson, K., Linsky, J.L., Simon, T. 1983, *APJ*, 272, 665. Outer atmospheres of cool stars. XIV. A model for the chromosphere and transition region of Beta Ceti (G9.5 III)
1039. Eriksson, K., Gustafsson, B., Johnson, H.R., Querci, F., Querci, M., Baumert, J.H., Carlsson, M., Olofsson, H. 1986, *A&A*, 161, 305. The outer atmosphere of the carbon star TX Piscium
1040. Esendemir, A., Alev, H.M. 1992, *AP&SS*, 197, 35. X-ray vs He II lambda 1640 Å correlation of II Peg
1041. Espey, B., Keenan, F., McKenna, F., Feibelman, W., Aggarwal, K. 1996, *APJ*, 465, 965. NeV and NeVI lines in the ultraviolet spectrum of the symbiotic star RR Telescopii
1042. Espey B.R., Kriss G.A., Krolik J.H., Zheng W., Tsvetanov Z., Davidsen A.F., 1998, *APJ*, 500, L13. Far-ultraviolet observations of NGC 4151 during the ORFEUS-SPAS II mission
1043. Esteban, C., Vilchez, J.M., Smith, L.J., Machado, A. 1991, *A&A*, 244, 205. Spatially resolved spectroscopy of WR ring nebulae. II. M1-67
1044. Etzel, P.B. 1988, *AJ*, 95, 1204. The nature of TT Hydrae
1045. Evans, A., Whittet, D.C.B., Davies, J.K., Kilkenny, D., Bode, M.F. 1985, *MNRAS*, 217, 767. IUE observations of RCB stars during extinction minima
1046. Evans, A., Zarnecki, J.C., McDonnell, J.A.M., Bode, M.F., Taylor, G.E., Morley, T. 1985, *MNRAS*, 217, 669. Observations of Comet Crommelin - IV. Upper limit on the optical depth in the coma at ultraviolet wavelengths

1047. Evans, A., Bode, M., Duerbeck, H., Seitter, W. 1992, MNRAS, 258, 7P. IUE observations of the shells of RR Pic and GK Per
1048. Evans, N.R. 1984, APJ, 281, 760. X Cygni: duplicity, period stability, and atmospheric velocity structure
1049. Evans, N.R., Lyons, R. 1986, AJ, 92, 436. Radial-velocity curves for the classical Cepheids T Vul, TT Aql, and Y Oph
1050. Evans, N.R. 1988, PASP, 100, 724. A search for the binary companion of Polaris
1051. Evans, N.R. 1989, AJ, 97, 1737. The binary companion of the classical Cepheid AW Per
1052. Evans, N.R., Welch, D.L., Scarfe, C.D., Teays, T. 1990, AJ, 99, 1598. The orbit and companions of the classical Cepheid FF Aql
1053. Evans, N.R., Bolton, C.T. 1990, APJ, 356, 630. The mass of the classical Cepheid SU Cygni
1054. Evans, N.R. 1990, PASP, 102, 551. The orbit and colors of the Cepheid S Muscae
1055. Evans, N.R., Szabados, L., Udalska, J. 1990, PASP, 102, 981. Cepheid companions? FM Aquilae, FN Aquilae, RX Aurigae, Y Lacertae, and RS Orionis
1056. Evans, N.R. 1991, APJ, 372, 597. Classical Cepheid luminosities from binary companions
1057. Evans, N.R., Arellano Ferro, A., Udalska, J. 1992, AJ, 103, 1638. The binary Cepheid BP Cir: a test of evolutionary tracks
1058. Evans, N.R. 1992, AJ, 104, 216. The luminosity of the classical Cepheid T Vul
1059. Evans, N.R. 1992, APJ, 384, 220. A magnitude-limited survey of Cepheid companions in the ultraviolet
1060. Evans, N.R. 1992, APJ, 385, 680. The luminosity of the double-mode Cepheid Y Carinae
1061. Evans, N.R. 1992, APJ, 389, 657. New calibrators for the Cepheid period-luminosity relation
1062. Evans, N.R. 1993, AJ, 105, 1956. Luminosities for two yellow supergiants: nonvariables and the instability strip
1063. Evans, N.R., Jiang, J., McAlary, C., Campins, H. 1993, AJ, 106, 726. Multifrequency comparison of Cepheids and nonvariable supergiants
1064. Evans, N.R., Welch, D.L., Slovak, M.H., Barnes III, T.G., Moffett, T.J. 1993, AJ, 106, 1599. The orbit and companion of the Cepheid S Sge: a probable triple system
1065. Evans, N.R., Welch, D.L. 1993, PASP, 105, 836. The companion of the classical Cepheid Z Lacertae
1066. Evans, N.R., Butler, J. 1993, PASP, 105, 915. The companion of the 18-day classical Cepheid YZ Carinae
1067. Evans, N.R., Lyons, R.W. 1994, AJ, 107, 2164. The binary system containing the classical Cepheid T Mon
1068. Evans, N.R., Massa, D., Teays, T.J. 1994, AJ, 108, 2251. S Mus B revisited
1069. Evans, N.R. 1994, APJ, 436, 273. Classical Cepheids with terminal age main-sequence companions: constraints on evolution
1070. Evans, N.R. 1995, APJ, 445, 393. The mass ratios of Cepheid binaries

1071. Evans, N.R., Bohm-Vitense, E., Carpenter, K., Beck-Winchatz, B., Robinson, R. 1997, *PASP*, 109, 789. The Mass of the Classical Cepheid V350 Sgr
1072. Evans, N.R. 1999, *APJ*, 524, 379. Toward an orbit for the high-luminosity cepheid T Monocerotis
1073. Evans, N.R. 2000, *AJ*, 119, 3050. V1334 Cygni: A triple system containing a classical Cepheid
1074. Evans, N.R., Vinko, J., Wahlgren, G.M. 2000, *AJ*, 120, 407. The orbit of the classical Cepheid AW Persei revisited
1075. Fabbiano, G., Hartmann, L., Raymond, J., Steiner, J., Branduardi-Raymont, G., Matilsky, T. 1981, *APJ*, 243, 911. Coordinated X-ray, ultraviolet and optical observations of AM Herculis, U Geminorum, and SS Cygni
1076. Fabbiano, G., Panagia, N. 1983, *APJ*, 266, 568. X-ray and ultraviolet observations of extragalactic H II regions
1077. Fabian, A.C., Pringle, J.E., Stickland, D.J., Whelan, J.A.J. 1980, *MNRAS*, 191, 457. Ultraviolet observations of WZ Sagittae in outburst
1078. Fabian, A.C., Nulsen, P.E.J., Arnaud, K.A. 1984, *MNRAS*, 208, 179. Diffuse Lyman alpha emission around NGC 1275
1079. Fabian, A.C., Naylor, T., Sciama, D.W. 1991, *MNRAS*, 249, 21P. IUE observations of the quasar 3C 263 constrain the ionizing photon luminosity of decaying dark matter
1080. Fahey, R.P. 1984, *APJS*, 55, 507. Comparison of variations in the visible and ultraviolet spectra of a Centauri
1081. Fahey, R.P., Michalitsianos, A.G., Kazanas, D. 1991, *APJ*, 371, 136. C IV line profile correlations in NGC 4151
1082. Falomo, R., Bouchet, P., Maraschi, L., Tanzi, E.G., Treves, A. 1988, *APJ*, 335, 122. Quasi-simultaneous ultraviolet, optical and infrared observations of the BL Lacertae object PKS 0048-09
1083. Falomo, R., Bouchet, P., Maraschi, L., Tanzi, E.G., Treves, A. 1989, *APJ*, 345, 148. The ultraviolet to infrared energy distribution of the BL Lacertae object PKS 0422+00 at two different brightness levels
1084. Falomo, R. 1990, *APJ*, 353, 114. The high-luminosity BL Lacertae object PKS 0823-22
1085. Falomo, R., Treves, A. 1990, *PASP*, 102, 1120. PG 1553+11: a bright optically selected BL Lacertae object
1086. Falomo, R., Tanzi, E.G. 1991, *AJ*, 102, 1294. Host galaxy and spectral variability of the BL Lacertae object H0414+00
1087. Falomo, R., Treves, A., Chiappetti, L., Maraschi, L., Pian, E., Tanzi, E.G. 1993, *APJ*, 402, 532. The ultraviolet-to-near-infrared spectral flux distribution of four BL Lacertae
1088. Fanelli, M.N., O'Connell, R.W., Thuan, T.X. 1987, *APJ*, 321, 768. Spectral synthesis in the ultraviolet. I. Far-ultraviolet stellar library
1089. Fanelli, M.N., O'Connell, R.W., Thuan, T.X. 1988, *APJ*, 334, 665. Spectral synthesis in the ultraviolet. II. Stellar populations and star formation in blue compact galaxies
1090. Fanelli, M.N., O'Connell, R.W., Burstein, D., Wu, C.-C. 1990, *APJ*, 364, 272. Spectral synthesis in the ultraviolet. III. The spectral morphology of normal stars in the mid-ultraviolet

1091. Fanelli, M.N., O'Connell, R.W., Burstein, D., Wu, C.-C. 1992, APJS, 82, 197. Spectral synthesis in the ultraviolet. IV. A library of mean stellar groups
1092. Faraggiana, R., Selvelli, P.L. 1979, A&A, 76, L18. The UV spectrum of VV Cep in 1978
1093. Faraggiana, R., Castelli, F., Morossi, C., Kondo, Y., van der Hucht, K.A. 1986, APJS, 61, 719. The ultraviolet spectrum of Procyon. I. The atlas from 2030 to 2371 Å
1094. Faraggiana, R. 1989, A&A, 224, 162. Heavy elements in the 2000-3000 Å range of four Ap stars
1095. Faraggiana, R., Gerbaldi, M., Bohm, C. 1990, A&A, 235, 311. The UV spectrum as a signature of the Lambda Bootis character
1096. Faraggiana, R., Gerbaldi, M., Burnage, R. 1997, A&A, 318, L21. HD111786: A spectroscopic binary lambda Boo star
1097. Faulkner, D.R., Honeycutt, R.K., Johnson, H.R. 1988, APJ, 324, 490. On the violet flux of N type carbon stars
1098. Federman, S.R., Lambert, D.L. 1988, APJ, 328, 777. The carbon chemistry in interstellar clouds toward moderately reddened stars
1099. Feibelman, W.A., Boggess, A., Hobbs, R.W., McCracken, C.W. 1980, APJ, 241, 725. Electron densities for six planetary nebulae and HM Sagittae derived from the C III 1907/1909 ratio
1100. Feibelman, W.A., Boggess, A., McCracken, C.W., Hobbs, R.W. 1981, AJ, 86, 881. Molecular hydrogen ion absorption in planetary nebulae
1101. Feibelman, W.A., Boggess, A., McCracken, C.W., Hobbs, R.W. 1981, APJ, 246, 807. Electron densities for 10 planetary nebulae derived from the C III 1907/1909 ratio II
1102. Feibelman, W.A. 1982, AJ, 87, 555. E(B-V) extinction values for 24 planetary nebulae derived from IUE data
1103. Feibelman, W.A. 1982, APJ, 263, L69. Ultraviolet shell formation at V1016 Cygni
1104. Feibelman, W.A. 1982, APJ, 258, 562. IUE observations of proto-planetary and variable planetary nebulae. II. A search for variability in IC 4997 and NGC 6905
1105. Feibelman, W.A. 1982, APJ, 258, 548. IUE observations of proto-planetary and variable planetary nebulae. I. V1016 Cygni, HM Sagittae, and HBV 475
1106. Feibelman, W.A., Aller, L.H., Keyes, C.D., Czyzak, S.J. 1982, PNAS, 82, 2202. Spectrum and chemical composition of the remarkable planetary nebula NGC 6537
1107. Feibelman, W.A. 1983, A&A, 122, 335. Profiles and intensity ratios of the C IV lambda 1548, 1550 emission lines in planetary nebulae
1108. Feibelman, W.A., Kaler, J.B. 1983, APJ, 269, 592. The binary central star of the planetary nebula LT-5
1109. Feibelman, W.A. 1983, APJ, 275, 628. Ultraviolet observations of M1-2 (=VV 8)
1110. Feibelman, W.A., Aller, L.H. 1983, APJ, 270, 150. IUE observations of the perplexing bipolar planetary nebula NGC 2346
1111. Feibelman, W.A. 1983, PASP, 95, 886. IUE observations of the low-excitation planetary nebula Tc-1
1112. Feibelman, W.A. 1984, APJ, 287, 353. IUE observations of the "Butterfly" nebula M2-9

1113. Feibelman, W.A. 1985, AJ, 90, 2550. He2-36: a planetary nebula with a high-velocity jet?
1114. Feibelman, W.A., Fahey, R.P. 1985, APJ, 292, L15. Dynamical activity in V1016 Cygni
1115. Feibelman, W.A. 1985, PASP, 97, 404. The ultraviolet spectrum of the planetary nebula M3-27
1116. Feibelman, W.A., Aller, L.H. 1987, APJ, 319, 407. The (C III 1909/Si III 1892) ratio as a diagnostic for planetary nebulae and symbiotic stars
1117. Feibelman, W.A. 1987, PASP, 99, 270. The peculiar planetary nebula 75+35 1
1118. Feibelman, W.A. 1988, PASP, 100, 1101. The IUE spectrum of Cn 1-2 (=PK 326-10 1): a southern counterpart to V1016 Cygni and HM Sagittae?
1119. Feibelman, W.A., Bruhweiler, F.C. 1989, APJ, 347, 901. Terminal velocity of wind, mass loss, and absorption lines of the central star of the planetary nebula 75 +35 1
1120. Feibelman, W.A., Bruhweiler, F.C. 1990, AJ, 100, 1248. FG Sagittae: no hot companion?
1121. Feibelman, W.A., Bruhweiler, F.C. 1990, APJ, 354, 262. Ultraviolet observations of the enigmatic bipolar nebula M1-92
1122. Feibelman, W.A., Bruhweiler, F.C. 1990, APJ, 357, 548. Ultraviolet Fe VII absorption lines in planetary nebula nuclei, hot subdwarfs, and hot degenerate objects
1123. Feibelman, W.A., Bruhweiler, F.C., Johansson, S. 1991, APJ, 373, 649. Ultraviolet high-excitation Fe II fluorescence lines excited by O VI, C IV, and H I resonance emission as seen in IUE spectra
1124. Feibelman, W.A. 1991, APJ, 375, 335. The ultraviolet spectrum of KX Trianguli Australis
1125. Feibelman, W.A., Aller, L.H., Hyung, S. 1992, PASP, 104, 339. Variability of emission lines in the planetary nebulae IC 4997 and NGC 6572
1126. Feibelman, W.A. 1993, PASP, 105, 595. The ultraviolet spectrum of the planetary nebula Vy 2-2
1127. Feibelman, W.A., Hyung, S., Aller, L.H. 1994, APJ, 426, 653. Spectrum of IC 2149 and its central star
1128. Feibelman, W.A. 1994, PASP, 106, 56. On planetary nebula nuclei of the spectral type "continuous"
1129. Feibelman, W.A. 1994, PASP, 106, 756. X-ray planetary nebulae
1130. Feibelman, W.A. 1995, APJ, 443, 245. Recent changes in the IUE spectrum of the very young planetary nebula He 3-1357 (=SAO 244567)
1131. Feibelman, W.A. 1995, APJ, 448, 766. The IUE spectrum of the planetary nebula NGC 6751
1132. Feibelman, W.A. 1995, APJ, 449, L87. The IUE spectrum of the "O VI sequence" planetary nebula He 2-55
1133. Feibelman, W.A., Johansson, S. 1995, APJS, 100, 405. C IV and O VI transitions in the region lambda 1100-2000 and examples found in IUE spectra of hot stars
1134. Feibelman, W.A. 1995, PASP, 107, 531. The IUE absorption spectrum of the nucleus of NGC 246: mostly C IV and O VI
1135. Feibelman, W.A., Kaler, J.B., Bond, H.E., Grauer, A.D. 1995, PASP, 107, 914. Variability of IUE spectra of the pulsating nucleus of the planetary nebula K 1-16

1136. Feibelman, W.A., Hyung, S., Aller, L.H. 1996, MNRAS, 278, 625. The spectrum of the Planetary Nebula IC351
1137. Feibelman, W.A. 1996, APJ, 464, 910. The IUE spectrum of the unusual Wolf-Rayet PG1159-type star Sanduleak 3
1138. Feibelman, W.A., 1996, APJ, 472, 294. The IUE spectrum of the Planetary Nebula NGC6905
1139. Feibelman, W.A., 1996, PASP, 108, 664. An OVIII sequence for Planetary Nebula
1140. Feibelman, W.A. 1997, APJS, 109, 481. The IUE spectrum of the "OVI Sequence" Planetary Nebula IC 2003
1141. Feibelman, W. 1997, PASP, 109, 982. A Reassessment of the IUE Emission Line Spectrum of the Planetary Nebula NGC 5189 and Its Central Star
1142. Feibelman, W.A. 1997, APJS, 112, 193. The Greatly Expanded IUE Spectrum of the Planetary Nebula NGC 2371-2 and Its Central Star
1143. Feibelman, W.A. 1997, PASP, 109, 659. The IUE Spectrum of the Binary Nucleus of the Planetary Nebula NGC 1514
1144. Feibelman, W.A. 1998, APJ, 506, 773. The IUE Spectrum, Electron Density, and Terminal Wind Velocity of the "O VI Sequence" Planetary Nebula NGC 5315
1145. Feibelman, W.A. 1998, APJS, 119, 197. The IUE Spectra of Three Optically Narrow-Line O VI Planetary Nebulae: NGC 1501, IC 1747, and IC 1297
1146. Feibelman, W. A. 1999, PASP, 111, 221. Detection of O VII λ 1522 in IUE Spectra of Planetary Nebula Nuclei and other Hot Stars
1147. Feibelman, W. A. 1999, PASP, 111, 719. Ultraviolet Evidence for a Binary Nucleus of the Planetary Nebula SH 2-71
1148. Feibelman, W. A. 1999, APJ, 514, 296. A Detailed Analysis of the Stellar and Nebular IUE Spectrum of the Peculiar "O VI Sequence" Planetary Nebula NGC 40
1149. Feibelman, Walter A. 1999, APJ, 513, 947. Changes and Absorption Features in the Ultraviolet Spectrum of the PG1159-Type Central Star RX J2117+3412
1150. Feibelman, W.A. 1999, APJ, 519, 726. Stellar C III emissions as a new classification parameter for [WC] central stars
1151. Feibelman, W.A. 1999, APJ, 525, 863. The IUE spectra of the O VI sequence Planetary Nebulae NGC 2452, NGC 7026, M3-30 and Lo 4
1152. Feibelman, W.A. 2000, PASP, 112, 861. IUE spectra and emission-line fluxes for eight planetary nebulae
1153. Feibelman, W.A. 2000, APJ, 542, 957. The IUE and Hubble Space Telescope GHRS spectrum of the "Hybrid"/PG 1159-type central star of the planetary nebula NGC 7094
1154. Feigelson, E.D., Welty, A.D., Imhoff, C.L., Hall, J.C., Etzel, P.B., Phillips, R.B., Lonsdale, C.J. 1994, APJ, 432, 373. Multiwavelength study of the magnetically active T Tauri star HD 283447
1155. Feinswog, L., Szkody, P., Garnavich, P. 1988, AJ, 96, 1702. A spectrophotometric study of IR Gem at outburst and quiescence
1156. Feitzinger, J., Hanuschik, R., Schmidt-Kaler, Th. 1983, A&A, 120, 269. The ultraviolet spectrum of the supermassive object R136A. I. The mass loss rate

1157. Feitzinger, J.V., Hanuschik, R.W., Schmidt-Kaler, Th. 1984, MNRAS, 211, 867. The interstellar lines and the energetics of the inner 30 Doradus nebula from the ultraviolet spectrum of R 136a
1158. Fekel, F.C., Hall, D.S., Africano, J.L., Gillies, K., Quigley, R., Fried, R.E. 1985, AJ, 90, 2581. Chromospherically active stars. I. HD 136905
1159. Fekel, F.C., Simon, T. 1985, AJ, 90, 812. HD 160538 and HD 185510: two active-chromosphere stars with hot companions
1160. Fekel, F.C., Bopp, B.W., Africano, J.L., Goodrich, B.D., Palmer, L.H., Quigley, R., Simon, T. 1986, AJ, 92, 1150. Chromospherically active stars. II. HD 82558, a young single BY Draconis variable
1161. Fekel, F.C., Moffett, T.J., Henry, G.W. 1986, APJS, 60, 551. A survey of chromospherically active stars
1162. Fekel, F., Quigley, R., Gillies, K., Africano, J. 1987, AJ, 94, 726. Chromospherically active stars. III. HD 26337 = EI Eri: an RS CVn candidate for the Doppler-imaging technique
1163. Fekel, F.C. 1988, AJ, 95, 215. Chromospherically active stars. IV. HD 178450 = V478 Lyr: an early-type BY Draconis type binary
1164. Fekel, F.C., Kirkpatrick, J.D., Yang, X., Strassmeier, K.G. 1989, AJ, 97, 202. Chromospherically active stars. VI. HD 136901 = UV CrB: a massive ellipsoidal K giant single-lined spectroscopic binary
1165. Fekel, F.C., Marschall, L.A. 1991, AJ, 102, 1439. Chromospherically active stars. IX. HD 33798 = V390 Aurigae: a lithium-rich rapidly rotating single giant
1166. Fekel, F.C., Henry, G.W., Busby, M., Eitter, J. 1993, AJ, 106, 2370. Chromospherically active stars. XI. Giants with compact hot companions and the barium star scenario
1167. Fekel, F.C., Balachandran, S. 1993, APJ, 403, 708. Lithium and rapid rotation in chromospherically active single giants
1168. Feldman, P., Moos, H., Clarke, J., Lane, A. 1979, NATURE, 279, 221. Identification of the UV nightglow from Venus
1169. Feldman, P.D., Weaver, H.A., Festou, M.C., A'Hearn, M.F., Jackson, W.M., Donn, B., Rahe, J., Smith, A.M., Benvenuti, P. 1980, NATURE, 286, 132. IUE observations of the UV spectrum of Comet Bradfield
1170. Feldman, P.D. 1983, SCIENCE, 219, 347. Ultraviolet spectroscopy and the composition of cometary ice
1171. Feldman, P.D., A'Hearn, M.F., Schleicher, D.G., Festou, M.C., Wallis, M.K., Burton, W.M., Hughes, D.W., Keller, H.U., Benvenuti, P. 1984, A&A, 131, 394. Evolution of the ultraviolet coma of comet Austin (1982g)
1172. Feldman, P.D., A'Hearn, M.F., Millis, R.L. 1984, APJ, 282, 799. Temporal and spatial behavior of the ultraviolet emissions of Comet IRAS-Araki-Alcock 1983d
1173. Feldman, P.D., Weaver, H.A., Festou, M.C. 1984, ICARUS, 60, 455. The ultraviolet spectrum of periodic Comet Encke (1980 XI)
1174. Feldman, P.D. 1986, A&A, 159, 342. In-flight analysis of IUE cross-disperser scattered light
1175. Feldman, P.D., A'Hearn, M.F., Festou, M.C., McFadden, L.A., Weaver, H.A., Woods, T.N. 1986, NATURE, 324, 433. Is CO₂ responsible for the outbursts of comet Halley?

1176. Feldman, P.D., Festou, M.C., A'Hearn, M.F., Arpigny, C., Butterworth, P.S., Cosmovici, C.B., Danks, A.C., Gilmozzi, R., Jackson, W.M., McFadden, L.A., Patriarchi, P., Schleicher, D.G., Tozzi, G., Wallis, M., Weaver, H., Woods, T. 1987, *A&A*, 187, 325. IUE observations of comet P/Halley: evolution of the ultraviolet spectrum between September 1985 and July 1986
1177. Feldman, P.D., Davidsen, A.F., Blair, W.P., Bowers, C.W., Dixon, W.V., Durrance, S.T., Ferguson, H.C., Henry, R.C., Kimble, R.A., Kriss, G.A., Kruk, J.W., Long, K.S., Moos, H.W., Vancura, O., Gull, T.R. 1991, *APJ*, 379, L37. Observations of comet Levy (1990c) with the Hopkins Ultraviolet Telescope
1178. Feldman, P.D., Budzien, S.A., Festou, M.C., A'Hearn, M.F., Tozzi, G.P. 1992, *ICARUS*, 95, 65. Ultraviolet and visible variability of the coma of Comet Levy (1990c)
1179. Feldman, P.D., Fournier, K.B., Grinin, V.P., Zvereva, A.M. 1993, *APJ*, 404, 348. The abundance of ammonia in comet P/Halley derived from ultraviolet spectrophotometry of NH by ASTRON and IUE
1180. Feldman, P.D., McGrath, M.A., Moos, H.W., Durrance, S.T., Strobel, D.F., Davidsen, A.F. 1993, *APJ*, 406, 279. The spectrum of the Jovian dayglow observed at 3 Å resolution with the Hopkins Ultraviolet Telescope
1181. Feldman, P.D., Festou, M., Tozzi, G., Weaver, H. 1997, *APJ*, 475, 829 The CO₂/CO abundance ratio in 1p/Halley and several other comets observed by IUE and HST
1182. Felenbok, P., Czarny, J., Catala, C., Praderie, F. 1988, *A&A*, 201, 247. Neutral oxygen in Herbig Ae stars
1183. Ferguson, D.H., Liebert, J., Green, R.F., McGraw, J.T., Spinrad, H. 1981, *APJ*, 251, 205. BE Ursae Majoris (PG 1155+492): a unique, cataclysmic-variable-like object
1184. Ferguson, D.H., Green, R.F., Liebert, J. 1984, *APJ*, 287, 320. Hot subdwarfs in detached binary systems and thick-disk cataclysmic variables from the Palomar Green Survey
1185. Ferguson, D.H., Liebert, J., Cutri, R., Green, R.F., Willner, S.P., Steiner, J.E., Tokarz, S. 1987, *APJ*, 316, 399. BE Ursae Majoris: a detached binary with a unique reprocessing spectrum
1186. Ferguson, H.C., Davidsen, A.F., Kriss, G.A., Blair, W.P., Bowers, C.W., Dixon, W.V., Durrance, S.T., Feldman, P.D., Henry, R.C., Kruk, J.W., Moos, H.W., Vancura, O., Long, K.S., Kimble, R.A. 1991, *APJ*, 382, L69. Constraints on the origin of the ultraviolet upturn in elliptical galaxies from Hopkins Ultraviolet Telescope observations of NGC 1399
1187. Ferguson, H.C., Davidsen, A.F. 1993, *APJ*, 408, 92. The hot stellar component in elliptical galaxies and spiral bulges. I. The far-ultraviolet spectrum of the bulge of M 31
1188. Ferland, G.J., Rees, M.J., Longair, M.S., Perryman, M. 1979, *MNRAS*, 187, 65P. Observations of 3C 390.3 with the International Ultraviolet Explorer
1189. Ferland, G.J., Lambert, D.L., McCall, M.L., Shields, G.A., Slovak, M.H. 1982, *APJ*, 260, 794. Physical conditions in the accretion disk of V603 Aquilae
1190. Ferland, G.J., Mushotzky, R.F. 1982, *APJ*, 262, 564. Broad line region clouds and the absorbing material in NGC 4151
1191. Ferland, G.J., Williams, R.E., Lambert, D.L., Shields, G.A., Slovak, M., Gondhalekar, P.M., Truran, J.W. 1984, *APJ*, 281, 194. IUE observations of DQ Herculis and its nebula, and the nature of the cold nova shells

1192. Ferland, G.J., Osterbrock, D.E. 1985, APJ, 289, 105. The hydrogen line spectra of narrow-line radio galaxies
1193. Ferland, G.J., Osterbrock, D.E. 1986, APJ, 300, 658. IUE spectra and a resulting model of Seyfert 2 galaxies
1194. Ferland, G.J., Osterbrock, D.E. 1987, APJ, 318, 145. The ultraviolet and optical emission-line spectrum of III Zw 77
1195. Ferland, G.J., Peterson, B.M., Horne, K., Welsh, W.F., Nahar, S.N. 1992, APJ, 387, 95. Anisotropic line emission and the geometry of the broad-line region in active galactic nuclei
1196. Ferlet, R., Lecavalier des Etangs, A., Vidal-Madjar, A., Bertin, P., Deleuil, M., Lagrange-Henri, A., Lallement, R., 1995, A&A, 297, 5. HST-GHRS observations of alpha Piscis Austrini
1197. Ferluga, S., Hack, M. 1985, A&A, 144, 395. High-dispersion spectroscopy of the eclipse of Epsilon Aurigae at visible and ultraviolet wavelengths
1198. Fernandez-Castro, T., Cassatella, A., Gimenez, A., Viotti, R. 1988, APJ, 324, 1016. IUE observations of Z Andromedae: spectral variations during quiescence and a physical model
1199. Fernandez-Castro, T., Gonzalez-Riestra, R., Cassatella, A., Fuensalida, J.J. 1990, A&A, 227, 422. Simultaneous observations of the symbiotic star BF Cygni
1200. Fernandez-Figueroa, M.J., Rego, M., Cornide, M. 1980, A&A, 82, 221. Analysis of the far-ultraviolet silicon lines in G dwarf stars
1201. Fernandez-Figueroa, M.J., de Castro, E., Rego, M. 1981, A&A, 99, 141. The transition region structure of Kappa Ceti
1202. Fernandez-Figueroa, M.J., de Castro, E., Rego, M. 1983, A&A, 119, 243. Emissions from the transition regions and coronae of three cool dwarf stars
1203. Fernandez-Figueroa, M., Montesinos, B., Rego, M. 1984, A&A, 138, 164. The transition layer of eleven late-type stars
1204. Fernandez-Figueroa, M., de Castro, E., Gimenez, A. 1985, A&AS, 60, 5. IUE observations of the RS CVn systems Z Her, TY Pyx, and HD 155555
1205. Fernandez-Figueroa, M., Sedano, J., de Castro, E. 1986, A&A, 169, 237. The Mg II emission in a sample of regular-period RS CVn systems
1206. Fernie, J.D., Evans, N.R. 1997, PASP, 109, 541. The supergiant binary BM Cas
1207. Fernley, J.A., Lynas-Gray, A.E., Skillen, I., Jameson, R.F., Marang, F., Kilkenny, D., Longmore, A.J. 1989, MNRAS, 236, 447. The absolute magnitudes of RR Lyrae stars. I. X Arietis
1208. Fernley, J.A., Skillen, I., Jameson, R.F., Longmore, A.J. 1990, MNRAS, 242, 685. The absolute magnitudes of RR Lyrae stars - III. DH Peg
1209. Fernley, J.A. 1993, OBS, 113, 197. BB Virginis: an RR Lyrae in a binary system?
1210. Fernley, J.A., Neckel, H., Solano, E., Wamsteker, W. 1996, A&A, 311, 245. A study of solar analogues in the ultraviolet
1211. Ferro, A.A., Madore, B.F. 1986, APJ, 302, 767. Ultraviolet survey for hot companions among nonvariable yellow supergiants

1212. Fesen, R.A., Wu, C.-C., Leventhal, M., Hamilton, A.J.S. 1988, APJ, 327, 164. High-velocity ultraviolet iron, silicon, oxygen, and sulfur absorption features associated with the remnant of SN 1006
1213. Festou, M.C., Feldman, P.D. 1981, A&A, 103, 154. The forbidden oxygen lines in comets
1214. Festou, M.C., Feldman, P.D., Weaver, H.A. 1982, APJ, 256, 331. The ultraviolet bands of the carbon dioxide ion in comets
1215. Festou, M.C., Carey, W.C., Evans, A., Wallis, M.K., Keller, H.U. 1985, A&A, 152, 170. IUE observations of Comet P/Crommelin (1983 n)
1216. Festou, M.C., Arpigny, C., Bertaux, J.-L., Carey, W., Danks, T., Gilmozzi, R., Hughes, D.W., Ip, W., Patriarchi, P., Tozzi, G.P., Wallis, M.K., Zarnecki, J. 1986, A&A, 155, L17. The first near-UV observation of P/Halley
1217. Festou, M.C., Feldman, P.D., A'Hearn, M.F., Arpigny, C., Cosmovici, C.B., Danks, A.C., McFadden, L.A., Gilmozzi, R., Patriarchi, P., Tozzi, G.P., Wallis, M.K., Weaver, H.A. 1986, NATURE, 321, 361. IUE observations of Comet Halley during the Vega and Giotto encounters
1218. Festou, M.C., Stern, S.A., Tozzi, G.P. 1991, ICARUS, 94, 218. Asteroid 4 Vesta: simultaneous visible and ultraviolet IUE observations
1219. Fink, U., DiSanti, M.A. 1990, APJ, 364, 687. The production rate and spatial distribution of H₂O for comet P/Halley
1220. Finley, D.S., Basri, G., Bowyer, S. 1990, APJ, 359, 483. The temperature scale of hot DA white dwarfs: temperatures from far-ultraviolet continuum fluxes
1221. Finley, D.S., Jelinsky, P., Dupuis, J., Koester, D. 1993, APJ, 417, 259. Initial white dwarf results from the Extreme Ultraviolet Explorer
1222. Fitzpatrick, E.L. 1982, APJ, 261, L91. The detection of ultraviolet photospheric absorption in the spectra of two Wolf-Rayet stars
1223. Fitzpatrick, E.L., Savage, B.D., Sitko, M.L. 1982, APJ, 256, 578. Ultraviolet, visual, and infrared observations of the WC7 variable HD 193793
1224. Fitzpatrick, E.L., Savage, B.D. 1983, APJ, 267, 93. Ultraviolet interstellar absorption toward HD 5980 in the Small Magellanic Cloud
1225. Fitzpatrick, E.L., Savage, B.D. 1984, APJ, 279, 578. International Ultraviolet Explorer observations of stars in 30 Doradus: extinction and stellar continua
1226. Fitzpatrick, E.L. 1984, APJ, 282, 436. Ultraviolet interstellar absorption toward stars in the Small Magellanic Cloud. II. Sk 159
1227. Fitzpatrick, E.L. 1985, APJ, 299, 219. Interstellar extinction variations in the Large Magellanic Cloud
1228. Fitzpatrick, E.L., Savage, B.D. 1985, APJ, 292, 122. Ultraviolet interstellar absorption toward stars in the Small Magellanic Cloud. IV. Highly ionized gas associated with the Small Magellanic Cloud
1229. Fitzpatrick, E.L. 1985, APJS, 59, 77. Ultraviolet interstellar absorption toward stars in the Small Magellanic Cloud. III. The structure and kinematics of the Small Magellanic Cloud
1230. Fitzpatrick, E.L. 1986, AJ, 92, 1068. An average interstellar extinction curve for the Large Magellanic Cloud

1231. Fitzpatrick, E.L., Massa, D. 1986, APJ, 307, 286. An analysis of the shapes of ultraviolet extinction curves. I. The 2175 Å bump
1232. Fitzpatrick, E.L. 1987, APJ, 312, 596. The properties of OB supergiants in the Large Magellanic Cloud. I. Energy distributions of 10 B supergiants
1233. Fitzpatrick, E.L., Massa, D. 1988, APJ, 328, 734. An analysis of the shapes of ultraviolet extinction curves. II. The far-UV extinction
1234. Fitzpatrick, E.L., Walborn, N.R. 1990, AJ, 99, 1483. Observations of SK-69 203 and the interstellar extinction towards SN 1987A
1235. Fitzpatrick, E.L., Massa, D. 1990, APJS, 72, 163. An analysis of the shapes of ultraviolet extinction curves. III. An atlas of ultraviolet extinction curves
1236. Fitzpatrick, E.L., Massa, D. 1999, APJ, 525, 1011. Determining the physical properties of the B stars. I. Methodology and first results
1237. Fix, J.D., Craven, J.D., Frank, L.A. 1989, APJ, 345, 203. Measurements of the diffuse ultraviolet radiation
1238. Fleigner, J., Langer, N., Venn, K. 1996, A&A, 308, L13. Boron in main sequence B stars: A critical test of main sequence mixing
1239. Flower, D.R., Nussbaumer, H., Schild, H. 1979, A&A, 72, L1. The EUV spectra of young planetary nebulae
1240. Flower, D.R. 1980, MNRAS, 193, 511. Ultraviolet spectra of planetary nebulae - II. The young planetary nebula IC 4997
1241. Flower, D.R., Penn, C.J. 1981, MNRAS, 194, 13P. The ultraviolet spectrum of the planetary nebula NGC 6572
1242. Flower, D.R. 1982, MNRAS, 199, 15P. Ultraviolet spectra of planetary nebulae - VIII. The C/O abundance ratio in the Ring nebula
1243. Flower, D.R., Penn, C.J., Seaton, M.J. 1982, MNRAS, 201, 39P. Ultraviolet spectra of planetary nebulae - IX. High-dispersion observations of NGC 7662
1244. Flower, D.R., Goharji, A., Cohen, M. 1984, MNRAS, 206, 293. Ultraviolet spectra of planetary nebulae - X. Physical conditions in the compact planetary nebula Sw St 1
1245. Fluks, M.A., Plez, B., The, P.S., de Winter, D., Westerlund, B.E., Steenman, H.C. 1994, A&AS, 105, 311. On the spectra and photometry of M-giant stars
1246. Foing, B.H., Char, S., Ayres, T., Catala, C., Neff, J.E., Zhai, D.S., Catalano, S., Cutispoto, G., Jankov, S., Rodono, M., Simon, T., Akan, C., Aslanov, A., Avellar, P., Baudrand, J., Beust, H., Cao, H., Chatzichristou, H., Cuby, J.G., Czarny, J., de la Reza, R., Dreux, M., Felenbok, P., Ferlet, R., Frasca, A., Floquet, M., Ghosh, K., Guo, Z., Guerin, J., Hao, J.X., Houdebine, E.R., Huang, L., Hubert, A.M., Hubert, H., Huovelin, J., Hron, J., Ibanoglu, C., Jiang, S., Keskin, V., Lagrange-Henri, A.M., Lecontel, J.M., Li, Q., Mavridis, L., Nolthenius, R., Petrov, P., Savanov, I., Scherbakov, A., Tuominen, I., Vidal-Madjar, A., Zhang, R., Zhang, X. 1994, A&A, 292, 543. Multi-site continuous spectroscopy. II. Spectrophotometry and energy budget of exceptional white-light flares on HR 1099 from the MUSICOS 89 campaign
1247. Forte, J., Vega, E., Calderon, J., Feinstein, C. 1987, AJ, 93, 301. A CCD study of the Seyfert galaxy NGC 3783
1248. Fosbury, R.A.E., Snijders, M.A.J., Boksenberg, A., Penston, M.V. 1981, MNRAS, 197, 235. The ultraviolet spectrum of the active elliptical galaxy NGC 1052

1249. Fosbury, R.A.E., Boksenberg, A., Snijders, M.A.J., Danziger, I.J., Disney, M.J., Goss, W.M., Penston, M.V., Wamsteker, W., Wellington, K.J., Wilson, A.S. 1982, MNRAS, 201, 991. Very extended ionized gas in radio galaxies - I. A radio, optical and ultraviolet study of PKS 2158-380
1250. Fox, D.C., Linsky, J.L., Veale, A., Dempsey, R.C., Brown, A., Neff, J.E., Pagano, I., Rodono, M., Bromage, G.E., Kurster, M., Schmitt, J.H.M.M. 1994, A&A, 284, 91. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVIII. Coordinated VLA, ROSAT, and IUE observations of RS CVn binaries
1251. Fracassini, M., Pasinetti, L.E. 1982, A&A, 107, 326. Mg II h and k line observations of Delta Scuti variables
1252. Fracassini, M., Fracassini-Pasinetti L.E., Pastori, L., Teays, T.J., Mariani, A. 1991, A&A, 243, 458. Chromospheric activity in Delta Scuti stars: the suspected variable Tau Cygni
1253. Fracassini-Pasinetti, L.E., Pastori, L. 1996, AP&SS, 240, 205. UV survey of delta Scuti stars: Final results and open problems
1254. Franchini, M., Morossi, C., Malagnini, M.L. 1998, APJ, 508, 370. Far-Ultraviolet Continuum of G-Type Stars: A Signature of the Temperature Minimum Region
1255. Francis, P.J., Koratkar, A. 1995, MNRAS, 274, 504. The evolution of QSO spectra
1256. Franco, J., Savage, B.D. 1982, APJ, 255, 541. Ultraviolet absorption by highly ionized atoms in the Orion Nebula
1257. Franco, M.L., Kontizas, E., Kontizas, M., Stalio, R. 1983, A&A, 122, 9. A search for UV-line profile variability in five O-stars
1258. Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E. 1984, A&AS, 58, 693. The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of Mg II h and k profiles
1259. Franco, M.L., Magazzu, A., Stalio, R. 1985, A&A, 147, 191. Interstellar reddening law towards the nucleus of h Per
1260. Fransson, C. 1982, A&A, 111, 140. X-ray and UV emission from supernova shock waves in stellar winds
1261. Fransson, C. 1984, A&A, 132, 115. Line profiles from supernovae
1262. Fransson, C., Benvenuti, P., Gordon, C., Hempe, K., Palumbo, G.G.C., Panagia, N., Reimers, D., Wamsteker, W. 1984, A&A, 132, 1. Physical conditions in the UV line emitting region of supernova 1979c in NGC 4321
1263. Fransson, C. 1984, A&A, 133, 264. Comptonization and UV emission lines from Type II supernovae
1264. Fransson, C., Grewing, M., Cassatella, A., Panagia, N., Wamsteker, W. 1987, A&A, 177, L33. Implications of the UV observations of SN 1987A
1265. Fransson, C. 1988, PASA, 7, 520. The circumstellar emission from SN 1987A
1266. Fransson, C., Cassatella, A., Gilmozzi, R., Kirshner, R.P., Panagia, N., Sonneborn, G., Wamsteker, W. 1989, APJ, 336, 429. Narrow ultraviolet emission lines from SN 1987A: evidence for CNO processing in the progenitor
1267. Fransson, C., Lundqvist, P. 1989, APJ, 341, L59. Probing the first hours in the life of SN 1987A

1268. Frasca, A., Catalano, S., Mantovani, D. 1997, *A&A*, 320, 101. H alpha emission in the chromospherically active binary sigma 2 Coronae Borealis (TZ CrB)
1269. Frasca, A., Lanza, A. F. 2000, *A&A*, 356, 267. Orbital period variation in close binaries from radial velocity data and magnetic activity cycles. I. AR Lacertae: The test case
1270. Freire Ferrero, R., Gouttebroze, P., Kondo, Y. 1983, *A&A*, 121, 59. The Mg II h and k lines in Vega
1271. Freire Ferrero, R. 1986, *A&A*, 159, 209. Search for transition zone lines in early dwarf A stars
1272. Freire Ferrero, R., Gouttebroze, P., Talavera, A. 1987, *A&A*, 173, 315. Analysis of the Mg II resonance lines in the spectrum of Sirius
1273. Fremat, Y., Houziaux, L. 1997, *A&A*, 320, 580. Elemental abundances in the Hg-Mn star gamma Corvi
1274. Freudling, W., Lagrange, A.-M., Vidal-Madjar, A., Ferlet, R., Forveille, T. 1995, *A&A*, 301, 231. Gas around Beta Pictoris: an upper limit on the HI content
1275. Fricke, K.J., Kollatschny, W., Schleicher, H. 1981, *A&A*, 100, 1. UV observations of the new BL Lac object 0716+71
1276. Friedjung, M. 1981, *A&A*, 93, 320. Narrow ultraviolet absorption lines of nova Cygni 1978
1277. Friedjung, M. 1981, *A&A*, 99, 226. A study of the spectrum of WZ Sge during its 1978 outburst
1278. Friedjung, M., Andriolat, Y., Puget, P. 1982, *A&A*, 114, 351. The UV spectrum of the old nova HR Del at different orbital phases
1279. Friedjung, M., Stencel, R.E., Viotti, R. 1983, *A&A*, 126, 407. Evidence for a warm wind from the red star in symbiotic binaries
1280. Friedman, S.D., Howk, J.C., Andersson, B.G., Sembach, K.R., Ake. T.B., Roth, K., Sahnou, D.J., Savage, B.D., York, D.G., Sonneborn, G., Vidal-Madjar, A., Wilkinson, E. 2000, *APJ*, 538, L39. Far-Ultraviolet Spectroscopic Explorer observations of interstellar gas toward the Large Magellanic Cloud star SK -67° 05
1281. Friedrich, S., Staubert, R., La Dous, C. 1996, *A&A*, 315, 411. First uv spectrum of the AM Herculis star RXJ1940.1-1025
1282. Friedrich, S., Koester, D., Heber, U., Jeffery, C. S., Reimers, D. 1999, *A&A*, 350, 865. Analysis of UV and optical spectra of the helium-rich white dwarfs HS2253+8023 and GD 40
1283. Friend, D.B. 1990, *APJ*, 353, 617. Terminal velocities of the winds from rapidly rotating OB stars
1284. Frisch, P.C. 1981, *NATUREL*, 293, 377. The nearby interstellar medium
1285. Frisch, P.C., York, D.G., Fowler, J.R. 1987, *APJ*, 320, 842. The local interstellar medium. VII. The local interstellar wind and interstellar material in front of the nearby star Alpha Ophiuchi
1286. Frisch, P., Welty, D., York, D.G., Fowler, J.R. 1990, *APJ*, 357, 514. Ionization in nearby interstellar gas
1287. Frisch, P.C., Slojowski, S.E., Rodriguez-Bell, T., York, D. 1993, *APJS*, 84, 55. Model atmospheres: tool for identifying interstellar features

1288. Fritz, M.L., Leckenby, H., Sion, E.M., Vauclair, G., Liebert, J. 1990, *AJ*, 99, 668. The hot DOA1 degenerate HZ 21: a search for circumstellar/photospheric metals and peculiar absorption at He II
1289. Fritz, M.L., Leckenby, H.J., Sion, E.M. 1990, *AJ*, 99, 908. A search for evidence of past and ongoing mass loss in the hot DO degenerates PG 1159-035, PG 1034+001, and KPD 0005+5106
1290. Fuhrmann, K. 1989, *A&AS*, 80, 399. The IUE-UV spectrum of the CP2 star HR 465
1291. Fuhrmann, K. 1989, *A&AS*, 77, 345. Element identifications in IUE spectra of chemically peculiar stars: the Pt-Au-Hg sequence
1292. Fulbright, M.S., Liebert, J., Bergeron, P., Green, R. 1993, *APJ*, 406, 240. Spectroscopic observations of the detached binary PG 1413+01
1293. Fullerton, A.W., Gies, D.R., Bolton, C.T. 1992, *APJ*, 390, 650. Propagating absorption enhancements in the wind of the extreme Of supergiant HD 151804
1294. Fullerton, A.W., Massa, D.L., Prinja, R.K., Owocki, S.P., Cranmer, S.R. 1997, *A&A*, 327, 699. Wind variability of B supergiants. III. Corotating spiral structures in the stellar wind of HD 64760.
1295. Gaensicke, B.T., Beuermann, K., de Martino, D. 1995, *A&A*, 303, 127. The white dwarf in AM Herculis
1296. Gaensicke, B.T., Beuermann, K. 1996, *A&A*, 309, 47. The cooling of the white dwarf in VW Hyi
1297. Gaensicke, B. T., Beuermann, K., Thomas, H.-C. 1997, *MNRAS*, 289, 388. EK TrA, a close relative of VW Hyi
1298. Gaensicke, B. T., Koester, D. 1999, *A&A*, 346, 151. SW Ursae Majoris, CU Velorum and AH Mensae: three more accreting white dwarfs unveiled?
1299. Gaensicke, B. T., Sion, E. M., Beuermann, K., Fabian, D., Cheng, F. H., Krautter, J. 1999, *A&A*, 347, 178. TT Arietis: the low state revisited
1300. Gaensicke, B. T., Beuermann, K., de Martino, D., Thomas, H.-C. 2000, *A&A*, 354, 605. RX J1313.2-3259, a missing link in CV evolution?
1301. Gahm, G.F., Fredga, K., Liseau, R., Dravins, D. 1979, *A&A*, 73, L4. The far UV spectrum of the T Tauri Star RU Lupi
1302. Gahm, G.F., Fischerstrom, C., Liseau, R., Lindroos, K.P. 1989, *A&A*, 211, 115. Long- and short-term variability of the T Tauri star RY Lupi
1303. Gahm, G.F., Liseau, R., Gullbring, E., Hartstein, D. 1993, *A&A*, 279, 477. The circumstellar gleam from the T Tauri star RY Lupi
1304. Gameiro, J.F., Lago, M.T.V.T., Lima, N.M., Cameron, A.C. 1993, *MNRAS*, 261, 11. Optical and ultraviolet observations of the star LkHa 264
1305. Garcia, M., Baliunas, S.L., Doxsey, R., Elvis, M., Fabbiano, G., Koenigsberger, G., Patterson, J., Schwartz, D., Swank, J., Watson, M.G. 1983, *APJ*, 267, 291. Identification and properties of the M Giant/X-Ray system HD 154791 = 2A 1704+241
1306. Garcia-Alegre, M.C., Ponz, J.D., Vazquez, M. 1981, *A&A*, 96, 17. IUE MG II doublet observations in F and G main sequence stars

1307. Garcia-Lario, P., Parthasarathy, M., De Martino, D., Sanz Fernandez De Cordoba, L., Monier, R., Manchado, A., Pottasch, S.R. 1997, *A&A*, 326, 1103. A multiwavelength study of LS II+34 26: a hot post-AGB star in the process of becoming a planetary nebula.
1308. Garcia-Vargas, M.L., Diaz, A.I., Terlevich, R., Terlevich, E. 1989, *AP&SS*, 157, 125. A simple population synthesis model for the continuum of the Seyfert type-2 galaxy Mk 348
1309. Garcia-Vargas, M.L., Diaz, A.I., Terlevich, R.J., Terlevich, E. 1990, *AP&SS*, 171, 65. A population synthesis model for the ultraviolet spectrum of the peculiar galaxy NGC 1672
1310. Gardner J.P., 1998, *PASP*, 110, 291. An extendable Galaxy Number Count model
1311. Garilli, B., Tagliaferri, G. 1986, *APJ*, 301, 703. On the X-ray and ultraviolet spectrum of the high-redshift quasar 3C 446
1312. Garmany, C.D., Olson, G.L., Conti, P.S., Van Steenberg, M.E. 1981, *APJ*, 250, 660. Mass loss rates from O stars in OB associations
1313. Garmany, C.D., Conti, P.S. 1984, *APJ*, 284, 705. Mass loss in O-type stars: parameters which affect it
1314. Garmany, C.D., Massey, P., Conti, P.S. 1984, *APJ*, 278, 233. Absolute spectrophotometry of Wolf-Rayet stars from 1200 to 7000 Å: a cautionary tale
1315. Garmany, C.D., Conti, P.S. 1985, *APJ*, 293, 407. Stellar winds from hot stars in the Magellanic Clouds
1316. Garmany, C.D., Fitzpatrick, E.L. 1988, *APJ*, 332, 711. Stellar winds in the Small Magellanic Cloud
1317. Garnett, D.R., Dinerstein, H.L. 1989, *PASP*, 101, 541. Ultraviolet observations of the planetary nebula NGC 2242
1318. Garnett, D.R. 1993, *PASP*, 105, 996. H II regions as probes of galaxy evolution and the properties of massive stars
1319. Gaskell, C.M., Sparke, L.S. 1986, *APJ*, 305, 175. Line variations in quasars and Seyfert galaxies
1320. Gathier, R., Pottasch, S.R., Pel, J.W. 1986, *A&A*, 157, 171. Distances to planetary nebulae. I. The reddening-distance method
1321. Gehrz, R. D., Truran, J. W., Williams, R. E., Starrfield, S. , *PASP* 1998, 110, 3. Nucleosynthesis in Classical Novae and Its Contribution to the Interstellar Medium
1322. Genova, R., Beckman, J., Vladilo, G, Molaro, P. 1989, *AP&SS*, 156, 243. The local interstellar medium: a test-bed for the galactic ISM
1323. Genova, R., Molaro, P., Vladilo, G., Beckman, J. 1990, *APJ*, 355, 150. Mg II observed in the local interstellar medium: the local cloud
1324. Georganopoulos, M., Marscher, A.P. 1998, *APJ*, 506l, 11. Modeling the Variability of the BL Lacertae Object PKS 2155-304
1325. George, I.M., Warwick, R.S., Bromage, G.E. 1988, *MNRAS*, 232, 793. X-ray and ultraviolet observations of Markarian 421
1326. George, I.M., Warwick, R.S., McHardy, I.M. 1988, *MNRAS*, 235, 787. The ultraviolet to X-ray continua of BL Lac objects
1327. Gerard J.C., Grodent D., Dols V., Waite J.H. Jr. 1998, *GeoRL*, 25, 1601. The longitudinal variation of the color ratio of the Jovian ultraviolet aurora: a geometric effect?

1328. Gerber, R.A., Lamb, S.A., Balsara, D.S. 1992, APJ, 399, L51. A model for ring galaxies: Arp 147-like systems
1329. Gessner, S.E., Carpenter, K.G., Robinson, R.D. 1994, AJ, 107, 747. Search for CO absorption bands in IUE far-ultraviolet spectra of cool stars
1330. Ghisellini, G., Maraschi, L., Tanzi, E.G., Treves, A. 1986, APJ, 310, 317. Spectral properties of blazars. I. Objects observed in the far-ultraviolet
1331. Ghisellini, G., Villata, M., Raiteri, C.M., Bosio, S., De Francesco, G., Latini, G., Maesano, M., Massaro, E., Montagni, F., Nesci, R., Tosti, G., Fiorucci, M., Pian, E., Maraschi, L., Treves, A., Comastri, A., Mignoli, M. 1997, A&A, 327, 61. Optical-IUE observations of the gamma-ray loud BL Lacertae object S5 0716+714: data and interpretation.
1332. Ghosh, K.K., Soundararajaperumal, S. 1995, APJS, 100, 37. Multifrequency spectra of EXOSAT blazars
1333. Giampapa, M.S., Calvet, N., Imhoff, C., Kuhl, L. 1981, APJ, 251, 113. IUE observations of pre-main-sequence stars. I. Mg II and Ca II resonance line fluxes for T Tauri stars
1334. Giampapa, M.S., Worden, S.P., Linsky, J.L. 1982, APJ, 258, 740. Stellar model chromospheres XIII: M dwarf stars
1335. Giampapa, M.S., Golub, L., Peres, G., Serio, S., Vaiana, G.S. 1985, APJ, 289, 203. Closed coronal structures. VI. Far-ultraviolet and X-ray emission from active late-type stars and the applicability of coronal loop models
1336. Giampapa, M., Basri, G., Johns, C.M., Imhoff, C. 1993, APJS, 89, 321. A synoptic study of H-alpha line profile variability in the T Tauri star SU Aurigae
1337. Gies, D.R., Wiggs, M.S. 1991, APJ, 375, 321. A spectroscopic search for colliding stellar winds in O-type close binary systems. I. AO Cassiopeiae
1338. Gies, D.R., Mason, B.D., Hartkopf, W.I., McAlister, H.A., Frazin, R.A., Hahula, M.E., Penny, L.R., Thaller, M.L., Fullerton, A.W., Shara, M.M. 1993, AJ, 106, 2072. Binary star orbits from speckle interferometry. V. A combined speckle/spectroscopic study of the O star binary 15 Monocerotis
1339. Gies, D.R., Wiggs, M.S., Bagnuolo, W.G. 1993, APJ, 403, 752. A spectroscopic search for colliding stellar winds in O-type close binary systems. IV. Iota Orionis
1340. Gies, D. R., Bagnuolo, W. G., Jr., Ferrara, E. C., Kaye, A. B., Thaller, M. L., Penny, L. R., Peters, G. J. APJ, 1998, 493, 440. Hubble Space Telescope Goddard High Resolution Spectrograph Observations of the Be + sdO Binary phi Persei
1341. Gies, D.R., Kambe, E., Josephs, T.S., Bagnuolo, W.G.Jr., Choi, Y.J., Gudehus, D., Guyton, K.M., Hartkopf, W.I., Hildebrand, J.L., Kaye, A.B., Mason, B.D., Riddle, R.L., Sowers, J.W., Turner, N.H., Wilson, J.W., Xiong, Y. 1999, APJ, 525, 420. Ultraviolet and optical line profile variations in the spectrum of epsilon Persei
1342. Gilheany, S., Bates, B., Catney, M., Dufton, P. 1990, AP&SS, 169, 85. Stellar mass loss in late B-type supergiants
1343. Gilmozzi, R. 1988, PASA, 7, 397. SN 1987A in the UV: the progenitor star, the reddening and the possible light echo
1344. Gimenez, A., Reglero, V., Fabregat, J. 1990, AP&SS, 169, 233. Ultraviolet to near-infrared continuum flux distribution in the active binary RS Canum Venaticorum
1345. Gimenez, A., Guinan, E.F., Gonzalez-Riestra, R. 1993, A&AS, 97, 261. UV and X-ray emission in the interacting binary U Cephei

1346. Giovannelli, F., Rossi, C., Castaldo, D., Covino, E., Errico, L., Vittone, A.A., Bisnovaty-Kogan, G.S., Kurt, V.G., Lamzin, S.A., Sheffer, E.K. 1990, *AP&SS*, 169, 55. Multifrequency monitoring of the pre-main-sequence star RU Lupi
1347. Giovannelli, F., Gonzalez Martinez-Pais, I., Gaudenzi, S., Lombardi, R., Rossi, C., Claudi, R.U. 1990, *AP&SS*, 169, 125. Multifrequency behaviour of the dwarf nova SS Cygni
1348. Giovannelli, F., Bartolini, C., Guarnieri, A., Piccioni, A., Burger, M., van Dessel, E.L., Kurt, V.G., Sheffer, E.K., de Martino, D., Waters, R., Gonzalez Martinez-Pais, I., Gnedin, Yu.N., Larionov, V., Shakovskaya, N. 1990, *AP&SS*, 169, 139. Fourteen years of multifrequency-coordinated observations of the X-ray/Be system A0535+26/HDE 245770
1349. Giovannelli, F., Vittone, A.A., Rossi, C., Errico, L., Bisnovaty-Kogan, G.S., Kurt, V.G., Lamzin, S.A., Larionov, M., Sheffer, E.K., Sidorenkov, V.N. 1995, *A&AS*, 114, 341. Multifrequency monitoring of RU Lupi. I. Observations
1350. Gladstone, G.R., Yung, Y.L. 1983, *APJ*, 266, 415. An analysis of the reflection spectrum of Jupiter from 1500Å to 1740Å
1351. Glass, I.S. 1992, *MNRAS*, 256, 23P. Infrared variability of the Seyfert galaxy NGC 3783
1352. Glassgold, A.E., Bregman, J.N., Huggins, P.J., Kinney, A.L., Pica, A.J., Pollock, J.T., Leacock, R.J., Smith, A.G., Webb, J.R., Wisniewski, W.Z., Jeske, N., Spinrad, H., Henry, R.B.C., Miller, J.S., Impey, C., Neugebauer, G., Aller, M.F., Aller, H.D., Hodge, P.E., Balonek, T., Dent, W., O'Dea, C. 1983, *APJ*, 274, 101. Multifrequency observations of the flaring quasar 1156+295
1353. Glebocki, R., Sikorski, J., Bielicz, E., Krogulec, M. 1986, *A&A*, 158, 392. Circumstellar envelope around the binary system Lambda And
1354. Glebocki, R., Stawikowski, A. 1988, *A&A*, 189, 199. Are tides responsible for enhanced Mg II emission in late-type binaries?
1355. Goad, M.R., Koratkar, A.P., Kim-Quijano, J., Korista, K.T., O'Brien, P.T., Axon, D.J. 1999, *APJ*, 524, 707. NGC 3516: the long-term variability of the Active Galactic Nucleus emission-line and absorption-line regions
1356. Goebel, J.H. 1983, *APJ*, 268, L41. Observation of ice mantles toward HD 29647
1357. Goharji, A., Adams, S. 1984, *MNRAS*, 210, 683. The C/O abundance ratio in the planetary nebula IC 2501
1358. Golay, M., Mauron, N. 1982, *A&AS*, 47, 547. UV and visible photometry of the brightest Pleiades stars
1359. Goldberg, L. 1981, *A&A*, 104, L7. "P Cygni" profiles in P Cygni
1360. Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F. 1990, *MNRAS*, 245, 119. Effective temperatures of RCB stars
1361. Gómez de Castro, A., Fernandez, M. 1996, *MNRAS*, 283, 55. Ultraviolet spectroscopy of the hotspot in the classical T Tauri star DQ Cep: Observational indications of magnetically channelled accretion
1362. Gómez de Castro, A. I., Lamzin, S. A. 1999, *MNRAS*, 304, L41. Accretion shocks in T Tauri stars: diagnosis via semiforbidden ultraviolet line ratios
1363. Gómez de Castro, A.I., Franqueira, M. 1997, *APJ*, 482, 465. Accretion and UV Variability in BP Tauri

1364. Gondhalekar, P.M., Phillips, A.P. 1980, MNRAS, 191, 13P. Interstellar carbon monoxide in the direction of the supernova remnant S147
1365. Gondhalekar, P.M., Willis, A.J., Morgan, D.H., Nandy, K. 1980, MNRAS, 193, 875. Ultra-violet studies of the Magellanic Clouds - I. Interstellar lines in the spectra of FD 70 and SK-71-45
1366. Gondhalekar, P.M., Wilson, R. 1980, NATURE, 285, 461. UV spectra of the twin QSOs 0957+561 A, B
1367. Gondhalekar, P.M., Wilson, R. 1982, NATURE, 296, 415. IUE observations of variability and differences in the UV spectra of double quasar 0957+561 A,B
1368. Gondhalekar, P.M. 1985, MNRAS, 217, 585. Depletion of sulphur in the interstellar medium
1369. Gondhalekar, P.M., O'Brien, P., Wilson, R. 1986, MNRAS, 222, 71. Ultraviolet spectra of quasars in the redshift interval 0.3 to 2.0
1370. Gondhalekar, P.M. 1989, MNRAS, 237, 739. Ultraviolet spectra of a large sample of quasars. I. Data and data reduction
1371. Gondhalekar, P.M. 1990, MNRAS, 243, 443. Ultraviolet spectra of a large sample of quasars - II. Variability of Ly-alpha and C IV emission lines
1372. Gondhalekar, P.M. 1992, MNRAS, 255, 663. Ionizing radiation in the variable active galaxy 3C 120
1373. Gondhalekar, P.M., Kellett, B.J., Pounds, K.A., Matthews, L., Quenby, J.J. 1994, MNRAS, 268, 973. ROSAT/XRT-PSPC observations and the ionizing continuum of the Seyfert 1 galaxy Mrk 478
1374. Gondhalekar, P., Rouillon-Foley, C., Kellett, B. 1996, MNRAS, 282, 117. A paradigm revisited: the accretion disk in AGNs and quasars
1375. Gondoin, P., Mangeney, A., Praderie, F. 1987, A&A, 174, 187. Solar-type giants: new X-ray detections from EXOSAT observations
1376. Gonzalez Delgado, R.M., Heckman, T., Leitherer, C., Meurer, G., Krolik, J., Wilson, A.S., Kinney, A., Koratkar, A. 1998, APJ, 505, 174. Ultraviolet-Optical Observations of the Seyfert 2 Galaxies NGC 7130, NGC 5135, and IC 3639: Implications for the Starburst-Active Galactic Nucleus Connection
1377. Gonzalez Delgado, R.M., Pérez, E. 2000, MNRAS, 317, 64. The massive stellar content of the HII region NGC 604 and its evolutionary state
1378. Gonzalez-Riestra, R., Rego, M., Zamorano, J. 1987, A&A, 186, 64. Star formation in the nucleus of the galaxy NGC 5253
1379. Gonzalez-Riestra, R., Cassatella, A., Fernandez-Castro, T. 1990, A&A, 237, 385. The UV variability of BF Cygni
1380. Gonzalez-Riestra, R. 1992, A&A, 265, 71. The 1990 outburst of the recurrent nova V3890 Sgr observed with IUE
1381. Gonzalez-Riestra, R., Viotti, R., Iijima, T., Greiner, J. 1999, A&A, 347, 478. IUE observations of the high-velocity symbiotic star AG Draconis. III. A compendium of 17 years of UV monitoring, and comparison with optical and X-ray observations
1382. Gonzalez-Riestra, R., Cassatella, A., Solano, E., Altamore, A., Wamsteker, W. 2000, A&AS, 141, 343. The INES system. III. Evaluation of IUE NEWSIPS high resolution spectra

1383. Goodrich, R.W., Dahari, O. 1985, APJ, 289, 342. M4-18: a young, cool planetary nebula
1384. Goodrich, R.W., Keel, W.C. 1986, APJ, 305, 148. Ultraviolet spectrophotometry of the three LINERs
1385. Goodrich, R.W. 1990, APJ, 355, 88. Pa-beta measurements and reddening in Seyfert 1.8 and 1.9 galaxies
1386. Gordon, K.D., Calzetti, D., Witt, Adolf N. 1997, APJ, 487, 625. Dust in Starburst Galaxies
1387. Gouttebroze, P., Ferrero, R. Freire, Marilli, E., Catalano, S. 1999, A&A, 348, 198. Chromospheric models for late A-type stars
1388. Grady, C.A., Snow, T.P., Timothy, J.G. 1983, APJ, 271, 691. Observations of Of-star wind variability
1389. Grady, C.A., Snow, T.P., Cash, W.C. 1984, APJ, 283, 218. Line profile variation in Delta Orionis A, Iota Orionis A, and 15 Monocerotis
1390. Grady, C.A., Bjorkman, K.S., Snow, T.P. 1987, APJ, 320, 376. Highly ionized stellar winds in Be stars: the evidence for aspect dependence
1391. Grady, C.A., Sonneborn, G., Wu, C., Henrichs, H. 1987, APJS, 65, 673. Recurrent episodic mass loss in a B2e star: 66 Ophiuchi, 1982-1985
1392. Grady, C.A., Bjorkman, K.S., Snow, T.P., Sonneborn, G., Shore, S.N., Barker, P.K. 1989, APJ, 339, 403. Highly ionized stellar winds in Be stars. II. Winds in B6-B9.5e stars
1393. Grady, C.A., Bruhweiler, F.C., Cheng, K.-P., Chiu, W.A., Kondo, Y. 1991, APJ, 367, 296. The circumstellar disks of Beta Pictoris analogs
1394. Grady, C.A., Perez, M.R., The, P.S. 1993, A&A, 274, 847. The accreting circumstellar gas envelope of HD 176386, a young star in the R Coronae Austrinae star formation region
1395. Grady, C.A., Silvis, J.M.S. 1993, APJ, 402, L61. The circumstellar gas surrounding 51 Ophiuchi: a candidate proto-planetary system similar to Beta Pictoris
1396. Grady, C.A., Bjorkman, K.S., Shepherd, D., Schulte-Ladbeck, R.E., Perez, M.R., de Winter, D., The, P.S. 1993, APJ, 415, L39. Detection of accreting gas toward HD 45677: a newly recognized, Herbig Be proto-planetary system
1397. Grady, C.A., Perez, M.R., The, P.S. 1994, AP&SS, 212, 107. Detection of accreting circumstellar gas around weak emission-line Herbig Ae/Be stars
1398. Grady, C.A., Perez, M.R., The, P.S., Grinin, V.P., de Winter, D., Johnson, S.B., Talavera, A. 1995, A&A, 302, 472. The Beta Pictoris phenomenon among young stars. II. UV observations of the Herbig Ae star UX Orionis
1399. Grady, C.A., McCollum, B., Rawley, L.A., England, M., Groebner, A., Schlegel, M. 1996, APJ, 464, 183. Detection of accreting, circumstellar gas in a lambda Bootis star: 131 Tauri
1400. Grady, C.A., Perez, M.R., Talavera, A., Bjorkman, K.S., de Winter, D., The, P.S., Molster, F.J., Vanden Ancker, M., Sitko, M.L., Morrison, N.D., Beaver, M.L., McCollum, B., Castelaz, M.W. 1996, A&AS, 120, 157. The beta Pictoris phenomenon among Herbig Ae/Be stars: uv and optical high-dispersion spectra.
1401. Grady, C.A., Perez, M.R., Talavera, A., McCollum, B., Rawley, L.A., England, M.N., Schlegel, M. 1996, APJ, 471, 49. The beta Pictoris phenomenon in A-shell stars: Detection of accreting gas

1402. Grady, C. A., Sitko, M. L., Bjorkman, K.S., Perez, M.R., Lynch, D.K., Russell, R.W., Hanner, M.S. 1997, APJ, 483, 449. The Star-grazing Extrasolar Comets in the HD 100546 System
1403. Grady, C. A., Perez, Mario R., Bjorkman, K. S., Massa, D. 1999, APJ, 511, 925. Transient Infall Events in the Disk of AB Aurigae: The beta Pictoris Phenomenon at 2-4 Megayears
1404. Granato, G.L., Danese, L. 1994, MNRAS, 268, 235. Thick tori around active galactic nuclei: a comparison of model predictions with observations of the infrared continuum and silicate features
1405. Grandi, S.A. 1982, APJ, 255, 25. The 3000 Å bump in quasars
1406. Grandi, S.A. 1983, APJ, 268, 591. Reddening indicators for quasars and Seyfert 1 galaxies
1407. Green, J., Jelinsky, P., Bowyer, S. 1990, APJ, 359, 499. The extreme ultraviolet spectrum of G191-B2B and the ionization of the local interstellar medium
1408. Green, J., Wilkinson, E., Ayres, T., Cash, W. 1992, APJ, 397, L99. Extreme ultraviolet spectroscopy of Capella
1409. Green, P.J. 1996, APJ, 467, 61. The relationship between the high-energy continuum and emission lines in quasars: a low-redshift sample
1410. Green P.J., 1998, APJ, 498, 170. Differences between the optical/ultraviolet spectra of X-Ray bright and X-Ray faint QSOs
1411. Green, P.J., Aldcroft, T.L., Mathur, S., Schartel, N. 1997, APJ, 484, 135. Evidence against Broad Absorption Lines in the X-Ray-bright Quasar PG 1416-129
1412. Green, R.F., Pier, J.R., Schmidt, M., Estabrook, F.B., Lane, A.L., Wahlquist, H.D. 1980, APJ, 239, 483. Observations of quasars with the International Ultraviolet Explorer satellite
1413. Green, R.F., Liebert, J. 1981, PASP, 93, 105. The ultraviolet spectra of the magnetic degenerate star GD 229
1414. Greenberg, J.M., Chlewicki, G. 1983, APJ, 272, 563. A far-ultraviolet extinction law: what does it mean?
1415. Greenstein, J.L., Oke, J.B. 1979, APJ, 229, L141. Ultraviolet spectrophotometry of degenerate stars
1416. Greenstein, J.L. 1980, APJ, 241, L89. An absorption line in the ultraviolet spectrum of 40 Eridani B
1417. Greenstein, J.L. 1981, APJ, 245, 124. Anomalous extinction in the planetary nebula Abell 30
1418. Greenstein, J.L., Oke, J.B. 1982, APJ, 258, 209. RW Sextantis, a disk with a hot, high-velocity wind
1419. Greenstein, J.L. 1983, MNRAS, 203, 1213. A spectrophotometric study of some cool white dwarfs
1420. Greenstein, J.L. 1984, APJ, 281, L47. The identification of hydrogen in Grw +70 8247
1421. Greenstein, J.L. 1988, AJ, 95, 1494. The companion of the white dwarf G29-38 as a brown dwarf
1422. Greggio, L., Renzini, A. 1990, APJ, 364, 35. Clues on the hot star content and the ultraviolet output of elliptical galaxies

1423. Gregory, S., Ptak, R., Stoner, R. 1982, APJ, 261, 30. C IV and Lyman-alpha emission lines in Seyfert 1 Galaxies
1424. Greiner, J., Hasinger, G., Kahabka, P. 1991, A&A, 246, L17. ROSAT observation of two supersoft sources in the Large Magellanic Cloud
1425. Greiner, J., Hasinger, G., Molendi, S., Ebisawa, K. 1994, A&A, 285, 509. Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca
1426. Greiner, J., Bickert, K., Luthardt, R., Viotti, R., Altamore, A., Gonzalez-Riestra, R., Stencel, R.E. 1997, A&A, 322, 576. The UV/X-ray emission of the symbiotic star AG Draconis during quiescence and the 1994/1995 outbursts.
1427. Greiner, J., Tovmassian, G. H., di Stefano, R., Prestwich, A., Gonzalez-Riestra, R., Szentasko, L., Chavarria, C. 1999, A&A, 343, 183. Transient supersoft X-ray emission from V 751 Cygni during the optical low-state
1428. Grewing, M., Boksenberg, A., Seaton, M.J., Snijders, M.A.J., Wilson, R., Boggess, A., Bohlin, R.C., Perry, P.M., Schiffer, F.H., Gondhalekar, P.M., Macchetto, F., Savage, B.D., Jenkins, E.B., Johnson, H.M., Perinotto, M., Whittet, D.C.B. 1978, NATURE, 275, 394. IUE observations of the interstellar medium
1429. Grewing, M., Bianchi, L., Cassatella, A. 1986, A&A, 164, 31. HD 32918: ultraviolet spectrum and optical behaviour
1430. Grewing, M., Bianchi, L., Garrido, R. 1989, A&A, 223, 172. Properties of the components of the UZ Librae system
1431. Grewing, M., Neri, R. 1990, A&A, 236, 223. Extinction-independent determination of temperatures for central stars of planetary nebulae
1432. Griffin, R.E.M., Hunsch, M., Marshall, K.P., Griffin, R.F., Schroder, K.-P. 1993, A&A, 274, 225. Optical spectra of Zeta Aurigae binary systems. V. The 1988 eclipse of 22 Vulpeculae
1433. Griffin, R., Parsons, S., Dempsey, R., Bopp, B. 1990, PASP, 102, 535. Orbital elements and optical spectroscopy of the enigmatic cF + B binary system HD 207739
1434. Griffith, C., Bezar, B., Owen, T., Gautier, D. 1992, ICARUS, 98, 82. The tropospheric abundances of NH₃ and PH₃ in Jupiter's Great Red Spot, from Voyager IRIS observations
1435. Griffith, D., Fabian, D., Sion, E.M. 1995, PASP, 107, 856. IUE spectroscopy of the nova-like variable BZ Cam: characteristics of its peculiar wind outflow
1436. Griffiths N.W., Jordan C. 1998, APJ, 497, 883. Coronal and Transition Region structure in the RS Canus Venaticorum Binaries V711 Tauri, AR Lacertae and II Pegasi.I. Data Analysis and emission measurement distributions
1437. Grigsby, J.A. 1991, APJ, 380, 606. A non-local thermodynamic equilibrium, line-blanketed synthetic spectrum of Iota Herculis: C, Al, and Si lines
1438. Grigsby, J.A., Morrison, N.D. 1995, APJ, 442, 794. The threshold for stellar winds in hot main-sequence stars
1439. Grigsby, J.A., Mulliss, C.L., Baer, G.M. 1996, PASP, 108, 953. The iron abundance of Iota Herculis
1440. Groenewegen, M.A.T., Lamers, H.J.G.L.M., Pauldrach, A.W.A. 1989, A&A, 221, 78. The winds of O-stars. II. The terminal velocities of stellar winds of O-type stars
1441. Groenewegen, M.A.T., Lamers, H.J.G.L.M. 1989, A&AS, 79, 359. The winds of O-stars. I. An analysis of the UV line profiles with the SEI method

1442. Groenewegen, M.A.T., Lamers, H.J.G.L.M. 1991, *A&A*, 243, 429. The winds of O-stars. III. A comparison between observed and predicted degrees of ionization in the winds of O-stars
1443. Groote, D., Hunger, K. 1982, *A&A*, 116, 64. Shell and photosphere of Sigma Ori E: new observations and improved model
1444. Groote, D., Reimers, D. 1983, *A&A*, 119, 319. Detection of a late B star companion of the bright cluster giant ϵ Pup = HD 63032
1445. Groote, D., Hunger, K. 1997, *A&A*, 319, 250. Fractionated stellar wind - the example of sigma Orionis E
1446. Grossan, B., Remillard, R., Bradt, H., Brissenden, R., Ohashi, T., Sakao, T. 1996, *APJ*, 457, 199. The weak blue bump of H2106-099 and Active Galactic Nuclei dereddening
1447. Grupe, D., Beuermann, K., Mannheim, K., Bade, N., Thomas, H.-C., de Martino, D., Schwope, A. 1995, *A&A*, 299, L5. X-ray outburst of the peculiar Seyfert galaxy IC 3599
1448. Grupe, D., Beuerman, K., Mannheim, K., Thomas, H.-C., Fink, H.H., de Martino, D. 1995, *A&A*, 300, L21. Discovery of an ultrasoft transient ROSAT AGN: WPVS 007
1449. Gruschinske, J., Hamann, W.-R., Kudritzki, R.-P., Simon, K.P., Kaufmann, J.P. 1983, *A&A*, 121, 85. Non-LTE analysis of subluminescent O-stars. V. The binary system HD 128220
1450. Guinan, E.F., Sion, E.M. 1982, *APJ*, 258, 217. Ultraviolet spectroscopy of the nova-like variable V3885 Sagittarii (=CD -42 14462)
1451. Guinan, E.F., Sion, E.M. 1984, *AJ*, 89, 1252. IUE spectroscopy of the degenerate components in the Hyades close binaries V471 Tauri and HZ9
1452. Guinan, E.F., Maloney, F.P. 1985, *AJ*, 90, 1519. The apsidal motion of the eccentric eclipsing binary DI Herculis - an apparent discrepancy with general relativity
1453. Gulati, R., Gupta, R., Singh, H. 1997, *PASP*, 109, 843. E(B-V) Determinations of O and B Stars Using Artificial Neural Networks
1454. Gulkis, S., Batelaan, P.D., Frerking, M.A., Klein, M.J., Kuiper, T.B.H., Pickett, H.M., Schaefer, M.M., Wannier, P., Bockelee-Morvan, D., Crovisier, J., Encrenaz, P.J., Zimmermann, P., Destombes, J.L. 1989, *A&A*, 213, 465. Search for water in comet P/Halley at 380 GHz
1455. Gulliver, A.F., Hill, G., Adelman, S.J. 1994, *APJ*, 429, L81. Vega: a rapidly rotating pole-on star
1456. Gummertsbach, C.A., Zickgraf, F.-J., Wolf, B. 1995, *A&A*, 302, 409. B(e) phenomenon extending to lower luminosities in the Magellanic Clouds
1457. Gunn A.G., Mitrou C.K., Doyle J.G. 1998, *MNRAS*, 296, 150. On the rotation-activity correlation for active binary stars
1458. Gursky, H., Dupree, A.K., Hartmann, L.W., Raymond, J., Davis, R.J., Black, J., Matilsky, T.A., Howarth, I.D., Willis, A.J., Wilson, R., Sandford, M.C.W., Vanden Bout, P., Sanner, F., Hammerschlag-Hensberge, G., van den Heuvel, E.P.J., Lamers, H.J.G.L.M., Burger, M., de Loore, C. 1980, *APJ*, 237, 163. The observations of the X-ray source HZ Hercules/Hercules X-1
1459. Gurzadyan, G.A. 1987, *A&A*, 173, 284. The classification of the shapes of stellar chromospheric emission lines
1460. Gurzadyan, G.A. 1989, *AP&SS*, 158, 123. Determination of effective temperatures of the accretion disks in symbiotic stars

1461. Gurzadyan, G.A., Cholakyan, V.G., Kondo, Y., Terzian, Y., Shore, S.N. 1990, PASP, 102, 1387. The Mg II h and k interstellar lines in the spectrum of the G-type giant HD 156854
1462. Gurzadyan, G.A., Kondo, Y., Rustambekyan, S.S., Terzian, Y., Perez, M.R. 1991, APJ, 378, 298. A cool supergiant with anomalous behavior of the 2800 Mg II doublet
1463. Gurzadyan, G.A., Egikyan, A.G. 1991, AP&SS, 175, 15. Pseudo-resonance absorption lines in planetary nebulae: discovery?
1464. Gurzadyan, G.A., Egikyan, A.G., Terzian, Y. 1991, AP&SS, 175, 191. Planetary nebula with a neutral envelope?
1465. Gurzadyan, G.A., Egikyan, A.G., Terzian, Y. 1991, AP&SS, 176, 9. Planetary nebula with a peculiar spectrum in the ultraviolet: CN 3-1
1466. Gurzadyan, G.A., Kondo, Y., Ohanesyan, J.B., Terzian, Y., Perez, M.R. 1991, AP&SS, 176, 61. A cool giant with a circumstellar cloud
1467. Gurzadyan, G.A., Perez, M. 1991, AP&SS, 180, 1. Doublet 2800 Mg II in close binary systems
1468. Gurzadyan, G.A., Cholakyan, V.G. 1992, AP&SS, 188, 205. Detection of RS CVn-type systems by doublet 2800 Mg II
1469. Gurzadyan, G.A., Rustambekyan, S.S. 1994, AP&SS, 211, 171. 2800 Mg II emission in the most active radio stars
1470. Gustafsson, B., Bell, R.A., Fredga, K., Gahm, G.F. 1980, A&A, 89, 255. The ultraviolet flux of HD 122563
1471. Gustafsson, B., Eriksson, K., Kiselman, D., Olander, N., Olofsson, H. 1997, A&A, 318, 535. KI emission from envelopes around N stars. Spectroscopic observations and interpretations
1472. Gutierrez-Moreno, A., Moreno, H., Feibelman, W.A. 1992, APJ, 395, 295. Ultraviolet observations of the symbiotic star AS 296
1473. Gutierrez-Moreno, A., Moreno, H., Costa, E., Feibelman, W. A. 1997, APJ, 485, 359. Ultraviolet and Optical Observations of Hen 1213, Hen 1341, and Hen 1761
1474. Haas, s., Dreizler, S., Heber, U., Jeffery, S., Werner, K. 1996, A&A, 311, 669. Iron and nickel abundances of subluminescent O stars, I: NLTE model atmospheres with line blanketing by iron group elements
1475. Hack, M., Selvelli, P.L. 1978, NATURE, 276, 376. IUE observations of the eclipsing binary Epsilon Aurigae
1476. Hack, M., Selvelli, P.L. 1979, A&A, 75, 316. The ultraviolet spectrum of the eclipsing binary Epsilon Aurigae
1477. Hack, M. 1979, A&A, 74, L4. The ultraviolet spectrum of the hot halo star Feige 86
1478. Hack, M. 1979, NATURE, 279, 305. IUE observations of the symbiotic star CH Cygni during an active phase
1479. Hack, M. 1980, A&A, 81, L1. The ultraviolet high-resolution spectrum of Feige 86
1480. Hack, M. 1981, A&A, 99, 185. The ultraviolet spectrum of the eclipsing binary Zeta Aurigae
1481. Hack, M., Selvelli, P.L. 1982, A&A, 107, 200. The ultraviolet spectrum of CH Cygni during the outburst started in 1977

1482. Hack, M., Engin, S., Yilmaz, N. 1984, *A&A*, 131, 147. Visual and ultraviolet spectrum of the eclipsing binary V367 Cygni
1483. Hack, M., Engin, S., Rusconi, L., Sedmak, G., Yilmaz, N., Boehm, C. 1988, *A&AS*, 72, 391. Line spectrum variations during the CH Cygni outburst of 1977-1986
1484. Hack, M., Engin, S., Yilmaz, N. 1989, *A&A*, 225, 143. A study of the ultraviolet spectrum of VV Cephei
1485. Hack, M., Engin, S., Yilmaz, N., Sedmak, G., Rusconi, L., Boehm, C. 1992, *A&AS*, 95, 589. Spectroscopic study of the atmospheric eclipsing binary VV Cephei
1486. Hack, M., Aydin, C. 1992, *AP&SS*, 194, 215. A minor outburst during the quiescent period of the symbiotic star CH Cygni
1487. Hack, W.J., Paresce, F. 1993, *PASP*, 105, 1273. Imaging the bipolar nebula around HM Sagittae
1488. Hackwell, J.A., Hecht, J.H., Tapia, M. 1991, *APJ*, 375, 163. Observations that link infrared cirrus and ultraviolet extinction
1489. Hagen, H.-J., Hempe, K., Reimers, D. 1987, *A&A*, 184, 256. A study of UV spectra of Zeta Aur/VV Cep stars. X. Mass-loss of Alpha Sco A from high-resolution IUE spectra of Alpha Sco B
1490. Hagen, W., Black, J.H., Dupree, A.K., Holm, A.V. 1980, *APJ*, 238, 203. Ultraviolet spectroscopic observations of VV Cephei
1491. Hagen-Thorn, V.A., Yakoleva, V.A., Takalo, L.O., Sillanpaa, A. 1994, *A&A*, 290, 1. The variable source responsible for the photometric behaviour of OJ 287 in the IR-optical-UV region during the 1980's
1492. Haisch, B.M., Linsky, J.L. 1980, *APJ*, 236, L33. Observations of the quiescent corona, transition region and chromosphere in the dMe flare star Proxima Centauri
1493. Haisch, B.M., Linsky, J.L., Basri, G.S. 1980, *APJ*, 235, 519. Outer atmospheres of cool stars. IV. A discussion of cool stellar wind models
1494. Haisch, B.M., Linsky, J.L., Slee, O.B., Siegman, B.C., Nikoloff, I., Candy, H., Harwood, D., Verveer, A., Quinn, P.J., Wilson, I., Page, A.A., Higson, P., Seward, F.D. 1981, *APJ*, 245, 1009. Simultaneous X-ray, ultraviolet, optical, and radio observations of the flare star Proxima Centauri
1495. Haisch, B.M., Linsky, J.L., Bornmann, P.L., Stencel, R.E., Antiochos, S.K., Golub, L., Viana, G.S. 1983, *APJ*, 267, 280. Coordinated Einstein and IUE observations of a disruptions brusques type flare event and quiescent emission from Proxima Centauri
1496. Haisch, B.M., Basri, G. 1985, *APJS*, 58, 179. IUE spectra of G0 V-G5 V solar-type stars
1497. Haisch, B.M. 1986, *IAJ*, 17, 200. Coronae on stars
1498. Haisch, B., Butler, C., Doyle, J., Rodono, M. 1987, *A&A*, 181, 96. Rotational modulation and flares on RS CVn and BY Dra-type stars. V. EXOSAT and IUE observations of a flare on EQ Pegasi
1499. Haisch, B.M., Schmitt, J.H.M.M., Rodono, M., Gibson, D.M. 1990, *A&A*, 230, 419. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis-type stars. XIV. Phase, eclipse and flare observations of YY Geminorum by Exosat and IUE

1500. Haisch, B.M., Butler, C.J., Foing, B., Rodono, M., Giampapa, M.S. 1990, *A&A*, 232, 387. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis-type stars. XV. Observations of Proxima Centauri and solar calibration data
1501. Haisch, B.M., Bookbinder, J.A., Maggio, A., Vaiana, G.S., Bennett, J.O. 1990, *APJ*, 361, 570. IUE and Einstein survey of late-type giant and supergiant stars and the dividing line
1502. Hallam, K.L., Wolff, C.L. 1981, *APJ*, 248, L73. Rotation of dwarf star chromospheres in the ultraviolet
1503. Hallam, K.L., Altner, B., Endal, A.S. 1991, *APJ*, 372, 610. Rotational modulation in IUE spectra of cool dwarf chromospheres. I. Data analysis and period search techniques
1504. Halliwell, D.R., Bates, B., Catney, M.G. 1988, *A&A*, 189, 204. Discrete absorption components: a study of the gas parcel model using component velocity observations
1505. Halpern, J., Chen, V., Madejski, G., Chanan, G. 1991, *AJ*, 101, 818. The redshift of the X-ray selected BL Lacertae object H0414+009
1506. Halpern, J.P., Marshall, H.L. 1996, *APJ*, 464, 760. A long EUVE observation of the Seyfert galaxy RXJ0437.4-4711
1507. Hamann, F., Shields, J.C., Ferland, G.J., Korista, K.T. 1995, *APJ*, 454, 688. Broad Ne VIII λ 774 emission from the quasar PG 1148+549
1508. Hamann, W.-R., Gruschinske, J., Kudritzki, R.-P., Simon, K.P. 1981, *A&A*, 104, 249. Mass loss from O subdwarfs
1509. Hamann, W.-R., Schonberner, D., Heber, U. 1982, *A&A*, 116, 273. Mass loss from extreme helium stars
1510. Hamann, W.-R., Kudritzki, R.-P., Mendez, R.H., Pottasch, S.R. 1984, *A&A*, 139, 459. Mass loss from the central star of NGC 3242
1511. Hamann, W.-R., Schmutz, W., Wessolowski, U. 1988, *A&A*, 194, 190. Spectral analysis of the Wolf-Rayet star HD 50896
1512. Hamann, W.-R., Leuenhagen, U., Koesterke, L., Wessolowski, U. 1992, *A&A*, 255, 200. Modelling the spectrum of WC-type Wolf-Rayet stars
1513. Hamann, W.-R., Wessolowski, U., Koesterke, L. 1994, *A&A*, 281, 184. Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR 136)
1514. Hambly, N.C., Dufton, P.L., Keenan, F.P., Rolleston, W.R.J., Howarth, I.D., Irwin, M.J. 1994, *A&A*, 285, 716. High-resolution spectroscopy of two young stars between the Magellanic Clouds
1515. Hamilton, A.J.S., Fesen, R.A. 1988, *APJ*, 327, 178. The reionization of unshocked ejecta in SN 1006
1516. Hamilton, A.J.S., Fesen, R., Wu, C.C., Crenshaw, D., Sarazin, C. 1997, *APJ*, 481, 838. Interpretation of ultraviolet absorption lines in SN1006
1517. Hamilton, A.J.S., Fesen, R.A. 2000, *APJ*, 542, 779. An ultraviolet Fe II image of SN 1885 in M31
1518. Hammerschlag-Hensberge, G., van den Heuvel, E.P.J., Lamers, H.J.G.L.M., Burger, M., de Loore, C., Glencross, W., Howarth, I., Willis, A.J., Wilson, R., Menzies, J., Whitelock, P.A., van Dessel, E.L., Sanford, P. 1980, *A&A*, 85, 119. IUE observations of the Be stars HD 102567 (4U 1145-61), X Per and Gamma Cas

1519. Hammerschlag-Hensberge, G., McClintock, J.E., van Paradijs, J. 1982, APJ, 254, L1. IUE observations of the X-ray burst source 4U/MXB 1735-44
1520. Hammerschlag-Hensberge, G., Kallman, T.R., Howarth, I.D. 1984, APJ, 283, 249. Ultraviolet high-resolution spectroscopy of the X-ray binary Sk 160/SMC X-1
1521. Hammerschlag-Hensberge, G., Howarth, I.D., Kallman, T.R. 1990, APJ, 352, 698. Orbital variability in the wind of the massive X-ray binary HD 153919/4U 1700-37
1522. Hamuy, M., Suntzeff, N.B. 1990, AJ, 99, 1146. SN 1987A in the LMC. III. UBVR photometry at Cerro Tololo
1523. Hansen, L., Jorgensen, H.E., Norgaard-Nielsen, H. 1991, A&A, 243, 49. NGC 6868: a merger with dust and extended Ly-alpha emission
1524. Hansen, L., Jorgensen, H.E., Norgaard-Nielsen, H. 1995, A&A, 297, 13. Hydra A: star formation and dust production in a cooling flow
1525. Hanson, C.G., Coe, M.J. 1985, MNRAS, 217, 831. The ultraviolet variability of the BL Lacertae object OJ287
1526. Hanson, M.M., Snow, T.P., Black, J.H. 1992, APJ, 392, 571. The diffuse interstellar cloud toward HD 179406 (20 Aquilae)
1527. Hanson, M.M., Clayton, G.C. 1993, AJ, 106, 1947. Interstellar extinction toward the Cas OB6 association: Where is the dust?
1528. Harlaftis, E.T., Hassall, B.J.M., Naylor, T., Charles, P.A., Sonneborn, G. 1992, MNRAS, 257, 607. UV spectroscopy of Z Chamaeleontis - I. Time-dependent dips in superoutburst
1529. Harlaftis, E.T., Naylor, T., Hassall, B.J.M., Charles, P.A., Sonneborn, G., Bailey, J. 1992, MNRAS, 259, 593. UV spectroscopy of Z Chamaeleontis - II. The 1988 January normal outburst
1530. Harmer, D.L., Stickland, D.J., Lloyd, C., Harmer, C.F.W., Pike, C.D., Croft, D. 1983, MNRAS, 204, 927. A study of the binary system 58 Persei
1531. Harper, G.M. 1990, MNRAS, 243, 381. Fe I - Mg II k line fluorescence in K giant and bright giant stars
1532. Harper, G.M. 1992, MNRAS, 256, 37. The outer atmospheres of the 'hybrid' bright giants: the chromospheres of Alpha TrA (K4 II), Iota Aur (K3 II), Gamma Aql (K3 II), and Theta Her (K1 II)
1533. Harrington, J.P., Lutz, J.H., Seaton, M.J., Stickland, D.J. 1980, MNRAS, 191, 13. Ultraviolet spectra of planetary nebulae - I. The abundance of carbon in IC 418
1534. Harrington, J.P., Lutz, J.H., Seaton, M.J. 1981, MNRAS, 195, 21P. Ultraviolet spectra of planetary nebulae - IV. The C III 2297 dielectronic recombination line and dust absorption in the C IV 1549 resonance doublet
1535. Harrington, J.P., Seaton, M.J., Adams, S., Lutz, J.H. 1982, MNRAS, 199, 517. Ultraviolet spectra of planetary nebulae - VI. NGC 7662
1536. Harrington, J.P., Feibelman, W.A. 1983, APJ, 265, 258. The planetary nebula IC 3568: a model based on IUE observations
1537. Harrington, J.P., Feibelman, W.A. 1984, APJ, 277, 716. The remarkable ultraviolet spectrum of the planetary nebula Abell 30

1538. Harrington, J.P., Monk, D.J., Clegg, R.E.S. 1988, MNRAS, 231, 577. Thermal infrared emission by dust in the planetary nebula NGC 3918: a model analysis of IRAS observations
1539. Harrington, J.P., Paltoglou, G. 1993, APJ, 411, L103. The spectrum of the central star of the planetary nebula in M 22
1540. Harris, A.W., Bromage, G.E., Blades, J.C. 1983, MNRAS, 203, 1225. Zinc as a tracer of metallicity in the interstellar medium
1541. Harris, A.W., Gry, C., Bromage, G.E. 1984, APJ, 284, 157. The correlation of interstellar element depletions with mean gas density
1542. Harris, A.W., Bromage, G.E. 1984, MNRAS, 208, 941. The abundance of interstellar chlorine in the galaxy
1543. Harris, A.W., Mas Hesse, J.M. 1986, APJ, 308, 240. A survey of interstellar sulfur abundance and implications for P II oscillator strengths
1544. Harris, A.W., Mas Hesse, J.M. 1986, MNRAS, 220, 271. Interstellar zinc revisited: possible depletion in high-density sight-lines
1545. Harrison, P.M., Jeffery, C.S. 1997, A&A, 323, 177. A spectral analysis of the hydrogen-deficient star HD 144941.
1546. Harrison, T.E., Gehrz, R.D. 1991, AJ, 101, 587. Iras observations of classical novae. II. Modeling the detections
1547. Hartman, H., Johansson, S. 2000, A&A, 359, 627. Ultraviolet fluorescence lines of Fe II observed in satellite spectra of the symbiotic star RR Telescopii
1548. Hartmann, L., Davis, R., Dupree, A.K., Raymond, J., Schmidtke, P.C., Wing, R.F. 1979, APJ, 233, L69. Chromospheres of the active dwarf binaries EQ Pegasi and Xi Bootes
1549. Hartmann, L., Dupree, A.K., Raymond, J.C. 1980, APJ, 236, L143. Hybrid atmospheres and winds in supergiant stars
1550. Hartmann, L., Dupree, A.K., Raymond, J.C. 1981, APJ, 246, 193. On the relationship between coronae and mass loss in late-type stars
1551. Hartmann, L., Dupree, A.K., Raymond, J.C. 1982, APJ, 252, 214. Ultraviolet observations of stellar chromospheric activity
1552. Hartmann, L., Baliunas, S.L., Duncan, D.K., Noyes, R.W. 1984, APJ, 279, 778. A study of the dependence of Mg II emission on the rotational periods of main-sequence stars
1553. Hartmann L.W., Huchra J.P., Geller M.J. 1984, APJ, 287, 487. How to find galaxies at high redshift?
1554. Hartmann, L., Jordan, C., Brown, A., Dupree, A.K. 1985, APJ, 296, 576. On the outer atmospheres of hybrid stars
1555. Hartmann, L., Kenyon, S.J., Calvet, N. 1993, APJ, 407, 219. The excess infrared emission of Herbig Ae/Be stars: disks or envelopes?
1556. Hartmann, L.W., Huchra, J.P., Geller, M.J., O'Brien, P., Wilson, R. 1988, APJ, 326, 101. Lyman-alpha emission in star-forming galaxies
1557. Hartquist, T.W., Tallant, A. 1981, MNRAS, 196, 527. Analysis of IUE observations of the galactic corona and the existence of molecular clouds in the halo
1558. Hartquist, T.W., Sniijders, M.A.J. 1982, NATURE, 299, 783. Hot galactic gas and narrow line quasar absorption systems

1559. Hartquist, T.W., Snijders, M.A.J., West, K.A. 1983, MNRAS, 203, 1183. Doubly ionized aluminium - a diagnostic of cooling gas in the galactic corona
1560. Harvey, A.S., Stickland, D.J., Howarth, I.D., Zuiderwijk, E.J. 1987, OBS, 107, 205. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 3: Delta Orionis
1561. Haser, S.M., Lennon, D.J., Kudritzki, R.-P., Puls, J., Pauldrach, A.W.A., Bianchi, L., Hutchings, J.B. 1995, A&A, 295, 136. The stellar wind of an O8.5I(f) star in M31. A determination of mass loss rate and metallicity
1562. Hasinger, G., van der Klis, M., Ebisawa, K., Dotani, T., Mitsuda, K. 1990, A&A, 235, 131. Multifrequency observations of Cygnus X-2: X-ray observations with Ginga
1563. Hassall, B.J.M., Pringle, J.E., Ward, M.J., Whelan, J.A.J., Mayo, S.K., Echevarria, J., Jones, D.H.P., Wallis, R.E., Allen, D.A., Hyland, A.R. 1981, MNRAS, 197, 275. Observations and models of H2252-035
1564. Hassall, B.J.M., Pringle, J.E., Schwarzenberg-Czerny, A., Wade, R.A., Whelan, J.A.J., Hill, P.W. 1983, MNRAS, 203, 865. Ultraviolet and optical observations of the dwarf novae VW and WX Hydri during outburst
1565. Hassall, B.J.M. 1985, MNRAS, 216, 335. The superoutburst of the dwarf nova EK Trianguli Australis
1566. Hassall, B.J.M., Pringle, J.E., Verbunt, F. 1985, MNRAS, 216, 353. Dwarf novae in outburst: monitoring WX Hydri with IUE
1567. Haug, K., Drechsel, H. 1985, A&A, 151, 157. Spectroscopy and spectrophotometry of the nova-like system V3885 Sagittarii
1568. Hauschildt, P.H., Wehrse, R., Starrfield, S., Shaviv, G. 1992, APJ, 393, 307. Spherically symmetric, expanding, non-LTE model atmospheres for novae during their early stages
1569. Hauschildt, P.H., Starrfield, S., Shore, S.N., Gonzalez-Riestra, R., Sonneborn, G., Allard, F. 1994, AJ, 108, 1008. The early spectral evolution of Nova Cassiopeiae 1993
1570. Hauschildt, P.H., Starrfield, S., Austin, S., Wagner, R.M., Shore, S.N., Sonneborn, G. 1994, APJ, 422, 831. Non-LTE model atmosphere analysis of Nova Cygni 1992
1571. Hauschildt, P.H., Ensmann, L.M. 1994, APJ, 424, 905. Analysis of the early spectra and light curve of SN 1987A
1572. Hawley, S.L., Petersen, B.R. 1991, APJ, 378, 725. The great flare of 1985 April 12 on AD Leonis
1573. Hawley, S.L., Fisher, G.H. 1992, APJS, 78, 565. X-ray-heated models of stellar flare atmospheres: theory and comparison with observations
1574. Hayes, M.A., Nussbaumer, H. 1983, A&A, 124, 279. The O IV infrared and ultraviolet flux ratios as temperature and density diagnostics
1575. Hayes, M.A., Nussbaumer, H. 1986, A&A, 161, 287. The symbiotic star RR Tel
1576. Heap, S.R., Boggess, A., Holm, A., Klingle-Smith, D.A., Sparks, W., West, D., Wu, C.-C., Boksenberg, A., Willis, A., Wilson, R., Macchetto, F., Selvelli, P.L., Stickland, D., Greenstein, J.L., Hutchings, J.B., Underhill, A.B., Viotti, R., Whelan, J.A.J. 1978, NATURE, 275, 385. IUE observations of hot stars: HZ 43, BD+75 325, NGC 6826, SS Cygni, Eta Carinae
1577. Heap, S.R., Augensen, H.J. 1987, APJ, 313, 268. Mass distribution and evolutionary scheme for central stars of planetary nebulae

1578. Heap, S.R. 1987, *NATURE*, 326, 571. Ultraviolet detection of the nucleus of NGC 2440
1579. Heap, S.R., Corcoran, M.F. 1992, *APJ*, 387, 340. Properties of the massive X-ray binary 4U 1700-37 = HD 153919
1580. Heber, U., Hunger, K. 1981, *A&A*, 101, 269. UV observations of the intermediate helium star CPD-46 3093
1581. Heber, U. 1983, *A&A*, 118, 39. Spectral fine analysis of the extreme helium star BD+10 2179
1582. Heber, U., Hunger, K., Jonas, G., Kudritzki, R. 1984, *A&A*, 130, 119. The atmosphere of subluminoous B stars
1583. Heber, U., Hamann, W.-R., Hunger, K., Kudritzki, R.-P., Simon, K.P., Mendez, R.H. 1984, *A&A*, 136, 331. Non-LTE analysis of subluminoous O-stars VI. Feige 110
1584. Heber, U. 1986, *A&A*, 155, 33. The atmosphere of subluminoous B stars. II. Analysis of 10 helium poor subdwarfs and the birthrate of sdB stars
1585. Heber, U., Kudritzki, R.-P. 1986, *A&A*, 169, 244. NLTE-analysis of the sdO star ROB 162 in the globular cluster NGC 6397
1586. Heber, U., Kudritzki, R.-P., Caloi, V., Castellani, V., Danziger, J., Gilmozzi, R. 1986, *A&A*, 162, 171. A spectroscopic study of HB stars in the galactic globular cluster NGC 6752
1587. Heber, U., Werner, K., Drilling, J.S. 1988, *A&A*, 194, 223. High-resolution spectroscopy of central stars of planetary nebulae: LSS 1362
1588. Hecht, J., Helfer, H.L., Wolf, J., Donn, B., Pipher, J.L. 1982, *APJ*, 263, L39. The peculiar extinction of Herschel 36
1589. Hecht, J.H., Holm, A.V., Donn, B., Wu, C.-C. 1984, *APJ*, 280, 228. The dust around R Coronae Borealis type stars
1590. Hecht, J.H. 1991, *APJ*, 367, 635. The nature of the dust around R Coronae Borealis stars: isolated amorphous carbon or graphite fractals?
1591. Hecht J.H., Clayton G.C., Drilling J.S., Jeffery C.S. 1998, *APJ*, 501, 813. Ultraviolet observations of the Hot R Coronae Borealis-type star V348 Sagittarii during a Deep Minimum.
1592. Heck, A., Burki, G., Bianchi, L., Cassatella, A., Clavel, J. 1980, *MNRAS*, 192, 59P. Simultaneous spectroscopic (UV MG II and A1 II lines) and photometric variations of Zeta 1 Sco (HD 152236)
1593. Heck, A., Egret, D., Jaschek, M., Jaschek, C. 1984, *A&AS*, 57, 213. IUE low-dispersion spectra flux catalogue. Part I. Normal stars (magnetic tape)
1594. Heckathorn, J.N., Fesen, R.A. 1985, *A&A*, 143, 475. Ultraviolet observations of the central star in the planetary nebula 136+5.1
1595. Heckman, T., Krolik, J., Meurer, G., Calzetti, D., Kinney, A., Koratkar, A., Leitherer, C., Robert, C., Wilson, A. 1995, *APJ*, 452, 549. The nature of the ultraviolet continuum in type 2 Seyfert galaxies
1596. Heckman T.M., Robert C., Leitherer C., Garnett D.R., Van der Rydt F., 1998, *APJ*, 503, 646. The ultraviolet spectroscopic properties of local Starburst: implications at high redshift
1597. Heidt, J., Wagner, S.J., Wilhelm-Erkens, U. 1997, *A&A*, 325, 27. Optical and UV observations of the BL Lacertae object PKS 2155-304.

1598. Heise, J., Verbunt, F. 1988, *A&A*, 189, 112. Ultraviolet observations of AM Her
1599. Hellings, P., de Loore, C., Burger, M., Lamers, H.J.G.L.M. 1981, *A&A*, 101, 161. The evolutionary status of Upsilon Sagittarii (=HD 181615) as derived from ultraviolet and visual observations
1600. Hempe, K., Reimers, D. 1982, *A&A*, 107, 36. On excitation through radiative pumping of the Fe II UV- Mult. 191 lambda 1785-88 A observed with IUE during the eclipse of 32 Cyg
1601. Hempe, K. 1982, *A&A*, 115, 133. A study of ultraviolet spectra of Zeta Aur/VV Cep systems
1602. Hempe, K. 1983, *A&AS*, 53, 339. A study of ultraviolet spectra of Zeta Aur/VV Cep systems. III. Atlas of theoretical curves of growth
1603. Hempe, K. 1984, *A&AS*, 56, 115. A study of ultraviolet spectra of Xi Aur/VV Cep systems. V. Atlas of theoretical P Cygni profiles
1604. Henrichs, H.F., Hammerschlag-Hensberge, G., Howarth, I.D., Barr, P. 1983, *APJ*, 268, 807. Episodic mass loss and narrow lines in Gamma Cassiopeiae and in other early-type stars
1605. Henrichs, H.F., Kaper, L., Nichols, J.S. 1994, *A&A*, 285, 565. The extent of variability in the stellar wind of the O7.5 giant Xi Persei
1606. Henry, R.B.C., Shipman, H.L., Wesemael, F. 1985, *APJS*, 57, 145. Spectrum synthesis study of selected ultraviolet metal lines in hot DA white dwarf stars
1607. Henry, R.B., Kwitter, K., Howard, J. 1996, *APJ*, 458, 215. A new look at carbon abundances in Planetary Nebulae, I. PB6, Hu2-1, K648 and HU4-1
1608. Henry, R. B. C., Kwitter, K. B., Dufour, R. J. 1999, *APJ*, 517, 782. Morphology and Composition of the Helix Nebula
1609. Henry, R. B. C., Kwitter, K. B., Bates, J. A. 2000, *APJ*, 531, 928. A New Look at Carbon Abundances in Planetary Nebulae. IV. Implications for Stellar Nucleosynthesis
1610. Herald, J. E., Schulte-Ladbeck, R. E., Eenens, P. R. J., Morris, P. 2000, *APJS*, 126, 469. The Structure of Wolf-Rayet Winds. II. Observations of Ionization Stratification in the WN Subtype
1611. Herbig, G.H., Goodrich, R.W. 1986, *APJ*, 309, 294. Near-simultaneous ultraviolet and optical spectrophotometry of T Tauri stars
1612. Herrero, A., Puls, J., Villamariz, M. R. 2000, *A&A*, 354, 193. Fundamental parameters of Galactic luminous OB stars. IV. The upper HR diagram
1613. Hessman, F.V., Beuermann, K., Burwitz, V., De Martino, D., Thomas, H.-C. 1997, *A&A*, 327, 245. The eclipsing AM Herculis binary V2301 Ophiuchi. I. ROSAT & IUE observations.
1614. Hester, J.J., Raymond, J.C., Blair, W.P. 1994, *APJ*, 420, 721. The Balmer-dominated northeast limb of the Cygnus Loop supernova remnant
1615. Hill, J.K., Pfarr, B.B., Bohlin, R.C., Isensee, J.E., O'Connell, R.W., Neff, S.G., Roberts, M.S., Smith, A.M., Stecher, T.P. 1992, *APJ*, 395, L33. Ultraviolet Imaging Telescope photometry of massive stars: the OB association NGC 206 in M 31
1616. Hill, J.K., Bohlin, R.C., Cheng, K.-P., Fanelli, M.N., Hintzen, P., O'Connell, R.W., Roberts, M.S., Smith, A.M., Smith, E.P., Stecher, T.P. 1993, *APJ*, 413, 604. 30 Doradus: ultraviolet and optical stellar photometry

1617. Hill, J.K., Isensee, J.E., Cornett, R.H., Bohlin, R.C., O'Connell, R.W., Roberts, M.S., Smith, A.M., Stecher, T.P. 1994, APJ, 425, 122. Initial mass functions from ultraviolet stellar photometry: a comparison of Lucke and Hodge OB associations near 30 Doradus with the nearby field
1618. Hill, R.S., Smith, A.M. 1989, AJ, 97, 881. IUE spectra of HD 269665 (Sk -68 110), a hot subdwarf in the direction of the Large Magellanic Cloud
1619. Hill, R.S., Isensee, J.E., Bohlin, R.C., Cheng, K.P., Hintzen, P., O'Connell, R.W., Roberts, M.S., Smith, A.M., Smith, E.P., Stecher, T.P. 1995, APJS, 98, 595. Ultraviolet and optical observations of OB associations in M31
1620. Hillier, D. J., Miller, D. L., 1999, APJ, 519, 354. Constraints on the Evolution of Massive Stars through Spectral Analysis. I. The WC5 Star HD 165763
1621. Hines, D.C., Wills, B.J. 1995, APJ, 448, 69. The polarized spectrum of FeII-rich broad absorption line QSO IRAS 07598+6508
1622. Hoard, D.W., Szkody, P. 1997, APJ, 481, 433. Observations of the SW Sextantis star BH Lyncis in a high state
1623. Hoare, M.G., Drew, J.E. 1991, MNRAS, 249, 452. Boundary-layer temperatures in high accretion rate cataclysmic variables
1624. Hoare, M.G., Drew, J.E. 1993, MNRAS, 260, 647. The ionization state of the winds from cataclysmic variables without classical boundary layers
1625. Hoare, M.G. 1994, MNRAS, 267, 153. He II lines from cataclysmic variable winds
1626. Hoban, S. 1993, ICARUS, 104, 149. Serendipitous images of methanol in comet Levy (1990 XX)
1627. Hodgkin, S.T. 1993, MNRAS, 263, 229. ROSAT/IUE discovery of a white dwarf companion to HD 33959C (F4V)
1628. Holberg, J.B., Wesemael, F., Wegner, G., Bruhweiler, F.C. 1985, APJ, 293, 294. An analysis of the bright white dwarf CD -38 10980
1629. Holberg, J.B., Wesemael, F., Basile, J. 1986, APJ, 306, 629. DA white dwarf effective temperatures determined from IUE Lyman-alpha profiles
1630. Holberg, J.B., Kidder, K.M., Wesemael, F. 1990, APJ, 365, L77. Detection of trace helium in G104-27, a 26,000 K DA white dwarf
1631. Holberg, J.B., Ali, B., Carone, T., Polidan, R. 1991, APJ, 375, 716. Absolute far-ultraviolet spectrophotometry of hot subluminescent stars from Voyager
1632. Holberg, J.B., Barstow, M.A., Buckley, D.A.H., Chen, A., Dreizler, S., Marsh, M.C., O'Donoghue, D., Sion, E.M., Tweedy, R.W., Vauclair, G., Werner, K. 1993, APJ, 416, 806. Two new extremely iron-rich hot DA white dwarfs and the nature of the EUV opacity
1633. Holberg, J.B., Hubeny, I., Barstow, M.A., Lanz, T., Sion, E.M., Tweedy, R.W. 1994, APJ, 425, L105. The discovery of Ni V in the photospheres of the hot DA white dwarfs RE 2214-492 and G 191-B2B
1634. Holberg, J.B., Bruhweiler, F.C., Andersen, J. 1995, APJ, 443, 753 The circumstellar nature of the metallic features in a hot DA White Dwarf
1635. Holberg, J.B., Saffer, R.A., Tweedy, R.W., Barstow, M.A. 1995, APJ, 452, 133. The binary double-degenerate nature of the bright DAO White Dwarf Feige 55

1636. Holberg, J.B., Barstow, M., Bruhweiler, F.C., Sion, E.M. 1995, APJ, 453, 313. The EUVE and IUE spectra of the hot DA white dwarf GD 659
1637. Holberg, J.B., Barstow, M., Green, E.M. 1997, APJ, 474, L127. The discovery of MGII 4481 Angs in the White Dwarf EG 102: Evidence for ongoing accretion
1638. Holberg, J.B., Barstow, M.A., Sion, E.M. 1998, APJS, 119, 207. A High-Dispersion Spectroscopic Survey of the Hot White Dwarfs: The IUE NEWSIPS SWP Echelle Data Set
1639. Hollis, J.M., Oliverson, R.J., Kafatos, M., Michalitsianos, A.G., Wagner, R.M. 1991, APJ, 377, 227. Ultraviolet and optical spectroscopy of the R Aquarii symmetrical jet
1640. Hollis, J.M., Oliverson, R.J., Wagner, R.M., Feibelman, W.A. 1992, APJ, 393, 217. The 0623+71 bow shock nebula
1641. Hollis, J.M., van Buren, D., Vogel, S., Feibelman, W., Jacoby, G., Pedelty, J. 1996, APJ, 456, 644. The Abell 35 nebula inside out
1642. Hollis, J.M., Lyon, R., Dorband, J., Feibelman, W. 1997, APJ, 475, 231. Motion of the ultraviolet R Aquarii jet
1643. Holm, A., Bohlin, R.C., Cassatella, A., Ponz, D.P., Schiffer, F.H. 1982, A&A, 112, 341. On the linearity of the SWP camera of the International Ultraviolet Explorer (IUE): a correction algorithm
1644. Holm, A.V., Panek, R.J., Schiffer, F.H. 1982, APJ, 252, L35. Ultraviolet spectrum variability of UX Ursae Majoris
1645. Holm, A.V., Boggess, A. 1982, PASP, 94, 553. IUE spectra of Feige 4, a suspected source of extreme-ultraviolet radiation
1646. Holm, A.V., Panek, R.J., Schiffer, F.H., Bond, H.E., Kemper, E., Grauer, A.D. 1985, APJ, 289, 774. Two-phase ultraviolet spectrophotometry of the pulsating white dwarf ZZ Piscium
1647. Holm, A.V., Hecht, J., Wu, C.-C., Donn, B. 1987, PASP, 99, 497. The fading of R Coronae Borealis
1648. Holm, A.V., Doherty, L.R. 1988, APJ, 328, 726. Ultraviolet spectroscopy of R Coronae Borealis
1649. Holweger, H., Koester, D., Allard, N.F. 1994, A&A, 290, L21. Identification of the 1600Å feature in Lambda Bootis stars
1650. Horaguchi, T., Kogure, T., Hirata, R., Kawai, N., Matsuoka, M., Murakami, T., Doazan, V., Slettebak, A., Huang, C.C., Cao, H., Guo, Z., Huang, L., Tsujita, J., Ohshima, O. 1994, PASJ, 46, 9. The Be star Gamma Cassiopeiae: X-ray, far-UV, and optical observations in early 1989
1651. Horanyi, M., Cravens, T.E., Waite, J.H. 1988, JGR, 93, 7251. The precipitation of energetic heavy ions into the upper atmosphere of Jupiter
1652. Houdebine, E., Foing, B., Doyle, J., Rodono, M. 1993, A&A, 278, 109. Dynamics of flares on late-type dMe stars. III. Kinetic energy and mass momentum budget of a flare on AD Leonis
1653. Howarth, I.D., Wilson, R., Carter, B.S., Menzies, J.W., Roberts, G., Whitelock, P.A., van Dessel, E.L., de Loore, C., Burger, M., Sandford, M.C.W. 1981, A&A, 93, 219. IUE and optical observations of V861 Scorpii
1654. Howarth, I.D. 1983, MNRAS, 203, 801. Ultraviolet spectroscopy of LSI + 61 303

1655. Howarth, I.D. 1983, MNRAS, 203, 301. LMC and galactic extinction
1656. Howarth, I.D., Wilson, R. 1983, MNRAS, 202, 347. A study of the low-mass X-ray binary HZ Her/Her X-1 using IUE and optical data
1657. Howarth, I.D., Wilson, R. 1983, MNRAS, 204, 1091. HZ Her: the nature and origin of the emission lines
1658. Howarth, I.D. 1984, MNRAS, 211, 167. An analysis of V861 Sco - II. The stellar wind
1659. Howarth, I.D. 1984, MNRAS, 206, 625. Blueshifted narrow absorption components in the ultraviolet spectrum of the binary V861 Sco (HD 152667)
1660. Howarth, I.D., Prinja, R.K., Roche, P.F., Willis, A.J. 1984, MNRAS, 207, 287. IUE observations of the X-ray binary A0538-66: spectroscopic study of a strange stellar system
1661. Howarth, I.D., Prinja, R.K., Willis, A.J. 1984, MNRAS, 208, 525. Observations of narrow absorption components in the ultraviolet spectrum of Zeta Ophiuchi
1662. Howarth, I.D., Phillips, A.P. 1986, MNRAS, 222, 809. The ultraviolet spectrum and interstellar environment of HD 50896
1663. Howarth, I.D. 1987, MNRAS, 226, 249. The spectroscopic orbit of HD 128220
1664. Howarth, I.D. 1987, MNRAS, 225, 33P. A subdwarf's startling stellar wind
1665. Howarth, I.D., Prinja, R.K. 1989, APJS, 69, 527. The stellar winds of 203 galactic O stars: a quantitative ultraviolet survey
1666. Howarth, I.D., Stickland, D.J., Prinja, R.K., Koch, R.H., Pfeiffer, R.J. 1991, OBS, 111, 167. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 8: LZ Cephei (HD 209481)
1667. Howarth, I.D., Reid, A.H.N. 1993, A&A, 279, 148. UES and IUE observations of the O9.5 V star HD 93521: non-radial pulsations, wind, and distance
1668. Howarth, I.D., Bolton, C.T., Crowe, R.A., Ebbets, D.C., Fieldus, M.S., Fullerton, A.W., Gies, D.R., McDavid, D., Prinja, R., Reid, A.H., Shore, S.N., Smith, K.C. 1993, APJ, 417, 338. Time-series observations of O stars. III. IUE and HST spectroscopy of Zeta Ophiuchi and implications for the "photospheric connection"
1669. Howarth, I.D., Prinja, R.K., Massa, D. 1995, APJ, 452, L65. The IUE campaign: the rotationally modulated wind of Zeta Puppis
1670. Howarth, I.D., Smith, C. 1995, APJ, 439, 431. Stellar-wind variability in IUE spectra of 68 Cygni
1671. Howarth, I.D., Siebert, K., Hussain, G., Prinja, R. 1997, MNRAS, 284, 265. Cross-correlation characteristics of OB stars from IUE spectra
1672. Howell, S.B., Szkody, P., Sonneborn, G., Fried, R., Mattei, J., Oliverson, R.J., Ingram, D., Hurst, G.M. 1995, APJ, 453, 454. Ultraviolet observations of SW Ursae Majoris, BC Ursae Majoris, and TV Corvi (1217-18): IUE spectroscopy and outburst light curves
1673. Howell, S. B., Cash, J., Mason, K. O., Herzog, A. E. 1999, AJ, 117, 1014. The Relationship between Ultraviolet Line Emission and Magnetic Field Strength in Magnetic Cataclysmic Variables
1674. Hrivnak, B.J., Guinan, E.F., Lu, W. 1995, APJ, 455, 300. A study of the chromospherically active, short-period binary VZ Piscium

1675. Hu, E.M., Songaila, A., Cowie, L.L., Stockton, A. 1991, APJ, 368, 28. Lyman-alpha companions to high-z quasars
1676. Hu, E.M. 1992, APJ, 391, 608. Ly-alpha emission from cooling flows and measures of the dust content of rich clusters of galaxies
1677. Hu, J.Y., Blondel, P.F.C., Catala, C., Talavera, A., The, P.S., Tjin A Djie, H.R.E., de Winter, D. 1991, A&A, 248, 150. IUE observations of the bright Herbig Ae star HD 104237
1678. Huang, M., Sion, E.M., Szkody, P. 1995, AJ, 109, 1746. The cooling of the white dwarf in U Geminorum following heating by two different outbursts
1679. Hubeny, I., Plavec, M.J. 1991, AJ, 102, 1156. Can a disk model explain Beta Lyrae?
1680. Hubeny, I., Heap, S.R., Altner, B. 1991, APJ, 377, L33. First results from the Goddard High-Resolution Spectrograph: evidence for photospheric microturbulence in early O stars: Are surface gravities systematically underestimated?
1681. Huber, M.C.E., Nussbaumer, H., Smith, L.J., Willis, A.J., Wilson, R. 1979, NATURE, 278, 697. IUE observations of absorption by hot gas in the nebula NGC 6888
1682. Hubert, A.M., Floquet, M., Chambon, M.T. 1987, A&A, 186, 213. Additional constraints on cool-disk models of Be stars based on long observational sequences in the visual range
1683. Hubert, A.M., Floquet, M., Chauville, J., Chambon, M.T. 1987, A&AS, 70, 443. Spectral features of the B2e star EW Lac before and during the variable shell phase
1684. Hubert-Delplace, A.M., Mon, M., Ungerer, V., Hirata, R., Paterson-Beeckmans, F., Hubert, H., Baade, D. 1983, A&A, 121, 174. Envelope structure of the cyclic V/R variable shell stars
1685. Huchra, J.P., Geller, M.J., Gallagher, J., Hunter, D., Hartmann, L., Fabbiano, G., Aaronson, M. 1983, APJ, 274, 125. Star formation in blue galaxies. I. Ultraviolet, optical and infrared observations of NGC 4214 and NGC 4670
1686. Huelamo, N., Franqueira, M., Gomez de Castro, A. I. 2000, MNRAS, 312, 833. The far-UV spectrum of T Tauri stars - I. The relevance of the IUE Newly Extracted Spectra
1687. Huenemoerder, D.P., de Boer, K.S., Code, A.D. 1984, AJ, 89, 851. Field horizontal-branch stars at ultraviolet and visual wavelengths
1688. Huenemoerder, D.P., Barden, S.C. 1986, AJ, 91, 583. Optical and UV spectroscopy of the peculiar RS CVn system RT Lacertae
1689. Huenemoerder, D.P. 1988, PASP, 100, 600. Optical and ultraviolet activity in RT Lacertae during 1985 and 1986
1690. Huenemoerder, D.P., Ramsey, L.W., Buzasi, D.L. 1990, APJ, 350, 763. Coordinated optical and ultraviolet observations of IM Pegasi
1691. Huenemoerder, D.P., Ramsey, L.W., Buzasi, D.L., Nations, H.L. 1993, APJ, 404, 316. A spectroscopic and photometric study of FK Comae in 1989
1692. Huensch, M., Reimers, D., Schmitt, J.H. 1996, A&A, 313, 755. HR4289 - an X-ray luminous galaxy close to the bright star
1693. Hufnagel, B., Smith, G.H. 1994, PASP, 106, 1068. Mg II chromospheric-emission dating of HR 1614 moving-group stars
1694. Humphreys, R.M., Blaha, C., D'Odorico, S., Gull, T.R., Benvenuti, P. 1984, APJ, 278, 124. IUE and ground-based observations of the Hubble-Sandage variables in M31 and M33

1695. Humphreys, R.M., Leitherer, C., Stahl, O., Wolf, B., Zickgraf, F.-J. 1988, *A&A*, 203, 306. Variable C: an S Doradus-type variable in M 33
1696. Hunger, K., Heber, U., Koester, D. 1985, *A&A*, 149, L4. PHL 227: the discovery of a new nova-like object
1697. Hunger, K., Heber, U., Grootte, D. 1989, *A&A*, 224, 57. The distance of the helium-variable B star HD 37479
1698. Hunsch, M., Reimers, D. 1993, *A&A*, 276, 161. Circumstellar Mg II absorption in UV spectra of hot companions of red giants and the meaning of the Mg II asymmetry dividing line
1699. Hunstead, R.W., Pettini, M., Fletcher, A.B. 1990, *APJ*, 356, 23. Metal enrichment, dust, and star formation in galaxies at high redshifts. II. Lyman-alpha emission from the $z=2.465$ absorber toward Q0836+113
1700. Hunt, G.E. 1981, *RSPT*, A303, 225. Atmospheres of Jupiter and Saturn
1701. Hurwitz M., 1998, *APJ*, 500, L67. Far-Ultraviolet fluorescence of molecular Hydrogen in IC63
1702. Husfeld, D., Butler, K., Heber, U., Drilling, J. 1989, *A&A*, 222, 150. Non-LTE analysis of extremely helium-rich stars. I. The hot sdO stars LSE 153, 259 and 263
1703. Hutchings, J.B. 1979, *APJ*, 233, 913. Ultraviolet spectroscopy of the extreme B supergiants P Cygni and Zeta 1 Scorpii
1704. Hutchings, J.B. 1979, *PASP*, 91, 661. The stellar wind and the UV spectrum of (Nova) HR Delphini
1705. Hutchings, J.B. 1979, *PASP*, 91, 657. The ultraviolet spectrum of LSI +61 303
1706. Hutchings, J.B., von Rudloff, I.R. 1980, *APJ*, 238, 909. UV spectroscopy with IUE of OB stars with stellar winds
1707. Hutchings, J.B., Dupree, A.K. 1980, *APJ*, 240, 161. The ultraviolet spectrum and flux of HD 152667 (=X-ray source 1653-40?)
1708. Hutchings, J.B. 1980, *APJ*, 237, 285. IUE ultraviolet spectroscopy of stars in the Magellanic Clouds
1709. Hutchings, J.B. 1980, *PASP*, 92, 458. Simultaneous X-ray, UV, and optical observations of the recent nova HR Delphini
1710. Hutchings, J.B., van Heteren, J. 1981, *PASP*, 93, 626. IUE spectroscopy of hot binary stars HD 108, HD 149404, and HD 163181
1711. Hutchings, J.B., Crampton, D. 1981, *PASP*, 93, 486. Spectroscopy of the unique degenerate binary star LSI + 61 303
1712. Hutchings, J.B. 1982, *APJ*, 255, 70. International Ultraviolet Explorer spectroscopy of hot stars in the LMC and SMC: the SMC extinction law, stellar flux distributions, and details of the stellar winds
1713. Hutchings, J.B., Cowley, J. 1982, *PASP*, 94, 107. The UV spectrum of the symbiotic binary AR Pavonis during eclipse egress
1714. Hutchings, J., Cowley, A., Ake, T., Imhoff, C. 1983, *APJ*, 275, 271. The 1982 ultraviolet eclipse of the symbiotic binary AR Pav
1715. Hutchings, J.B., Massey, P. 1983, *PASP*, 95, 151. IUE studies of the Wolf-Rayet binaries HD 186943 and HD 211853 during eclipse

1716. Hutchings, J.B., Cowley, A.P. 1985, *PASP*, 97, 328. Time-resolved UV spectroscopy of BE Ursae Majoris
1717. Hutchings, J.B., Crampton, D., Cowley, A.P., Bianchi, L., Thompson, I.B. 1987, *AJ*, 94, 340. Optical and UV spectroscopy of the black hole binary candidate LMC X-1
1718. Hutchings, J.B., Neff, S.G. 1987, *AJ*, 93, 14. Morphology and nuclear spectroscopy of Markarian 231
1719. Hutchings, J.B., Massey, P., Bianchi, L. 1987, *APJ*, 322, L79. Are there stellar winds in the hot stars of M31?
1720. Hutchings, J.B., Thompson, I.B. 1988, *APJ*, 331, 294. Massive star-formation regions in the Magellanic Clouds
1721. Hutchings, J.B., Thompson, I.B., Cartledge, S., Pazder, J. 1991, *AJ*, 101, 933. A study of the young massive cluster N90 in the SMC
1722. Hutchings, J.B., Bruhweiler, F., Boggess, A., Heap, S.R., Ebbets, D., Beaver, E., Rosenblatt, E., Truong, K.Q., Perez, M., Westmacott, R. 1991, *APJ*, 377, L25. First results from the Goddard High-Resolution Spectrograph: ultraviolet spectra of a starburst knot in NGC 1068
1723. Hutchings, J.B., Bianchi, L., Lamers, H.J.G.L.M., Massey, P., Morris, S.C. 1992, *APJ*, 400, L35. Hubble Space Telescope spectroscopy of OB stars in M 31
1724. Hutchings, J.B., Bianchi, L., Morris, S.C. 1993, *APJ*, 410, 803. Hubble Space Telescope spectra of the phase-modulated wind in the SMC O+WR
1725. Hutsemekers, D. 1985, *A&AS*, 60, 373. The ultraviolet spectrum of the Be star HD 50138
1726. Hutsemekers, D., Surdej, J. 1989, *A&A*, 219, 237. Revisited mass-loss rates for a sample of central stars of planetary nebulae
1727. Hutter, D.J., Mufson, S.L. 1986, *APJ*, 301, 50. Application of a relativistic jet model to the study of BL Lacertae objects
1728. Hyung, S., Aller, L.H., Feibelman, W.A. 1993, *PASP*, 105, 1279. The spectrum of the planetary nebula NGC 6567
1729. Hyung, S. 1994, *APJS*, 90, 119. Density contrast shell models for the planetary nebula IC 2165
1730. Hyung, S., Aller, L.H., Feibelman, W.A. 1994, *APJS*, 93, 465. The spectrum of the variable planetary nebula IC 4997
1731. Hyung, S., Aller, L.H., Feibelman, W.A. 1994, *PASP*, 106, 745. The spectrum of the planetary nebula IC 418
1732. Hyung, S., Aller, L.H., Feibelman, W.A. 1994, *MNRAS*, 269, 975. The spectrum of the planetary nebula NGC 6572
1733. Hyung, S., Keyes, C.D., Aller, L.H. 1995, *MNRAS*, 272, 49. The spectrum of the planetary nebula NGC 6886
1734. Hyung, S., Aller, L., Feibelman, W. 1997, *APJS*, 108, 503. The spectrum of the Planetary Nebula NGC 6884
1735. Hyung S., Aller L. 1998, *PASP*, 110, 466. The optical spectrum of the Planetary Nebula NGC 2440
1736. Hyung, S., Aller, L. H. 1997, *MNRAS*, 292, 71. The high-excitation planetary nebula NGC 6741

1737. Hyung, S., Aller, L. H., Feibelman, W. A. 1999, APJ, 514, 878. Spectroscopic Observations of the Planetary Nebula NGC 6818
1738. Hyung, S., Aller, L.H., Feibelman, W.A. 1999, APJ, 525, 863. Chemical abundances of the Planetary Nebula IC 4634 and its central star
1739. Iijima, T. 1993, AP&SS, 206, 235. Recent spectral variations of the Seyfert Galaxy NGC 5548
1740. Imhoff, C.L., Giampapa, M.S. 1980, APJ, 239, L115. The ultraviolet spectrum of the T Tauri star RW Aurigae
1741. Israelian, G. 1995, A&A, 300, 834. Extended wings of the UV Si IV, C IV resonance doublets and the complex [Fe II] profiles in P Cygni
1742. Ito, M., Ikeuchi, S. 1988, PASJ, 40, 403. Ionization structure of the gaseous halo in our galaxy
1743. Ivison, R.J., Bode, M.F., Evans, A., Skopal, A., Meaburn, J. 1993, MNRAS, 264, 875. A multi-frequency study of symbiotic stars - III. Simultaneous ultraviolet and optical observations of AX Persei
1744. Ivison, R.J., Seaquist, E.R. 1994, MNRAS, 268, 561. The latest spectral peregrinations of RX Puppis
1745. Iwasawa, K., Kunieda, H., Awaki, H., Koyama, K. 1993, PASJ, 45, L7. Possible X-ray emission from a new southern QSO HE 1029-1401
1746. Jackson, W.M., Rahe, J., Donn, B., Smith, A.M., Keller, H.U., Benvenuti, P., Delsemme, A.H., Owen, T. 1979, A&A, 73, L7. The ultraviolet spectrum of Comet Seargent 1978m
1747. Jackson, W., Halpern, J., Feldman, P., Rahe, J. 1982, A&A, 107, 385. Production of CS and S in Comet Bradfield (1979 X)
1748. Jackson, W.M., Butterworth, P.S., Ballard, D. 1986, APJ, 304, 515. The origin of CS in Comet IRAS-Araki-Alcock 1983d
1749. Jacobs, J.M., Dworetzky, M.M. 1982, NATURE, 299, 535. Bismuth abundance anomaly in a Hg-Mn star
1750. Jacoby, G.H., Ciardullo, R., Ford, H.C. 1990, APJ, 356, 332. Planetary nebulae as standard candles. V. The distance to the Virgo cluster
1751. Jaffel, L.B., Prange, R., Emerich, C., Vidal-Madjar, A., McConnell, J.C. 1991, JGR, 96, 9781. A model for the disc Lyman-alpha emission of Uranus
1752. Jameson, R.F., King, A.R., Sherrington, M.R. 1980, MNRAS, 191, 559. The UV spectrum of AE Aqr
1753. Jameson, R.F., King, A.R., Sherrington, M.R. 1982, MNRAS, 200, 455. Infrared, optical and ultraviolet observations of TT Ari
1754. Jameson, R.F., Sherrington, M.R., King, A.R., Frank, J. 1982, NATURE, 300, 152. UV observations of TT Arietis and the magnetic rotator hypothesis
1755. Jansen, D.J., van Dishoek, E.F., Black, J.H., Spaans, M., Sosin, C. 1995, A&A, 302, 223. The physical and chemical structure of the IC63 nebula, II. Chemical models
1756. Jaschek, M., Baschek, B., Jaschek, C., Heck, A. 1985, A&A, 152, 439. Observation of 1600 Å and 3040 Å features in the spectra of field horizontal branch stars

1757. Jaschek, M., Jaschek, C. 1987, *A&A*, 171, 380. The ultraviolet gallium stars
1758. Jasniewicz, G., Lapiere, G., Monier, R. 1994, *A&A*, 287, 591. Ultraviolet variations in the spectrum of the visible central star of Abell 35
1759. Jasniewicz, G., Thevenin, F., Monier, R., Skiff, B. 1996, *A&A*, 307, 200. The central star of LoTr5 revisited
1760. Jeffery, C.S., Heber, U. 1992, *A&A*, 260, 133. The extreme helium star BD -9 4395
1761. Jeffery, C.S., Simon, T., Lloyd Evans, T. 1992, *MNRAS*, 258, 64. The hot subdwarf in the eclipsing binary HD 185510
1762. Jeffery, C.S., Heber, U. 1993, *A&A*, 270, 167. Spectral analysis of DY Centauri, a hot R Coronae Borealis star with an unusually high hydrogen content
1763. Jeffery, C.S. 1993, *A&A*, 279, 188. Spectral analysis of LSE 78: an extreme helium star similar to BD-09 4395 and DY Centauri
1764. Jeffery, C.S. 1995, *A&A*, 297, 779. V348 Sagittarii: analysis of the absorption spectrum
1765. Jeffery, C.S. 1995, *A&A*, 299, 135. The ultraviolet properties of cool material ejected by hydrogen-deficient stars
1766. Jeffery, C.S., Simon, T. 1997, *MNRAS*, 286, 487. Timing the eclipse of HD185510
1767. Jeffery, D.J., Leibundgut, B., Kirshner, R.P., Benetti, S., Branch, D., Sonneborn, G. 1992, *APJ*, 397, 304. Analysis of the photospheric epoch spectra of Type Ia supernovae SN 1990N and SN 1991T
1768. Jeffery, C.S., Harrison, P.M. 1997, *A&A*, 323, 393. The iron abundance in helium star HD 144941.
1769. Jeffries, R.D. 1991, *MNRAS*, 253, 369. The transition region structure of AR Lacertae
1770. Jeffries, R.D., Burleigh, M., Robb, R. 1996, *A&A*, 305, L45. Is 2REJ0357+283 the most coronally active star in the Galaxy ?
1771. Jenkins, E.B., Silk, J., Wallerstein, G., Myckky Leep, E. 1981, *APJ*, 248, 977. A compressed cloud in the Vela supernova remnant
1772. Jenkins, E.B., Wallerstein, G., Silk, J. 1984, *APJ*, 278, 649. High-resolution IUE observations of interstellar absorption lines in the Vela supernova remnant
1773. Jenkins, E.B., Wallerstein, G. 1995, *APJ*, 440, 227. High-velocity, high-excitation neutral carbon in a cloud in the Vela supernova remnant
1774. Jenkins, E. B., Tripp, T. M., Wozniak, P. R., Sofia, U. J., Sonneborn, G. 1999, *APJ*, 520, 182. Spatial Variability in the Ratio of Interstellar Atomic Deuterium to Hydrogen. I. Observations toward delta Orionis by the Interstellar Medium Absorption Profile Spectrograph
1775. Jenniskens, P., Greenberg, J.M. 1993, *A&A*, 274, 439. Environment dependence of interstellar extinction curves
1776. Jenniskens, P., Desert, F.-X. 1993, *A&A*, 275, 549. Tracing the roots of interstellar mid-infrared emission
1777. Jeong, J.H., Kang, Y.W., Lee, W.B., Sung, E.C. 1994, *APJ*, 421, 779. Analysis of the IUE satellite and the ground-based observations of SW Lacertae
1778. Jevremovic, D., Butler, C. J., Drake, S. A., O'donoghue, D., Van Wyk, F. 1998, *A&A*, 338, 1057. Ultraviolet and optical flares on Gl 866

1779. Johansson, S. 1983, MNRAS, 205, 71P. Strong Fe II fluorescence lines in RR Tel and V1016 Cyg excited by CIV in a Bowen mechanism
1780. Johansson, S., Jordan, C. 1984, MNRAS, 210, 239. Selective excitation of Fe II in the laboratory and late-type stellar atmospheres
1781. Johansson, S. 1988, APJ, 327, L85. Indirect IUE observation of O VI from photoexcited fluorescence lines of Fe II present in the spectrum of RR Telescopii
1782. Johansson, S. 1993, PS, T47, 157. Fluorescence lines in ultraviolet spectra of stars
1783. Johansson, S., Brage, T., Leckrone, D.S., Nave, G., Wahlgren, G.M. 1995, APJ, 446, 361. Interpretation of anomalous ultraviolet transitions of Fe II observed in laboratory Fourier transform spectra and stellar HST and IUE spectra
1784. Johns-Krull, C.M., Valenti, J.A., Linsky, J.L. 2000, APJ, 539, 815. An IUE Atlas of Pre-Main-Sequence stars. II. Far-ultraviolet accretion diagnostics in T Tauri stars.
1785. Johnson, H.M. 1979, APJ, 230, L137. IUE spectra of the nuclei of M31 and M32
1786. Johnson, H.M. 1980, APJ, 237, 840. Observations of R Aquarii
1787. Johnson, H.M. 1980, APJ, 235, 66. IUE low-dispersion spectra of four luminous stars in symmetric nebulae
1788. Johnson, H.M. 1981, APJ, 244, 552. IUE high-dispersion spectrum of R Aquarii
1789. Johnson, H.M. 1981, APJ, 250, 590. IUE observations of four planetary nebulae
1790. Johnson, H.M. 1981, PASP, 93, 285. IUE spectra of RS Puppis and HD 20722: stars in symmetric dusty nebulae
1791. Johnson, H.M. 1982, APJ, 256, 559. IUE low-dispersion spectra of six luminous stars in symmetric nebulae
1792. Johnson, H.M. 1982, APJ, 253, 224. IUE observations of R Aquarii
1793. Johnson, H.M. 1982, APJS, 50, 551. IUE high dispersion spectra of luminous stars in symmetric nebulae
1794. Johnson, H.M., Mayor, M. 1986, APJ, 310, 354. The orbit and properties of the HD 149162 system
1795. Johnson, H.R., O'Brien, G.T. 1983, APJ, 265, 952. The ultraviolet spectra of three N-type carbon stars
1796. Johnson, H.R., Ameen, M.M., Eaton, J.A. 1984, APJ, 283, 760. Line identifications in the ultraviolet (2590-3230 Å) spectrum of the hydrogen-deficient carbon star HD 182040
1797. Johnson, H.R., Baumert, J.H., Querci, F., Querci, M. 1986, APJ, 311, 960. Variability of ultraviolet emission on the carbon star TX Piscium
1798. Johnson, H.R., Luttermoser, D.G. 1987, APJ, 314, 329. Ultraviolet spectra and chromospheres of cool carbon stars
1799. Johnson, H.R., Eaton, J.A., Querci, F.R., Querci, M., Baumert, J.H. 1988, A&A, 204, 149. The unusual carbon star HD 59643: alternative models
1800. Johnson, H.R., Luttermoser, D.G., Faulkner, D.R. 1988, APJ, 332, 421. The violet and ultraviolet opacity problem for carbon stars
1801. Johnson, H.R. 1991, A&A, 249, 455. The outer layers of cool, non-Mira carbon stars

1802. Johnson, H.R., Ake, T.B., Ameen, M.M. 1993, APJ, 402, 667. Companions to bright S and MS stars: technetium deficiency and binarity
1803. Johnstone, R.M., Fabian, A.C. 1988, MNRAS, 233, 581. Extended emission-line gas in NGC 1275 and the central galaxy in A1795: evidence for a distributed rather than a central source of ionization
1804. Joly, M. 1981, A&A, 102, 321. The Fe II spectrum of Seyfert 1 galaxies and quasars
1805. Jordan, C., Brown, A., Walter, F., Linsky, J. 1986, MNRAS, 218, 465. The outer atmosphere of Procyon (Alpha CMi F5IV-V): evidence of supergranulation or active regions
1806. Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T. 1987, MNRAS, 225, 903. The chromospheres and coronae of five G-K main-sequence stars
1807. Jordan, S., Heber, U., Engels, D., Koester, D. 1993, A&A, 273, L27. HS 0209+0832: a DAB white dwarf with a temperature fitting into the DB gap
1808. Jordan, S., Murset, U., Werner, K. 1994, A&A, 283, 475. A model for the X-ray spectrum of the symbiotic nova RR Telescopii
1809. Jordan, S., Schmutz, W., Wolff, B., Werner, K., Muerset, U. 1996, A&A, 312, 897. Extragalactic symbiotic systems, IV: The supersoft X-ray source SMC3
1810. Jorissen, A., Mayor, M. 1992, A&A, 260, 115. Orbital elements of S stars: revisiting the evolutionary status of S stars
1811. Jorissen, A., Scmitt, J.H., Carquillat, J., Ginestet, N., Bickert, K. 1996, A&A, 306, 467. New X-ray sources detected among mild barium and S stars
1812. Joseph, C., Snow, T., Seab, C., Crutcher, R. 1986, APJ, 309, 771. Interstellar abundances in dense, moderately reddened lines of sight. I. Observational evidence for density-dependent depletion
1813. Joseph, C.L. 1989, PASP, 101, 623. Systematic errors in spectral features introduced by random noise
1814. Judge, P.G. 1986, MNRAS, 223, 239. Constraints on the outer atmospheric structure of late-type giant stars with IUE: application to Alpha Tau (K5III) and Beta Gru (M5III)
1815. Judge, P.G. 1986, MNRAS, 221, 119. Constraints on the outer atmospheric structure of the late-type giant stars with IUE: methods and applications to Arcturus (Alpha Boo K2III)
1816. Judge, P.G., Jordan, C., Rowan-Robinson, M. 1987, MNRAS, 224, 93. Delta Andromedae (K3 III): an IRAS source with an unusual ultraviolet spectrum
1817. Judge, P.G. 1988, MNRAS, 231, 419. The excitation of S I emission lines in chromospheres of late-type giant stars
1818. Judge, P.G. 1990, APJ, 348, 279. On the interpretation of chromospheric emission lines
1819. Judge, P.G., Stencel, R.E. 1991, APJ, 371, 357. Evolution of the chromospheres and winds of low- and intermediate-mass giant stars
1820. Judge, P.G., Jordan, C. 1991, APJS, 77, 75. Fe II emission lines. I. Chromospheric spectra of red giants
1821. Judge, P.G., Carpenter, K.G., Harper, G.M. 1991, MNRAS, 253, 123. Si II emission line diagnostics
1822. Judge, P.G., Jordan, C., Feldman, U. 1992, APJ, 384, 613. Fe II emission lines. II. Excitation mechanisms in cool stars

1823. Judge, P.G., Luttermoser, D.G., Neff, D.H., Cuntz, M., Stencel, R.E. 1993, *AJ*, 105, 1973. Line profile variations in M giants: clues to mass-loss and chromospheric heating mechanisms
1824. Jura, M., Kahane, C., Fischer, D., Grady, C. 1997, *APJ*, 485, 341. Circumstellar Gas in the Wide Binary HD 188037
1825. Kaczmarczyk, G. 2000, *MNRAS*, 312, 794. Interstellar CO towards X Persei (HD 24534) - I. One-component model
1826. Kafatos, M., Michalitsianos, A.G., Hobbs, R.W. 1980, *A&A*, 92, 320. IUE observations of two late type stars: R Aql and W Hya
1827. Kafatos, M., Michalitsianos, A.G., Hobbs, R.W. 1980, *APJ*, 240, 114. IUE observations of RW Hydrae (gM2+pec)
1828. Kafatos, M., Michalitsianos, A., Feibelman, W. 1982, *APJ*, 257, 204. IUE observations of the peculiar star RX Puppis
1829. Kafatos, M., Michalitsianos, A.G., Allen, D.A., Stencel, R.E. 1983. *APJ*, 275, 584. Observations of two peculiar emission objects in the Large Magellanic Cloud
1830. Kafatos, M., Michalitsianos, A.G., Fahey, R.P. 1985, *APJS*, 59, 785. High-dispersion ultraviolet spectra of the peculiar star RX Puppis
1831. Kafatos, M., Michalitsianos, A.G., Hollis, J.M. 1986, *APJS*, 62, 853. Ultraviolet variability and mass expulsion from R Aquarii
1832. Kafatos, M., Meier, S.R., Martin, I. 1993, *APJS*, 84, 201. Extended variability of the symbiotic star AG Draconis
1833. Kahn, S.M., Wesemael, F., Liebert, J., Raymond, J.C., Steiner, J.E., Shipman, H.L. 1984, *APJ*, 278, 255. Photospheric soft X-ray emission from hot DA white dwarfs
1834. Kaitchuck R.H., Schlegel E.M., White J.C. II, Mansperger C.S. 1998, *APJ*, 499, 444. Spectroscopy of the cataclysmic variable UU Aquarii: s-waves and bright spots
1835. Kaler, J.B., Hickey, J.P. 1983, *PASP*, 95, 759. Ultraviolet activity in EG Andromedae
1836. Kaler, J.B., Feibelman, W.A. 1984, *APJ*, 282, 719. The central star of the planetary nebula Abell 78
1837. Kaler, J.B., Feibelman, W.A. 1985, *APJ*, 297, 724. Ultraviolet spectra of the central stars of large planetary nebulae
1838. Kaler, J.B., Feibelman, W.A. 1985, *PASP*, 97, 660. The nature of Weinberger-12
1839. Kaler, J.B. 1986, *APJ*, 308, 337. C III electron temperatures in planetary nebulae
1840. Kaler, J.B., Feibelman, W.A., Henrichs, H.F. 1988, *APJ*, 324, 528. The complex wind of the central star of the planetary nebula Abell 78
1841. Kaler, J., Shaw, R., Feibelman, W.A., Lutz, J.H. 1989, *APJS*, 70, 213. A case study of a WC planetary nebula nucleus: Henize 2-99
1842. Kaler, J.B., Jacoby, G.H. 1991, *APJ*, 382, 134. Core masses and abundances of low-excitation planetary nebulae in the Magellanic Clouds
1843. Kaler, J.B., Shaw, R.A., Feibelman, W.A., Imhoff, C.L. 1991, *PASP*, 103, 67. PB 6 and its central star
1844. Kallman, T.R., McCray, R., Voit, G.M. 1987, *APJ*, 317, 746. Rapid variability of P Cygni lines in massive X-ray binaries

1845. Kallman, T.R., Raymond, J.C., Vrtilik, S.D. 1991, APJ, 370, 717. The ultraviolet spectrum of Scorpius X-1 observed by IUE: 1978-1988
1846. Kallman T., Boroson B., Vrtilik S.D. 1998, APJ, 502, 441. Simultaneous Hubble Space Telescope/Rossi X-Ray Timing Explorer observations of Scorpius X-1
1847. Kameswara Rao, N., Giridhar, S., Nandy, K. 1990, A&A, 234, 410. The UV spectrum of the WC 11 star CPD-56 8032
1848. Kamp, L.W. 1982, APJS, 48, 415. IUE observations of Si and C lines and comparison with non-LTE models
1849. Kanaan, A., Kepler, S., Giovannini, O., Diaz, M. 1992, APJ, 390, L89. The discovery of a new DAV star using IUE temperature determination
1850. Kaper, L., Hammerschlag-Hensberge, G., Takens, R.J. 1990, NATURE, 347, 652. Raman scattering as a diagnostic tool in the massive X-ray binary 4U 1700-37
1851. Kaper, L., Hammerschlag-Hensberge, G., van Loon, J. Th. 1993, A&A, 279, 485. Observations of stellar winds in high-mass X-ray binaries: evidence for a non-monotonic velocity structure
1852. Kaper, L., Henrichs, H.F. 1994, AP&SS, 221, 115. Wind variability in O-type stars
1853. Kaper, L., Henrichs, H., Nichols, J., Snoek, L., Volten, H., Zwarthoed, G. 1996, A&AS, 116, 257. Long- and short-term variability in O-star winds, I: Time series of UV spectra for 10 bright O stars
1854. Kaper, L., Henrichs, H.F., Fullerton, A.W., Ando, H., Bjorkman, K.S., Gies, D.R., Hirata, R., Kambe, E., McDavid, D., Nichols, J.S. 1997, A&A, 327, 281. Coordinated ultraviolet and H alpha spectroscopy of bright O-type stars.
1855. Kaper, L., Henrichs, H. F., Nichols, J. S., Telting, J. H. 1999, A&A, 344, 231. Long- and short-term variability in O-star winds. II. Quantitative analysis of DAC behaviour
1856. Kashyap, V., Rosner, R., Harnden, F.R., Maggio, A., Micela, G., Sciortino, S. 1994, APJ, 431, 402. X-ray emission on hybrid stars: ROSAT observations of Alpha Trianguli Australis and Iota Aurigae
1857. Kaspi, S., Netzer, H. 1999, APJ, 524, 71. Modeling variable emission lines in Active Galactic Nuclei: method and application to NGC 5548
1858. Kastner, S.O., Bhatia, A.K., Feibelman, W.A. 1989, MNRAS, 237, 487. Anomalously high intercombination line ratios in symbiotic stars; extreme Bowen pumping?
1859. Kawai, N., Matsuoka, M., Bregman, J.N., Aller, H.D., Aller, M.F., Hughes, P.A., Balbus, S.A., Balonek, T.J., Chambers, K.C., Clegg, R.E.S., Clements, S.D., Leacock, R.J., Smith, A.G., Miller, J.S., Hereld, M., Hoare, M.G., Hughes, V.A., Miley, G.K., Moriarty-Schieven, G.H., Matthews, K., Neugebauer, G., Ohashi, T., Roche, P.F., Thronson, H.A., Valtaoja, E., Terasranta, H., Webb, J.R., Goodrich, R., Wills, B.J., Wills, D. 1991, APJ, 382, 508. Multifrequency observations of BL Lacertae in 1988
1860. Keel, W.C. 1987, A&A, 172, 43. The stellar population in the Wolf-Rayet knot in NGC 5430
1861. Keel, W.C., Windhorst, R.A. 1991, APJ, 383, 135. The ultraviolet spectra of nearby radio galaxies
1862. Keel, W.C., Windhorst, R.A. 1993, AJ, 106, 455. Deep Hubble Space Telescope imaging of 53W044: an S0 radio galaxy at $z=0.311$

1863. Keel, W.C., 1996, *PASP*, 108, 917. A supergiant dominated starburst in the nucleus of NGC4569
1864. Keenan, F.P., Dufton, P.L. 1984, *A&A*, 139, 227. The masses of early-type stars in the galactic halo determined from ultraviolet resonance line profiles
1865. Keenan, F.P., Brown, P.J.F., Conlon, E.S., Dufton, P.L., Lennon, D.J. 1987, *A&A*, 178, 194. Non-LTE abundance analysis of the early-type high galactic latitude star HD 100340
1866. Keenan, F.P., Harra, L.K., Aggarwal, K.M., Feibelman, W.A. 1992, *APJ*, 385, 375. Al II emission-line strengths in low-density astrophysical plasmas
1867. Keenan, F.P., Feibelman, W.A., Berrington, K.A. 1992, *APJ*, 389, 443. Improved calculations for the C III lambda 1907, 1909 and Si III lambda 1883, 1892 electron density sensitive emission-line ratios, and a comparison with IUE observations
1868. Keenan, F.P., Conlon, E.S., Bowden, D.A., Feibelman, W.A., Pradhan, A.K. 1993, *APJS*, 88, 169. Electron density diagnostics for gaseous nebulae involving the O IV intercombination lines near 1400 Å
1869. Keenan, F.P., Dufton, P.L., Feibelman, W.A., Bell, K.L., Hibbert, A., Stafford, R.P. 1994, *APJ*, 423, 882. N III intercombination lines in the IUE spectra of gaseous nebulae
1870. Keenan, F.P., Ramsbottom, C.A., Bell, K.L., Berrington, K.A., Hibbert, A., Feibelman, W.A., Blair, W.P. 1995, *APJ*, 438, 500. N IV emission lines in the ultraviolet spectra of gaseous nebulae
1871. Keenan, F. P., Aller, L. H., Bell, K. L., Crawford, F. L., Feibelman, W. A., Hyung, S., McKenna, F. C., McLaughlin, B. M. 1999, *MNRAS*, 304, 27. Emission lines of [O II] in the optical and ultraviolet spectra of planetary nebulae
1872. Kellett, B.J., Bromage, G.E., Brown, A., Jeffries, R.D., James, D.J, Kilkenny, D. 1995, *APJ*, 438, 364. RE0044+09: A new K dwarf rapid rotator with a white dwarf companion
1873. Kemp, J.C., Henson, G.D., Kraus, D.J., Beardsley, I.S., Carroll, L.C., Ake, T.B., Simon, T., Collins, G. 1986, *APJ*, 300, L11. Epsilon Aurigae: polarization, light curves, and geometry of the 1982-1984 eclipse
1874. Kemp, S.N., Bates, B., Dufton, P.L., Keenan, F.P., Montgomery, A.S. 1994, *MNRAS*, 270, 597. Optical and UV spectroscopy towards stars in the direction of the Cohen high-velocity H I stream
1875. Kemp, S.N., Bates, B., Hambly, N. 1996, *MNRAS*, 283, 1089. Further optical and uv spectroscopy of stars in the direction of the Riegel and Crutcher cold cloud
1876. Kempner, J. C., Richards, M. T. 1999, *APJ*, 512, 345. Analysis of the SI IV Ultraviolet Spectra of U Sagittae
1877. Kendall, T.R., Conlon, E.S., Dufton, P.L., Keenan, F.P. 1994, *A&A*, 290, 563. Ultraviolet Fe III lines in the spectra of high galactic latitude early-type stars
1878. Kendall, T., Dufton, P., Lennon, D. 1996, *A&A*, 310, 564. Metal line strengths of blue stragglers towards the young galactic association Perseus OB1
1879. Kenyon, S.J., Webbink, R.F. 1984, *APJ*, 279, 252. The nature of symbiotic stars
1880. Kenyon, S.J., Michalitsianos, A.G., Lutz, J.H., Kafatos, M. 1985, *PASP*, 97, 268. The 1984 eclipse of the symbiotic binary SY Muscae
1881. Kenyon, S.J., Fernandez-Castro, T. 1987, *APJ*, 316, 427. Spectroscopic observations of the symbiotic binary RW Hydrae

1882. Kenyon, S.J., Hartmann, L., Imhoff, C.L., Cassatella, A. 1989, APJ, 344, 925. Ultraviolet spectroscopy of pre-main-sequence accretion disks
1883. Kenyon, S.J., Oliverson, N.A., Mikolajewska, J., Mikolajewski, M., Stencel, R.E., Garcia, M.R., Anderson, C.M. 1991, AJ, 101, 637. On the nature of the symbiotic binary CI Cygni
1884. Kenyon, S.J., Mikolajewska, J., Mikolajewski, M., Polidan, R.S., Slovak, M.H. 1993, AJ, 106, 1573. Evolution of the symbiotic binary system AG Pegasi: the slowest classical nova eruption ever recorded
1885. Kenyon, S.J., Mikolajewska, J. 1995, AJ, 110, 391. Spectroscopic orbits for symbiotic binaries. III. Eclipses of the hot component in RW Hydrae
1886. Kepler, S.O., Nelan, E.P. 1993, AJ, 105, 608. IUE temperatures for white dwarf stars in and around the ZZ Ceti instability strip
1887. Keyes, C.D., Aller, L.H., Feibelman, W.A. 1990, PASP, 102, 59. The spectrum of NGC 7027
1888. Kholtygin, A. F. 1998, A&A, 329, 691. Inhomogeneous planetary nebulae: carbon and oxygen abundances
1889. Kidder, K.M., Holberg, J.B., Barstow, M.A., Tweedy, R.W., Wesemael, F. 1992, APJ, 394, 288. The coolest DA white dwarfs detected at soft X-ray wavelengths
1890. Kielkopf, J.F., Allard, N.F. 1995, APJ, 450, L75. Satellites on Lyman alpha due to H-H and H-H+ collisions.
1891. Kienzle, F., Burki, G., Burnet, M., Meynet, G. 1998, A&A, 337, 779. The pulsating yellow supergiant V810 Centauri
1892. Kim, S.-W., Wheeler, J.C., Mineshige, S. 1992, APJ, 384, 269. Disk instability and outburst properties of the intermediate polar GK Persei
1893. Kim, S.J., A'Hearn, M.F., Larson, S.M. 1990, ICARUS, 87, 440. Multi-cycle fluorescence: application to S2 in comet IRAS-Araki-Alcock 1983VII
1894. Kim, S.J., A'Hearn, M.F. 1991, ICARUS, 90, 79. Upper limits of SO and SO₂ in comets
1895. Kindl, C., Marxer, N., Nussbaumer, H. 1982, A&A, 116, 265. Interpretation of line profiles of the symbiotic star V1016 Cyg
1896. King, A.R., Frank, J., Jameson, R.F., Sherrington, M.R. 1983, MNRAS, 203, 677. Phase-dependent UV spectra of UX Ursae Majoris
1897. King, I.R., Stanford, S.A., Albrecht, R., Barbieri, C., Blades, J.C., Boksenberg, A., Crane, P., Disney, M.J., Deharveng, J.M., Jakobsen, P., Kamperman, T.M., Macchetto, F., Mackay, C.D., Paresce, F., Weigelt, G., Baxter, D., Greenfield, P., Jedzejewski, R., Nota, A., Sparks, W., Sosin, C. 1993, APJ, 413, L117. Detection of an ultraviolet and visible counterpart of the NGC 6624 X-ray burster
1898. King, J.R., Patten, B.M. 1992, MNRAS, 256, 571. Beta Pictoris and the Lambda Bootis stars: testing the accretion hypothesis
1899. Kingdon, J., Ferland, G.J., Feibelman, W.A. 1995, APJ, 439, 793. Grains in ionized nebulae: spectral line diagnostics
1900. Kingsburgh, R.L., Barlow, M.J. 1993, RMAA, 27, 157. Abundances for a sample of southern galactic planetary nebulae
1901. Kingsburgh, R.L., Barlow, M.J. 1994, MNRAS, 271, 257. Elemental abundances for a sample of southern galactic planetary nebulae

1902. Kingsburgh, R.L., Barlow, M.J., Storey, P.J. 1995, *A&A*, 295, 75. Properties of the WO Wolf-Rayet stars
1903. Kinney, A.L., Huggins, P.J., Bregman, J.N., Glassgold, A.E. 1985, *APJ*, 291, 128. The ultraviolet spectra of intermediate-redshift quasars
1904. Kinney, A.L., Huggins, P.J., Glassgold, A.E., Bregman, J.N. 1987, *APJ*, 314, 145. The ultraviolet spectra of intermediate-redshift quasars. II.
1905. Kinney, A.L., Rivolo, A.R., Koratkar, A.P. 1990, *APJ*, 357, 338. A study of the Baldwin effect in the IUE data set
1906. Kinney, A.L., Antonucci, R.R.J., Ward, M.J., Wilson, A.S., Whittle, M. 1991, *APJ*, 377, 100. The featureless continua and hydrogen lines of Seyfert 2 galaxies
1907. Kinney, A.L., Bohlin, R., Blades, J., York, D. 1991, *APJS*, 75, 645. An ultraviolet atlas of quasar and blazar spectra
1908. Kinney, A.L., Bohlin, R.C., Neill, J.D. 1991, *PASP*, 103, 694. Weighted slit extraction of low-dispersion IUE spectral data
1909. Kinney, A.L., Bohlin, R.C., Calzetti, D., Panagia, N., Wyse, R.F.G. 1993, *APJS*, 86, 5. An atlas of ultraviolet spectra of star-forming galaxies
1910. Kinney, A.L., Calzetti, D., Bica, E., Storchi-Bergmann, T. 1994, *APJ*, 429, 172. The reddening law outside the local group galaxies: the case of NGC 7552 and NGC 5236
1911. Kinney, A.L., Calzetti, D., Bohlin, R., McQuade, K., Storchi-Bergmann, T., Schmitt, H. 1996, *APJ*, 467, 38. Template ultraviolet to near-infrared spectra of star-forming galaxies and their application to K-corrections
1912. Kiplinger, A.L., Sion, E.M., Szkody, P. 1991, *APJ*, 366, 569. A study of the ultraviolet evolution of U Geminorum between outbursts
1913. Kirhakos, S., Strauss, M.A., Yahil, A., Griffith, M., Fisher, K.B. 1991, *AJ*, 102, 1933. Ultraviolet observations of a bright southern quasar
1914. Kirsch, T., Baade, R. 1994, *A&A*, 291, 535. The expanding envelope of Zeta Aurigae
1915. Kirshner, R.P., Sonneborn, G., Crenshaw, D.M., Nassiopoulos, G.E. 1987, *APJ*, 320, 602. Ultraviolet observations of SN 1987A
1916. Kirshner, R.P., Jeffery, D.J., Leibundgut, B., Challis, P.M., Sonneborn, G., Phillips, M.M., Suntzeff, N.B., Smith, R.C., Winkler, P.F., Winge, C., Hamuy, M., Hunter, D.A., Roth, K.C., Blades, J.C., Branch, D., Chevalier, R.A., Fransson, C., Panagia, N., Wagoner, R.V., Wheeler, J.C., Harkness, R.P. 1993, *APJ*, 415, 589. SN 1992A: ultraviolet and optical studies based on HST, IUE, and CTIO observations
1917. Kitchin, C.R. 1982, *MNRAS*, 198, 457. Ultraviolet spectroscopy of Phi Persei
1918. Kiziloglu, U., Derman, E., Ogelman, H., Tokdemir, F. 1983, *A&A*, 123, 17. Ultraviolet observations of AR Lacertae
1919. Kjaergaard, P., Norgaard-Nielsen, H.U., Cacciari, C., Wamsteker, W. 1984, *A&A*, 133, 363. A comparison between various UV photometric systems for late-type stars
1920. Kjaergaard, P. 1987, *A&A*, 176, 210. The interpretation of the UV light of elliptical galaxies
1921. Klare, G., Krautter, J., Wolf, B., Stahl, O., Vogt, N., Wargau, W., Rahe, J. 1982, *A&A*, 113, 76. IUE observations of dwarf novae during active phases

1922. Knigge, C., Drew, J., Hoare, M., la Dous, C. 1994, MNRAS, 269, 891. Time variability in the UV resonance lines of the cataclysmic variables MU Cen, AH Her and QU Car
1923. Knigge, C., Long, K.S., Hoard, D.W., Szkody, P., Dhillon, V.S. 2000, APJ, 539, L49. A self-occluding accretion disk in the SW Sextantis star DW Ursae Majoris
1924. Ko, Y.-K., Kallman, T.R. 1994, APJ, 431, 273. Emission lines from X-ray-heated accretion disks in low-mass X-ray binaries
1925. Ko, Y.K., Lee, Y.P., Schlegel, E., Kallman, T. 1996, APJ, 457, 363. Modelling emission lines from Dwarf Novae in quiescence
1926. Koch, R.H., Siah, M.J., Fanelli, M.N. 1979, PASP, 91, 474. IUE spectra of the massive close binary V382 Cygni
1927. Koch, R.H., Bradstreet, D.H., Perry, P.M., Pfeiffer, R.J. 1981, PASP, 93, 621. IUE spectra of the hot close binary V Puppis
1928. Koch, R.H., Hrivnak, B.J., Bradstreet, D.H., Blitzstein, W., Pfeiffer, R.J., Perry, P.M. 1985, APJ, 288, 731. IUE spectroscopy, visible-band photometry, and polarimetry of HD 47732 (V641 Monocerotis)
1929. Koch, R.H., Bradstreet, D.H., Hrivnak, B.J., Pfeiffer, R.J., Perry, P.M. 1986, AJ, 91, 590. HD 47755, a new eclipsing binary
1930. Koch, R.H., Corcoran, M.F., Holenstein, B.D., McCluskey, G.E. 1986, APJ, 306, 618. IUE observations of V Sagittae
1931. Kodaira, K., Watanabe, T., Onaka, T., Tanaka, W. 1990, APJ, 363, 422. Vacuum ultraviolet imagery of the Virgo cluster region. II. Total far-ultraviolet flux of galaxies
1932. Koehler, S., Reimers, D., Wamsteker, W. 1996, A&A, 312, 33. The ultraviolet absorption spectrum of the $z=2.72$ QSO HS1700+6416, II: Sulfur and neon in heavy element absorbing systems
1933. Koen, C. 1993, MNRAS, 262, 823. Transfer function analysis of ultraviolet observations of NGC 5548
1934. Koenigsberger, G., Auer, L.H. 1985, APJ, 297, 255. IUE observations of phase-dependent variations in WN+O systems
1935. Koenigsberger, G., Moffat, A.F.J., Auer, L.H. 1987, APJ, 322, L41. Atmospheric eclipses in the SMC Wolf-Rayet eclipsing binary HD 5980: the heavy versus the light metal abundance
1936. Koenigsberger, G., Auer, L.H. 1987, PASP, 99, 1080. Rapid emission-line variations in the UV spectrum of the Wolf-Rayet system HD 90657
1937. Koenigsberger, G. 1988, RMAA, 16, 75. Spectral variations in WNE Wolf-Rayet binaries: the Fe V + Fe VI pseudo-continuum
1938. Koenigsberger, G. 1990, A&A, 235, 282. The Fe V/Fe VI ionization structure in WNE Wolf-Rayet winds
1939. Koenigsberger, G. 1990, RMAA, 20, 85. The IUE spectrum of the Wolf-Rayet system HD 193077
1940. Koenigsberger, G., Moffat, A.F.J., Auer, L.H. 1991, APJ, 376, 272. Ultraviolet variability of the massive W-R binary system HDE 311884 = WR 47
1941. Koenigsberger, G., Moffat, A.F.J., St-Louis, N., Auer, L.H., Drissen, L., Seggewiss, W. 1994, APJ, 436, 301. Remarkable long-term changes in the Small Magellanic Cloud Wolf-Rayet system HD 5980

1942. Koenigsberger, G., Guinan, E., Auer, L., Georgiev, L. 1995, APJ, 452, L107. Ultraviolet observations of the eruption in the Small Magellanic Cloud Wolf-Rayet system HD 5980
1943. Koenigsberger, G., Georgiev, L., Barbá, R., Tzvetanov, Z., Walborn, n.R., Niemela, V.S., Morrell, N., Schulte-Ladbeck, R. 2000, APJ, 542, 428. Hubble Space Telescope observations of the luminous blue variable/W-R eclipsing binary system HD 5980
1944. Koester, D., Vauclair, G., Weidemann, V., Zeidler-K.T., E.M. 1982, A&A, 113, L13. Discovery of Ca II absorption at 1840 Å in IUE spectra of two helium-rich white dwarfs
1945. Koester, D., Weidemann, V., Zeidler-K.T., E.M. 1982, A&A, 116, 147. Atmospheric parameters and carbon abundance of white dwarfs of spectral types C2 and DC
1946. Koester, D., Weidemann, V., Vauclair, G. 1983, A&A, 123, L11. The temperature of the pulsating DB white dwarf GD 358
1947. Koester, D., Weidemann, V., Zeidler-K.T., E.M., Vauclair, G. 1985, A&A, 142, L5. The explanation of the 1400 and 1600 Å features in DA white dwarfs
1948. Koester, D., Weidemann, V. 1989, A&A, 219, 276. Detection of Lyman-alpha in the spectrum of a white dwarf with helium atmosphere
1949. Koester, D., Wegner, G., Kilkeny, D. 1990, APJ, 350, 329. Model atmosphere analysis of the DZ white dwarf K789-37
1950. Koester, D., Allard, N.F., Vauclair, G. 1994, A&A, 291, L9. FOS observations of G 117-B15A and the blue edge of the ZZ Ceti instability strip
1951. Koester, D., Liebert, J., Saffer, R.A. 1994, APJ, 422, 783. GD 323: new observations and analysis of the prototype DAB white dwarf
1952. Koesterke, L., Hamann, W.-R., Schmutz, W., Wessolowski, U. 1991, A&A, 248, 166. Spectral analyses of 19 Wolf-Rayet (WN) stars in the LMC
1953. Kollatschny, W., Schleicher, H., Fricke, K.J., Yorke, H.W. 1981, A&A, 104, 198. The line spectrum of the Fe II Seyfert I galaxy Akn 120
1954. Kollatschny, W., Fricke, K.J., Schleicher, H., Yorke, H.W. 1981, A&A, 102, L23. Variability of the continuum and the emission lines in the Seyfert 1 galaxy Akn 120
1955. Kollatschny, W., Fricke, K.J. 1983, A&A, 122, 33. Hydrogen line ratios of low redshift QSO's
1956. Kollatschny, W., Fricke, K.J. 1983, A&A, 125, 276. ESO 438-G 9: a Seyfert galaxy with unusual properties
1957. Kollatschny, W., Fricke, K.J. 1984, A&A, 135, 171. The double Seyfert nucleus of Mkn 226
1958. Kolman, M., Halpern, J.P., Shrader, C.R., Filippenko, A.V. 1991, APJ, 373, 57. The ultraviolet spectrum and continuum energy distribution of the bright quasar H1821+643
1959. Kolman, M., Halpern, J.P., Shrader, C.R., Filippenko, A.V., Fink, H.H., Schaeidt, S.G. 1993, APJ, 402, 514. Simultaneous ROSAT, Ginga, VLA, IUE, and optical observations of the bright quasar H 1821+643
1960. Kolman, M., Halpern, J.P., Martin, C., Awaki, H., Koyama, K. 1993, APJ, 403, 592. Simultaneous Ginga and IUE observations of the Seyfert galaxy NGC 3516
1961. Kondo, Y., McCluskey, G.E., Stencel, R.E. 1979, APJ, 233, 906. IUE observations of gas stream effects in the ultraviolet spectrum of U Cephei
1962. Kondo, Y., McCluskey, G.E., Feibelman, W.A. 1980, PASP, 92, 688. IUE observations of the ultraviolet spectrum of the close binary Delta Pictoris

1963. Kondo, Y., Worrall, D.M., Mushotzky, R.F., Hackney, R.L., Hackney, K.R.H., Oke, J.B., Yee, H.K.C., Neugebauer, G., Matthews, K., Feldman, P.A., Brown, R.L. 1981, APJ, 243, 690. Quasi-simultaneous observations of BL Lac object MRK 501 in X-ray, UV, visible, IR, and radio frequencies
1964. Kondo, Y., McCluskey, G.E., Harvel, C.A. 1981, APJ, 247, 202. IUE ultraviolet spectra of the interacting binary U Cephei
1965. Kondo, Y., Feibelman, W.A., West, D.K. 1982, APJ, 252, 208. Hot wind from Gamma 2 Velorum observed in the ultraviolet carbon lines
1966. Kondo, Y., McCluskey, G.E., Wu, C.-C. 1982, PASP, 94, 647. The early type component in Nu 1 Sagittarii
1967. Kondo, Y., McCluskey, G.E., Parsons, S.B. 1985, APJ, 295, 580. Variable, optically thick plasma in the interacting binaries R Arae and HD 207739
1968. Kondo, Y., Bruhweiler, F.C. 1985, APJ, 291, L1. IUE observations of Beta Pictoris: an IRAS candidate for a proto-planetary system
1969. Kondo, Y., McCluskey, G.E., Silvis, J.M.S., Polidan, R.S., McCluskey, C.P.S., Eaton, J.A. 1994, APJ, 421, 787. Ultraviolet light curves of Beta Lyrae: comparisons of OAO A-2, IUE, and Voyager observations
1970. Kontizas, E., Kontizas, M., Michalitsianos, A. 1993, A&A, 267, 49. Indications for common origin and gravitational interaction in three binary LMC clusters
1971. Koornneef, J., Mathis, J.S. 1981, APJ, 245, 49. Ultraviolet slit spectroscopy in the core of 30 Doradus with the International Ultraviolet Explorer
1972. Koornneef, J., Code, A.D. 1981, APJ, 247, 860. Ultraviolet interstellar extinction in the Large Magellanic Cloud using observations with the International Ultraviolet Explorer
1973. Koornneef, J. 1982, A&A, 107, 247. The gas to dust ratio and the near-infrared extinction law in the Large Magellanic Cloud
1974. Koppen, J., Wehrse, R. 1980, A&A, 85, L15. High dispersion EUV observations of planetary nebulae
1975. Koppen, J., Wehrse, R. 1983, A&A, 123, 67. The strength of the C IV 1550 Å resonance lines in planetary nebulae
1976. Koppen, J. 1983, A&A, 122, 95. Models of the planetary nebulae II 2003, NGC 3242, 6210, and 7009: constraints on the ionizing radiation of the central star
1977. Koratkar, A.P., Gaskell, C.M. 1989, APJ, 345, 637. Emission-line variability of Fairall 9: determination of the size of the broad-line region and the direction of gas motion
1978. Koratkar, A.P., Gaskell, C.M. 1991, APJ, 370, L61. Radius-luminosity and mass-luminosity relationships for active galactic nuclei
1979. Koratkar, A.P., Gaskell, C.M. 1991, APJ, 375, 85. IUE observations of NGC 5548, 1978-1988: the sizes and kinematics of the broad-line region
1980. Koratkar, A.P., Gaskell, C.M. 1991, APJS, 75, 719. Structure and kinematics of the broad-line regions in active galaxies from IUE variability data
1981. Koratkar, A.P., Kinney, A.L., Bohlin, R.C. 1992, APJ, 400, 435. Search for partial systemic Lyman edges in nearby quasars

1982. Koratkar, A.P., MacAlpine, G.M. 1992, APJ, 401, 110. Seyfert galaxy ultraviolet emission-line intensities and variability: a self-consistent photoionization analysis applied to broad-line-emitting gas in NGC 3783
1983. Koratkar, A.P., et al. 1996, APJ, 470, 378. The disappearing broad absorption lines and variable emission lines in NGC3516
1984. Koratkar, A., Evans, I., Pesto, S., Taylor, C. 1997, APJ, 491, 536. A Detailed Comparison of Hubble Space Telescope Faint Object Spectrograph and IUE Ultraviolet Spectra of Selected Seyfert Nuclei
1985. Koratkar A., Antonucci R., Goodrich R., Storrs A., 1998, APJ, 503, 599. Below the Lyman edge: Ultraviolet polarimetry of Quasars
1986. Koratkar, A., Pian, E., Urry, C. M., Pesce, J. E. 1998, APJ, 492, 173. Monitoring Ly alpha Emission from the Blazar 3C 279
1987. Korista, K.T. 1992, APJS, 79, 285. The broad emission-line profiles and profile variability of the Seyfert 1 galaxy Arakelian 120
1988. Korista, K.T. et al. 1995, APJS, 97, 285. Steps toward determination of the size and structure of the broad line region in AGN. VIII An intensive HST, IUE and ground-based study of NGC5548
1989. Korista, K.T., Goad, M.R. 2000, APJ, 536, 284. Locally optimally emitting clouds and the variable broad emission line spectrum of NGC 5548
1990. Kraemer, S.B., Harrington, J.P. 1986, APJ, 307, 478. Dust in the emission-line gas of the Seyfert 2 galaxy Markarian 3
1991. Kraemer, S.B., Wu, C.-C., Crenshaw, D.M., Harrington, J.P. 1994, APJ, 435, 171. IUE spectra and photoionization models of the Seyfert 2 galaxies NGC 7674 and I Zw 92
1992. Krautter, J., Klare, G., Wolf, B., Wargau, W., Drechsel, H., Rahe, J., Vogt, N. 1981, A&A, 98, 27. TT Ari: a new dwarf nova
1993. Krautter, J., Klare, G., Wolf, B., Duerbeck, H.W., Rahe, J., Vogt, N., Wargau, W. 1981, A&A, 102, 337. IUE spectroscopy of cataclysmic variables
1994. Krautter, J., Beuermann, K., Leitherer, C., Oliva, E., Moorwood, A.F.M., Deul, E., Wargau, W., Klare, G., Kohoutek, L., van Paradijs, J., Wolf, B. 1984, A&A, 137, 307. Observations of Nova Muscae 1983 from 1200 A-10 microns during its early decline stage
1995. Krautter, J., Williams, R.E. 1989, APJ, 341, 968. The nebular phase of Nova GQ Muscae 1983: evolution of the ionization of the optical spectrum
1996. Krelowski, J., Papaj, J. 1993, PASP, 105, 1209. The interstellar extinction curve
1997. Krishna Swamy, K.S., Wallis, M.K. 1987, MNRAS, 228, 305. Sulphur compounds in cometary IUE spectra
1998. Krishna Swamy, K.S., Tarafdar, S.P. 1987, OBS, 107, 29. Possible H₂ emission in Comet Bradfield
1999. Krishna Swamy, K.S., Shah, G.A. 1988, MNRAS, 233, 573. Nature of dust grains in comets
2000. Kriss, G.A., Davidsen, A.F., Blair, W.P., Bowers, C.W., Dixon, W.V., Durrance, S.T., Feldman, P.D., Ferguson, H.C., Henry, R.C., Kimble, R.A., Kruk, J.W., Long, K.S., Moos, H.W., Vancura, O. 1992, APJ, 392, 485. Hopkins Ultraviolet Telescope observations of the far-ultraviolet spectrum of NGC 4151

2001. Kriss, G.A., Davidsen, a.F., Zheng, W., Lee, G. 1999, APJ, 527, 683. The ultraviolet peak of the energy distribution in 3C273: evidence for an accretion disk and hot corona around a massive black hole
2002. Kriss, G. A., Peterson, B. M., Crenshaw, D. M., Zheng, W. 2000, APJ, 535, 58 A High Signal-to-Noise Ultraviolet Spectrum of NGC 7469: New Support for Reprocessing of Continuum Radiation
2003. Krolik, J.H., Horne, K., Kallman, T.R., Malkan, M.A., Edelson, R.A., Kriss, G.A. 1991, APJ, 371, 541. Ultraviolet variability of NGC 5548: dynamics of the continuum production region and geometry of the broad-line region
2004. Kudritzki, R.-P., Hummer, D.G., Pauldrach, A.W.A., Puls, J., Najarro, F., Imhoff, J. 1992, A&A, 257, 655. Radiation-driven winds of hot luminous stars. X. The determination of stellar masses, radii and distances from terminal velocities and mass-loss rates
2005. Kudritzki, R.P., Simon, K.P., Lynas-Gray, A.E., Kilkenny, D., Hill, P.W. 1982, A&A, 106, 254. LB 3459 - An O-type subdwarf eclipsing binary system Non-LTE analysis of the primary
2006. Kuin, N.P.M., Ahmad, I.A. 1989, APJ, 344, 856. Model for the red supergiant's wind in Zeta Aurigae systems
2007. Kunasz, P.B., Morrison, N.D., Spressart, B. 1983, APJ, 266, 739. Mass loss in HR 1040 (A0 Ia): analysis of Mg II lambda 2802 and H alpha
2008. Kunth, D., Lequeux, J., Sargent, W.L.W., Viallefond, F. 1994, A&A, 282, 709. Is there primordial gas in I Zw 18?
2009. Kunth D., Mas-Hesse J.M., Terlevich E., Terlevich R., Lequeux J., Fall S.M. 1998, A&A, 334, 11. HST study of Lyman-alpha emission in star-forming galaxies: the effect of neutral gas flows
2010. Kuraszkiewicz, J., Wilkes, B.J., Czerny, B., Mathur, S. 2000, APJ, 542, 692. What do the ultraviolet spectra of narrow-line Seyfert 1 galaxies tell us about their broad-line regions?
2011. Kwitter, K., Henry, R.B. 1996, APJ, 473, 304. A new look at carbon abundances in Planetary Nebulae,II: BB1, NGC650,NGC1535,NGC2440 and NGC7027
2012. Kwitter, K. B., Henry, R. B. C. 1998, APJ, 493, 247. A New Look at Carbon Abundances in Planetary Nebulae. III. DDDM1, IC 3568, IC 4593, NGC 6210, NGC 6720, NGC 6826, and NGC 7009
2013. la Dous, C., Verbunt, F., Schoembs, R., Argyle, R.W., Jones, D.H.P., Schwarzenberg-Czerny, A., Hassall, B.J.M., Pringle, J.E., Wade, R.A. 1985, MNRAS, 212, 231. Dwarf novae in outburst: simultaneous ultraviolet and optical observations of RU Pegasi and TZ Persei
2014. la Dous, C. 1991, A&A, 252, 100. New insights from a statistical analysis of IUE spectra of dwarf novae and nova-like stars. I. Inclination effects in lines and continua
2015. la Dous, C., Meyer, F., Meyer-Hofmeister, E. 1997, A&A, 321, 213. UV observations of dwarf novae in quiescence - effects of evaporation ?
2016. Lacy, J.H., Soifer, B.T., Neugebauer, G., Matthews, K., Malkan, M., Becklin, E.E., Wu, C.-C., Boggess, A., Gull, T.R. 1982, APJ, 256, 75. Infrared, optical and ultraviolet observations of hydrogen line emission from Seyfert Galaxies
2017. Laffont C., Boice D.C., Moreels G., Clairemidi J., Rousselot P., Andernach H. 1998, GeoRL, 25, 2749. Tentative identification of S₂ in the IUE spectra of Comet Hyakutake (C/1996 B2)
2018. Lagrange, A.M., Ferlet, R., Vidal-Madjar, A. 1987, A&A, 173, 289. The Beta Pictoris circumstellar disk. IV. Redshifted UV lines

2019. Lagrange, A.M., Vidal-Madjar, A., Deleuil, M., Emerich, C., Beust, H., Ferlet, R. 1995, *A&A*, 296, 499. The Beta Pictoris circumstellar disk. XVII. Physical and chemical parameters of the disk.
2020. Lagrange-Henri, A., Vidal-Madjar, A., Ferlet, R. 1988, *A&A*, 190, 275. The Beta Pictoris circumstellar disk VI. Evidence for material falling on to the star
2021. Lagrange-Henri, A.M., Beust, H., Ferlet, R., Vidal-Madjar, A. 1989, *A&A*, 215, L5. The circumstellar gas around Beta Pictoris. VIII. Evidence for a clumpy structure of the infalling gas
2022. Lamb, S.A., Gallagher, J.S., Hjellming, M.S., Hunter, D.A. 1985, *APJ*, 291, 63. IUE observations of amorphous hot galaxies
2023. Lambert, D.L., Slovak, M.H. 1981, *PASP*, 93, 477. The ultraviolet spectrum of the twin-degenerate interacting binary G 61-29
2024. Lamers, H.J.G.L.M., de Groot, M., Cassatella, A. 1983, *A&A*, 123, L8. P Cygni stars as an intermediate stage between red supergiants and Wolf-Rayet stars
2025. Lamers, H.J.G.L.M., de Groot, M., Cassatella, A. 1983, *A&A*, 128, 299. The distance, temperature, and luminosity of the hypergiant P Cygni (B1 Ia+)
2026. Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A. 1985, *A&A*, 149, 29. The ejection of shells in the stellar wind of the hypergiant P Cygni (B 1 Ia+)
2027. Lamers, H.J.G.L.M., Snow, T.P., de Jager, C., Langerwerf, A. 1988, *APJ*, 325, 342. Fast variations in the ultraviolet resonance lines of Alpha Camelopardalis (O9.5 Ia): evidence for blobs in the wind
2028. Lamers, H.J.G.L.M. 1994, *AP&SS*, 221, 41. Observational aspects of wind variability
2029. Lamers, H. J. G. L. M., Haser, S., de Koter, A., Leitherer, C. 1999, *APJ*, 516, 872. The Ionization in the Winds of O Stars and the Determination of Mass-Loss Rates from Ultraviolet Lines
2030. Lamontagne, R., Wesemael, F., Fontaine, G., Sion, E.M. 1985, *APJ*, 299, 496. Studies of hot B subdwarfs. III. Carbon, nitrogen, and silicon abundances in three sdB stars
2031. Lamontagne, R., Wesemael, F., Fontaine, G. 1987, *APJ*, 318, 844. Studies of hot B subdwarfs. V. Continuing investigation of the C, N, and Si abundance patterns in the atmospheres of sdB stars
2032. Landau, R., Golisch, W., Jones, T.J., Jones, T.W., Pedelty, J., Rudnick, L., Sitko, M.L., Kenney, J., Roellig, T., Salonen, E., Urpo, S., Schmidt, G., Neugebauer, G., Matthews, K., Elias, J.H., Impney, C., Clegg, P., Harris, S. 1986, *APJ*, 308, 78. Active extragalactic sources: nearly simultaneous observations from 20 centimeters to 1400 Å
2033. Landi, E., Landini, M., Del Zanna, G. 1997, *A&A*, 324, 1027. The EUV spectrum of kappa Ceti: an active Sun.
2034. Landini, M., Monsignori Fossi, B.C., Paresce, F., Stern, R.A. 1985, *APJ*, 289, 709. Extreme-ultraviolet emission from cool star outer atmospheres
2035. Landsman, W., Simon, T. 1991, *APJ*, 366, L79. Stellar Lyman-alpha emission and the local interstellar medium
2036. Landsman, W., Simon, T. 1993, *APJ*, 408, 305. A catalog of stellar Lyman-alpha fluxes
2037. Landsman, W., Simon, T., Bergeron, P. 1993, *PASP*, 105, 841. The hot white-dwarf companions of HR 1608, HR 8210, and HD 15638

2038. Landsman, W., Henry, R., Moos, H., Linsky, J. 1984, APJ, 285, 801. Observations of interstellar hydrogen and deuterium toward Alpha Centauri A
2039. Landsman, W.B., Murthy, J., Henry, R.C., Moos, H.W., Linsky, J.L., Russell, J.L. 1986, APJ, 303, 791. IUE observations of interstellar hydrogen and deuterium toward Alpha Centauri B
2040. Landsman, W.B., O'Connell, R.W., Whitney, J.H., Bohlin, R.C., Hill, R.S., Maran, S.P., Parise, R.A., Roberts, M.S., Smith, A.M., Stecher, T.P. 1992, APJ, 395, L21. The ultraviolet-bright stars of Omega Centauri, M 3, and M 13
2041. Landsman, W.B., Roberts, M.S., Bohlin, R.C., O'Connell, R.W., Smith, A.M., Stecher, T.P. 1992, APJ, 401, L83. The ultraviolet color gradient in the late-type spiral galaxy M 33
2042. Landsman, W., Simon, T., Bergeron, P. 1996, PASP, 108, 250. The white dwarf companions of 56 Persei and HR3643
2043. Landtsheer, A.C., Mulder, P.S. 1983, A&A, 127, 297. IUE observations of the eclipsing binaries TV Cas and YZ Cas
2044. Lane, A.L., Hamrick, E., Boggess, A., Evans, D.C., Gull, T.R., Schiffer, F.H., Turnrose, B., Perry, P., Holm, A., Macchetto, F., Gondhalekar, P.M., Hunt, G.E., Wilson, R., Owen, T.C., Moos, H.W., Tomasko, M., Gehrels, T., Conway, R., Barth, C. 1978, NATURE, 275, 414. IUE observations of solar system objects
2045. Lane, A.L., Nelson, R.M., Matson, D.L. 1981, NATURE, 292, 38. Evidence for sulphur implantation in Europa's UV absorption band
2046. Lane, M.C., Lester, J.B. 1984, APJ, 281, 723. Effective temperatures and surface gravities of metallic-line A stars
2047. Lang, K.R., Willson, R.F. 1988, APJ, 328, 610. Ultraviolet and radio flares from UX Arietis and HR 1099
2048. Lanz, T. 1984, A&A, 139, 161. Bolometric corrections for peculiar B-type stars
2049. Lanz, T., Artru, M., Le Dourneuf, M., Hubeny, I. 1996, A&A, 309, 218 Photoionization resonances of SiIII in stellar spectra
2050. Lanz, T., Barstow, M., Hubeny, I., Holberg, J. 1996, APJ, 473, 1089. A self-consistent optical, ultraviolet and extreme ultraviolet model for the spectrum of the hot white dwarf G191-B2B
2051. Lanzetta, K.M. 1991, APJ, 375, 1. Evolution of high-redshift Lyman-limit absorption systems
2052. Lanzetta, K.M., Turnshek, D.A., Sandoval, J. 1993, APJS, 84, 109. Ultraviolet spectra of QSOs, BL Lacertae objects, and Seyfert galaxies
2053. Lanzetta, K.M., Wolfe, A.M., Turnshek, D.A. 1995, APJ, 440, 435. The IUE survey for damped Lyman-alpha and Lyman-limit absorption systems: evolution of the gaseous content of the universe
2054. Laor, A. 1990, MNRAS, 246, 369. Massive thin accretion discs - III. Comparison with the observations
2055. Laor, A., Bahcall, J.N., Jannuzi, B.T., Schneider, D.P., Green, R.F., Hartig, G.F. 1994, APJ, 420, 110. The ultraviolet emission properties of five low-redshift active galactic nuclei at high signal-to-noise ratio and spectral resolution
2056. Larson, H., Hu, H.-Y., Mumma, M., Weaver, H. 1990, ICARUS, 86, 129. Outbursts of H₂O in comet P/Halley

2057. Larson, K. A., Wolff, M. J., Roberge, W. G., Whittet, D. C. B., He, L. 2000, APJ, 532, 102. The Size Distribution of Dust toward HD 210121 as Determined from Extinction
2058. Laskarides, P.G., Theodossiou, E., Danezis, E. 1991, AP&SS, 179, 13. The far UV spectrum of the O4 V((f)) star 9 Sagittarii
2059. Laskarides, P.G., Danezis, E., Theodossiou, E. 1991, AP&SS, 183, 67. The far UV spectrum of the O4 I(n)f star Zeta Puppis
2060. Lastennet, E., Freire Ferrero, R. 1994, A&AS, 108, 611. A Ca II and Mg II luminosity/emission-width data base
2061. Laurent, C., Paul, J.A., Pettini, M. 1982, APJ, 260, 163. The violent interstellar medium associated with the Carina Nebula. I. The line of sight toward HD 93205
2062. Laval, A., Gry, C., Rosado, M., Marcelin, M., Greve, A. 1994, A&A, 288, 572. The exciting star of the small bubble N 120A in the Large Magellanic Cloud
2063. Lawrence, A., Rigopoulou, D., Rowan-Robinson, M., McMahon, R.G., Broadhurst, T., Lonsdale, C.J. 1994, MNRAS, 266, L41. A ROSAT observation of the high-redshift galaxy IRAS F10214+4724
2064. Lawrence, A., Elvis, M., Wilkes, B., McHardy, I., Brandt, N. 1997, MNRAS, 285, 879. X-ray and optical continua of active galactic nuclei with extreme FeII emission
2065. Lawson, W. A., Maldoni, M. M., Clayton, G. C., Valencic, L., Jones, A. F., Kilkenny, D., van Wyk, F., Roberts, G., Marang, F. 1999, AJ, 117, 3007. The Fall and Rise of V854 Centauri: Long-Term Ultraviolet Spectroscopy of a Highly Active R Coronae Borealis Star
2066. Leckrone, D.S. 1981, APJ, 250, 687. The resonance line of B II in IUE spectra of chemically peculiar stars
2067. Leckrone, D.S. 1984, APJ, 286, 725. The resonance lines of Hg II in IUE spectra of chemically peculiar stars
2068. Leckrone, D.S., Adelman, S.J. 1989, APJS, 71, 387. On the signal-to-noise ratio in IUE high-dispersion spectra
2069. Leckrone, D.S., Wahlgren, G.M., Johansson, S.G. 1991, APJ, 377, L37. First results from the Goddard High-Resolution Spectrograph: high-resolution observations of the 1942 Å resonance line of Hg II in the chemically peculiar B star Chi Lupi
2070. Ledoux, P., Noels, A., Boury, A. 1982, A&A, 108, 49. Vibrational instability of a 3000 solar mass star and the R136a problem
2071. Lee, M.G., Bohm, K.H., Temple, S.D., Raga, A.C., Mateo, M.L., Brugel, E.W., Mundt, R. 1988, AJ, 96, 1690. The spatial distribution of ultraviolet line and continuum emission in Herbig-Haro objects
2072. Leech, K.J., Penston, M.V., Snijders, M.A.J., Gull, T.R. 1987, MNRAS, 225, 837. The Mg II line profile in the Seyfert galaxy NGC 4151: a new outflowing component
2073. Leech, K.J., Penston, M.V., Snijders, M.A.J. 1991, MNRAS, 249, 24P. The missing UV absorption lines of NGC 4151
2074. Leibowitz, E.M., Formigini, L. 1992, A&A, 265, 605. The continuum radiation of the symbiotic star AG Draconis in quiescence and during outbursts
2075. Leibundgut, B., Kirshner, R.P., Filippenko, A.V., Shields, J.C., Foltz, C.B., Phillips, M.M., Sonneborn, G. 1991, APJ, 371, L23. Premaximum observations of the type Ia SN 1990N

2076. Leisy, P., Dennefield, M. 1996, *A&AS*, 116, 95. Planetary nebulae in the Magellanic Clouds, I: Carbon abundances and Type 1 PNe
2077. Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B. 1985, *A&A*, 153, 168. The massive wind of S Dor
2078. Leitherer, C., Forbes, D., Gilmore, A.C., Hearnshaw, J., Klare, G., Krautter, J., Mandel, H., Stahl, O., Strupat, W., Wolf, B., Zickgraf, F.-J., Zirbel, E. 1987, *A&A*, 185, 121. Photometry and spectroscopy of the O-type variable HD 167971
2079. Leitherer, C., Lamers, H.J.G.L.M. 1991, *APJ*, 373, 89. Si IV and C IV resonance lines as indicators of massive stars in starburst galaxies
2080. Leitherer, C., Robert, C., Drissen, L. 1992, *APJ*, 401, 596. Deposition of mass, momentum, and energy by massive stars into the interstellar medium
2081. Leitherer, C., Allen, R., Altner, B., Daminieli, A., Drissen, L., Idiart, T., Lupie, O., Nota, A., Robert, C., Schmutz, W., Shore, S.N. 1994, *APJ*, 428, 292. Geometry and physical conditions in the stellar wind of AG Carinae
2082. Leitherer, C., et al. 1996, *PASP*, 108, 996. A database for galaxy evolution modelling
2083. Lellouch, E., Belton, M., de Pater, I., Paubert, G., Gulkis, S., Encrenaz, T. 1992, *ICARUS*, 98, 271. The structure, stability, and global distribution of Io's atmosphere
2084. Lemke, M. 1990, *A&A*, 240, 331. Abundance anomalies in main sequence A stars. II. C, Si, Ca and the heavy elements Sr and Ba
2085. Lemke, M., Lambert, D.L., Edvardsson, B. 1993, *PASP*, 105, 468. The boron abundance of Procyon
2086. Lemmens, A.F.P., Rutten, R.G.M., Zwaan, C. 1992, *A&A*, 257, 671. Magnetic structure in cool stars. XVIII. UV-line emissions from T Tauri stars
2087. Lennon, D.J., Dufton, P.L., Keenan, F.P., Holmgren, D.E. 1991, *A&A*, 246, 175. On the nature of HD 93521, a high galactic latitude O-star
2088. Lenz, D.D., Ayres, T.R. 1992, *PASP*, 104, 1104. Errors associated with fitting Gaussian profiles to noisy emission-line spectra
2089. Lenzuni, P., Natta, A., Panagia, N. 1989, *APJ*, 345, 306. Properties and evolution of dust grains in planetary nebulae
2090. Lequeux, J., Maucherat-Joubert, M., Deharveng, J.M., Kunth, D. 1981, *A&A*, 103, 305. Star formation and extinction in extragalactic H II regions
2091. Lequeux, J., Maurice, E., Prevot-Burnichon, M.L., Prevot, L., Rocca-Volmerange, B. 1982, *A&A*, 113, L15. SK143: an SMC star with a galactic-type ultraviolet interstellar extinction
2092. Leuenhagen, U., Hamann, W.-R. 1994, *A&A*, 283, 567. V348 Sagittarii: analysis of the [WC12] stellar spectrum
2093. Lichti, G.G., Balonek, T., Courvoisier, T.J.-L., Johnson, N., McConnell, M., McNamara, B., von Montigny, C., Paciesas, W., Robson, E.I., Sadun, A., Schalinski, C., Smith, A.G., Staubert, R., Steppe, H., Swanenburg, B.N., Turner, M.J.L., Ulrich, M.-H., Williams, O.R. 1995, *A&A*, 298, 711. Simultaneous and quasi-simultaneous observations of the continuum emission of the quasar 3C 273 from radio to gamma-ray energies
2094. Liebert, J., Schmidt, G.D., Green, R.F., Stockman, H.S., McGraw, J.T. 1983, *APJ*, 264, 262. Two hot, low-field magnetic DA white dwarfs

2095. Liebert, J., Wesemael, F., Sion, E.M., Wegner, G. 1984, APJ, 277, 692. GD 323: a white dwarf with a stratified H/He atmosphere?
2096. Liebert, J., Schmidt, G.D., Sion, E.M., Starrfield, S.G., Green, R.F., Boroson, T.A. 1985, PASP, 97, 158. Two new color-selected magnetic DA white dwarfs
2097. Liebert, J., Wesemael, F., Hansen, C.J., Fontaine, G., Shipman, H.L., Sion, E.M., Winget, D.E., Green, R.F. 1986, APJ, 309, 241. Temperatures for hot and pulsating DB white dwarfs obtained with the IUE observatory
2098. Liebert, J., Wesemael, F., Husfeld, D., Wehrse, R., Starrfield, S.G., Sion, E.M. 1989, AJ, 97, 1440. The high-resolution spectrum of the pulsating, pre-white dwarf star PG 1159-035 (GW Vir)
2099. Liebert, J., Green, R., Bond, H.E., Holberg, J.B., Wesemael, F., Fleming, T.A., Kidder, K. 1989, APJ, 346, 251. A compact planetary nebula around the hot white dwarf EGB 6/PG 0950+139
2100. Liebert, J., Bergeron, P., Schmidt, G.D., Saffer, R.A. 1993, APJ, 418, 426. Discovery of a magnetic/nonmagnetic double-degenerate binary system
2101. Linnell, A.P., Peters, G.J., Polidan, R.S. 1988, APJ, 327, 265. An improved photometric analysis of SX Aurigae
2102. Linnell, A.P., Scheick, X. 1991, APJ, 379, 721. Does SV Centauri harbor an accretion disk?
2103. Linsky, J.L., Ayres, T.R., Basri, G.S., Morrison, N.D., Boggess, A., Schiffer, F.H., Holm, A., Cassatella, A., Heck, A., Macchetto, F., Stickland, D., Wilson, R., Blanco, C., Dupree, A.K., Jordan, C., Wing, R.F. 1978, NATURE, 275, 389. IUE observations of cool stars: Alpha Aurigae, HR 1099, Lambda Andromedae, and Epsilon Eridani
2104. Linsky, J.L., Haisch, B.M. 1979, APJ, 229, L27. Outer atmospheres of cool stars. I. The sharp division into solar-type and non-solar type stars
2105. Linsky, J.L., Bornmann, P.L., Carpenter, K.G., Wing, R.F., Giampapa, M.S., Worden, S.P., Hege, E.K. 1982, APJ, 260, 670. Outer atmospheres of cool stars. XII. A survey of IUE ultraviolet emission line spectra of cool dwarf stars
2106. Linsky, J.L., Neff, J.E., Brown, A., Gross, B.D., Simon, T., Andrews, A.D., Rodono, M., Feldman, P.A. 1989, A&A, 211, 173. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. X. The 1981 October 3 flare on V711 Tauri (=HR 1099)
2107. Linsky, J.L., Brown, A., Gayley, K., Diplas, A., Savage, B.D., Ayres, T., Landsman, W., Shore, S., Heap, S. 1993, APJ, 402, 694. Goddard High-Resolution Spectrograph observations of the local interstellar medium and the deuterium/hydrogen ratio along the line of sight toward Capella
2108. Lipari, S., Colina, L., Macchetto, F. 1994, APJ, 427, 174. Galaxies with extreme infrared and Fe II emission. I. Markarian 231: the signature of a young infrared QSO
2109. Lipari, S. 1994, APJ, 436, 102. Galaxies with extreme infrared and Fe II emission. II. IRAS 07598+6508: a starburst/young broad absorption line QSO
2110. Lipari, S., Díaz, R., Taniguchi, Y., Terlevich, R., Dottori, H., Carranza, G. 2000, AJ, 120, 645. Luminous infrared galaxies. III. Multiple merger extended massive star formation, galactic wind and nuclear inflow in NGC 3256
2111. Liseau, R., Huldtgren, M., Fridlund, C., Cameron, M. 1996, A&A, 306, 255. Time variable shocks in the uv: long-term IUE monitoring of HH29

2112. Little-Marenin, I.R., Simon, T., Ayres, T.R., Cohen, N.L., Feldman, P., Linsky, J., Little, S., Lyons, R. 1986, APJ, 303, 780. Ultraviolet, optical, infrared, and microwave observations of HR 5110
2113. Little-Marenin, I.R., Little, S.J. 1987, AJ, 93, 1539. A search for technetium (Tc II) in barium stars
2114. Little-Marenin, I.R., Benson, P.J., McConahay, M.M., Cadmus, R.R., Stencel, R.E., Eriksson, K. 1991, A&A, 249, 465. S Persei: optical and water maser variability - 1984 to 1990
2115. Littleton, J.E., Davis, S.P. 1988, APJ, 333, 1026. Transition strength data for the orange and red bands of CaCl
2116. Liu, X.-W. 1998, AP&SS, 255, 499. Chemical Abundances of Planetary Nebulae: A UV to Far-IR Case Study of NGC 6153
2117. Liu, X.-W., Storey, P. J., Barlow, M. J., Danziger, I. J., Cohen, M., Bryce, M. 2000, MNRAS, 312, 585. NGC 6153: a super-metal-rich planetary nebula?
2118. Livengood, T.A., Strobel, D.F., Moos, H.W. 1990, JGR, 95, 10375. Long-term study of longitudinal dependence in primary particle precipitation in the north Jovian aurora
2119. Livengood, T.A., Moos, H.W. 1990, GRL, 17, 2265. Jupiter's north and south polar aurorae with IUE data
2120. Livengood, T.A., Moos, H.W., Ballester, G.E., Prange, R.M. 1992, ICARUS, 97, 26. Jovian ultraviolet auroral activity, 1981-1991
2121. Llorente de Andres, F., Burki, G., Ruiz del Arbol, J.A. 1982, A&A, 107, 43. Mass loss rates in the open cluster IC 1805
2122. Lloyd, C., Stickland, D., Walbor, N., Nolan, R., 1995, PASP, 107, 1030. The variable velocity of theta Carinae
2123. Lloyd Evans, T., Balona, L.A., Fekel, F.C. 1987, MNRAS, 226, 813. Studies of calcium emission stars. I. HD 158393 - a giant star in a binary system
2124. Lockman, F.J., Hobbs, L.M., Shull, J.M. 1986, APJ, 301, 380. The extent of the local H I halo
2125. Long, K.S., Blair, W.P., Bowers, C.W., Davidsen, A.F., Kriss, G.A., Sion, E.M., Hubeny, I. 1993, APJ, 405, 327. Observations of the white dwarf in the U Geminorum system with the Hopkins Ultraviolet Telescope
2126. Long, K.S., Wade, R.A., Blair, W.P., Davidsen, A.F., Hubeny, I. 1994, APJ, 426, 704. Observations of the bright novalike variable IX Velorum with the Hopkins Ultraviolet Telescope
2127. Longo, G., Bender, R., Busarello, G., Capaccioli, M. 1989, A&A, 225, L17. A correlation between shape and (UV-V) color for early-type galaxies
2128. Longo, G., Capaccioli, M., Ceriello, A. 1991, A&AS, 90, 375. The UV properties of normal galaxies. I. The IUE data
2129. Longo, R., Stalio, R., Polidan, R.S., Rossi, L. 1989, APJ, 339, 474. Intrinsic ultraviolet (912-3200 Å) energy distribution of OB stars
2130. Lonsdale, C.J., Smith, H.E., Lonsdale, C.J. 1995, APJ, 438, 632. Ultraluminous infrared galaxies and the radio-optical correlation for quasars
2131. Lopes, D.F., Damineli Neto, A., de Freitas Pacheco, J.A. 1992, A&A, 261, 482. A spectroscopic study of luminous peculiar B-type stars

2132. Loska, Z., Czerny, B., Szczerba, R. 1993, MNRAS, 262, L31. The short-term disappearance of the broad-line region in NGC 5548: implications for the dusty torus model
2133. Loska, Z., Czerny, B. 1997, MNRAS, 284, 946. Models of optical/uv continua in AGN: Constraints from the NGC5548 monitoring campaign
2134. Lotz, J. M., Ferguson, H. C., Bohlin, R. C. 2000, APJ, 532, 830. Mid-Ultraviolet Determination of Elliptical Galaxy Abundances and Ages
2135. Lub, J., de Ruiter, H.R. 1992, A&A, 256, 33. Optical variability of Seyfert nuclei. II. Fairall 9
2136. Lucy, L.B. 1987, A&A, 182, L31. Computed ultraviolet spectra for SN 1987a
2137. Luhman, M., Luhman, K., Benedict, T., Jaffe, D., Fischer, J. 1997, APJ, 480, L133. Near-infrared spectra of IC59/63 and NGC1535: Comparing infrared and ultraviolet observations of H₂
2138. Lundqvist, P., Fransson, C. 1988, A&A, 192, 221. Circumstellar absorption of UV and radio emission from supernovae
2139. Lundqvist, P., Fransson, C. 1991, APJ, 380, 575. Circumstellar emission from SN 1987A
2140. Lundqvist, P. 1992, PASP, 104, 787. The narrow emission lines from SN 1987A
2141. Lundqvist, P., Fransson, C. 1996, APJ, 464, 924. The line emission from the circumstellar gas around SN1987A
2142. Luo, D., Pradhan, A.K., Shull, J.M. 1988, APJ, 335, 498. Oscillator strengths for Si II
2143. Luo, D., McCray, R. 1991, APJ, 372, 194. Supernova remnant 1987A
2144. Luo, D., McCray, R. 1991, APJ, 379, 659. The circumstellar shell of SN 1987A
2145. Luttermoser, D.G., Johnson, H.R., Avrett, E.H., Loeser, R. 1989, APJ, 345, 543. Chromospheric structure of cool carbon stars
2146. Luttermoser, D.G., Brown, A. 1992, APJ, 384, 634. A VLA 3.6 centimeter survey of N-type carbon stars
2147. Luttermoser, D.G., Johnson, H.R. 1992, APJ, 388, 579. Ionization and excitation in cool giant stars. I. Hydrogen and helium
2148. Luttermoser, D.G., Johnson, H.R., Eaton, J.A. 1994, APJ, 422, 351. The chromospheric structure of the cool giant star ϵ Herculis
2149. Luttermoser, D.G. 2000, APJ, 536, 923. The atmospheres of Mira variables. A view with the Hubble Space Telescope
2150. Lutz, J.H., Seaton, M.J. 1979, MNRAS, 187, 1P. The Ne IV D-S lines in the planetary nebula NGC 7662
2151. Lutz, J.H. 1981, APJ, 247, 144. The abundance of carbon in HU 2-1
2152. Lutz, J.H. 1984, APJ, 279, 714. Ultraviolet and optical spectroscopy of CN 1-1 (=HDE 330036)
2153. Lutz, J.H., Lutz, T.E., Dull, J.D., Kolb, D.D. 1987, AJ, 94, 463. Ultraviolet and optical observations of AG Draconis
2154. Lutz, J.H., Kaler, J.B., Shaw, R.A., Schwarz, H.E., Aspin, C. 1989, PASP, 101, 966. He 2-104: a link between symbiotic stars and planetary nebulae?

2155. Lynas-Gray, A.E., Schonberner, D., Hill, P.W., Heber, U. 1984, MNRAS, 209, 387. The pulsating extreme helium star BD +13 3224. II. Ultraviolet fluxes and effective temperature variations
2156. Lynas-Gray, A.E., Kilkenny, D., Skillen, I., Jeffery, C.S. 1987, MNRAS, 227, 1073. Non-radial pulsations in the extreme helium star HD 160641
2157. MacAlpine, G., Davidson, K., Gull, T., Wu, C.-C. 1985, APJ, 294, 147. He II 1640 A/4686 A and Lyman alpha/H beta ratios in the extraordinary Seyfert galaxy Markarian 359
2158. MacAlpine, G.M. 1988, PASP, 100, 65. Ultraviolet spectra of the narrow-lined Seyfert galaxies Markarian 573 and Markarian 1388
2159. Maccagni, D., Maraschi, L., Tanzi, E.G., Tarengi, M., Chiappetti, L. 1983, APJ, 273, 75. X-ray and UV observations of the BL Lacertae object 3C 66A
2160. Maciel, W.J. 1995, AP&SS, 229, 203. New kinematic distances of NGC7009 and BD+30 3639 from ultraviolet and radio data
2161. MacLaren, I., Ellis, R.S., Couch, W.J. 1988, MNRAS, 230, 249. Spectral energy distributions of galaxies in high-redshift clusters - III. Abell 370 at $z=0.37$
2162. MacLow, M., Chang, T. H., Chou, Y.-H., Points, S. D., Smith, R. C., Wakker, B. P. 1998, APJ, 493, 260. X-Rays from Superbubbles in the Large Magellanic Cloud. V. The H ii Complex N11
2163. Macomb, D.J., Akerlof, C.W., Aller, H.D., Aller, M.F., Bertsch, D.L., Bruhweiler, F., Buckley, J.H., Carter-Lewis, D.A., Cawley, M.F., Cheng, K.-P., Dermer, C., Fegan, D.J., Gaidos, J.A., Gear, W.K., Hall, C.R., Hartman, R.C., Hillas, A.M., Kafatos, M., Kerrick, A.D., Kniffen, D.A., Kondo, Y., Kubo, H., Lamb, R.C., Makino, F., Makishima, K., Marscher, A., McEnery, J., McHardy, I.M., Meyer, D.I., Moore, E.M., Ramos, E., Robson, E.I., Rose, H.J., Schubnell, M.S., Sembroski, G., Stevens, J.A., Takahashi, T., Tashiro, M., Weekes, T.C., Wilson, C., Zweerink, J. 1995, APJ, 449, L99. Multiwavelength observations of Markarian 421 during a TeV/X-ray flare
2164. Magdziarz, P., Blaes, O.M., Zdziarski, A.A., Johnson, W.N., Smith, D.A. 1998, MNRAS, 301, 179. A spectral decomposition of the variable optical, ultraviolet and X-ray continuum of NGC 5548
2165. Magris C., G., Bruzual A., G. 1993, APJ, 417, 102. Population synthesis and the ultraviolet spectrum of elliptical galaxies
2166. Magris C., G., Binette, L., Martin, P. 1993, AP&SS, 205, 141. A thick reflection nebula illuminated by a power law
2167. Makino, F., Tanaka, Y., Matsuoka, M., Koyama, K., Inoue, H., Makishima, K., Hoshi, R., Hayakawa, S., Kondo, Y., Urry, C.M., Mufson, S.L., Hackney, K.R., Hackney, R.L., Kikuchi, S., Mikami, Y., Wisniewski, W.Z., Hiromoto, N., Nishida, M., Burnell, J., Brand, P., Williams, P.M., Smith, M.G., Takahara, F., Inoue, M., Tsuboi, M., Tabara, H., Kato, T., Aller, M.F., Aller, H.D. 1987, APJ, 313, 662. Simultaneous multifrequency observations of the BL Lacertae object Markarian 421
2168. Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 1985, A&A, 152, 117. Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956
2169. Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 1986, A&A, 162, 140. The empirical BC versus T_{eff} scale for non-supergiant O9-G5 stars
2170. Malagnini, M.L., Morossi, C., Buser, R., Parthasarathy, M. 1992, A&A, 261, 558. Cool star flux spectra for population studies in galaxies

2171. Malfait K., Bogaert E., Waelkens C. 1998, *A&A*, 331, 211. An ultraviolet, optical and infrared study of Herbig Ae/Be stars
2172. Malkan, M.A., Sargent, W.L.W. 1982, *APJ*, 254, 22. The ultraviolet excess of Seyfert 1 galaxies and quasars
2173. Malkan, M.A. 1983, *APJ*, 268, 582. The ultraviolet excess of luminous quasars. II. Evidence for massive accretion disks
2174. Malkan, M.A., Oke, J.B. 1983, *APJ*, 265, 92. IUE observations of Markarian 3 and 6: reddening and the nonstellar continuum
2175. Malkan, M.A., Moore, R.L. 1986, *APJ*, 300, 216. The ultraviolet excess of quasars. III. The highly polarized quasars PKS 0736+017 and PKS 1510-089
2176. Malkan, M.A., Green, R.F., Hutchings, J.B. 1987, *APJ*, 322, 729. PG 1411+442: the nearest broad absorption line quasar
2177. Malkov, Yu.F. 1993, *AP&SS*, 204, 305. The gas kinematics in the nucleus of Seyfert galaxy NGC 5548
2178. Mallik, S.V. 1990, *PASP*, 102, 1148. Role of nonthermal velocity fields in determining the H-alpha widths in supergiant chromospheres
2179. Maloney, F.P., Guinan, E.F., Boyd, P.T. 1989, *AJ*, 98, 1800. Eclipsing binary stars as tests of gravity theories: the apsidal motion of AS Camelopardalis
2180. Mansperger, C.S., Kaitchuck, R.H., Garnavich, P.M., Dinshaw, N., Zamkoff, E. 1994, *PASP*, 106, 858. HL Canis Majoris in preoutburst and SS Cygni - The interoutburst disk instability
2181. Maoz, D., Netzer, H., Peterson, B.M., Bechtold, J., Bertram, R., Bochkarev, N.G., Carone, T.E., Dietrich, M., Filippenko, A.V., Kollatschny, W., Korista, K.T., Shapovalova, A.I., Shields, J.C., Smith, P.S., Thiele, U., Wagner, R.M. 1993, *APJ*, 404, 576. Variations of the ultraviolet Fe II and Balmer continuum emission in the Seyfert galaxy NGC 5548
2182. Maran, S., Aller, L., Gull, T., Stecher, T. 1982, *APJ*, 253, L43. Ultraviolet spectroscopy of planetary nebulae in the Magellanic Clouds
2183. Maran, S.P., Gull, T.R., Stecher, T.P., Aller, L.H., Keyes, C.D. 1984, *APJ*, 280, 615. Ultraviolet spectroscopy of the planetary nebula in the Fornax galaxy
2184. Maran, S.P., Michalitsianos, A.G., Oliverson, R.J., Sonneborn, G. 1991, *NATURE*, 350, 404. Spectral transformation of the unusual variable star MWC560 to resemble a nova
2185. Maran, S.P., Robinson, R.D., Shore, S.N., Brosius, J.W., Carpenter, K.G., Woodgate, B.E., Linsky, J.L., Brown, A., Byrne, P.B., Kundu, M.R., White, S., Brandt, J.C., Shine, R.A., Walter, F.M. 1994, *APJ*, 421, 800. Observing stellar coronae with the Goddard High Resolution Spectrograph. I. The dMe star AU Microscopii
2186. Maranon Di Leo, C., Colombo, E., Ringuélet, A.E. 1994, *A&A*, 286, 160. Beta 1 Monocerotis: oscillations and chromospheric structure
2187. Maraschi, L., Tanzi, E.G., Treves, A. 1980, *APJ*, 241, L23. Far-ultraviolet observations of Cygnus X-2
2188. Maraschi, L., Tanzi, E.G., Tarengi, M., Treves, A. 1980, *NATURE*, 285, 555. Far UV observations of PKS 2155-304
2189. Maraschi, L., Tanzi, E.G., Treves, A. 1981, *APJ*, 248, 1010. Far-ultraviolet observations of the variable radio star LSI+61 303

2190. Maraschi, L., Tanzi, E., Tarengi, M., Treves, A. 1983, *A&A*, 125, 117. Quasi-simultaneous ultraviolet and optical observations of PKS 2155-304 = H 2155-304
2191. Maraschi, L., Tanzi, E.G., Treves, A., Falomo, R. 1983, *A&A*, 127, L17. Quasi-simultaneous optical and UV observations of OJ 287 during an active period in 1983
2192. Maraschi, L., Treves, A., Tanzi, E.G., Mouchet, M., Lauberts, A., Motch, C., Bonnet-Bidaud, J.M., Phillips, M.M. 1984, *APJ*, 285, 214. Coordinated UV and optical observations of the AM Herculis object E1405-451 in the high and low states
2193. Maraschi, L., Schwartz, D., Tanzi, E., Treves, A. 1985, *APJ*, 294, 615. Multifrequency observations of the BL Lacertae object PKS 0537-441
2194. Maraschi, L., Tagliaferri, G., Tanzi, E.G., Treves, A. 1986, *APJ*, 304, 637. Variability of the BL Lacertae objects PKS 2155-304 and OJ 287 in the far-ultraviolet
2195. Maraschi, L., Blades, J.C., Calanchi, C., Tanzi, E.G., Treves, A. 1988, *APJ*, 333, 660. Detection of extragalactic absorption in the ultraviolet spectrum of the BL Lacertae object PKS 2155-304
2196. Maraschi, L., Chiappetti, L., Falomo, R., Garilli, B., Malkan, M., Tagliaferri, G., Tanzi, E.G., Treves, A. 1991, *APJ*, 368, 138. Coordinated X-ray, ultraviolet, and optical observations of 3C 120
2197. Maraschi, L., Grandi, P., Urry, C.M., Wehrle, A.E., Madejski, G.M., Fink, H.H., Ghisellini, G., Hartman, R.C., Koratkar, A.P., von Montigny, C., Pian, E., Thomas, H.C., Treves, A., Aller, M.F., Aller, H.D., Bailyn, C.D., Balonek, T.J., Bock, H., Collmar, W., Glass, I.S., Litchfield, S.J., McHardy, I.M., Mendez, R., Pesce, J., Reuter, H.P., Robson, E.I., Steppe, H., Stevens, J.A., Terasranta, H., Wagner, S.J. 1994, *APJ*, 435, L91. The 1993 multiwavelength campaign on 3C 279: the radio to gamma-ray energy distribution in low state
2198. Margon, B., Anderson, S.F., Mateo, M., Fich, M., Massey, P. 1988, *APJ*, 334, 597. An exceptionally bright, compact starburst nucleus
2199. Marilli, E., Catalano, S., Trigilio, C. 1986, *A&A*, 167, 297. Chromospheric emission luminosity versus rotation in late main sequence stars
2200. Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P. 1992, *A&A*, 265, 643. Possible detection of Lyman alpha emission in the A7 III star Gamma Bootis
2201. Marilli, E., Frasca, A., Bellina Terra, M., Catalano, S. 1995, *A&A*, 295, 393. Photometry and H-alpha observations of the binary system FF Aquarii
2202. Marilli, E., Catalano, S., Freire Ferrero, R., Gouttebroze, P., Bruhweiller, F., Talavera, A. 1997, *A&A*, 317, 521. Searching for chromospheric Lyman alpha emission in A-F stars from IUE high-resolution spectra
2203. Mariska, J.T., Doschek, G.A., Feldman, U. 1980, *APJ*, 238, L87. The detection of a companion star to the Cepheid variable Eta Aquilae
2204. Mariska, J.T., Doschek, G.A., Feldman, U. 1980, *APJ*, 242, 1083. The detection of a companion star to the Cepheid variable T Monocerotis
2205. Markova, N. 1990, *MNRAS*, 244, 105. The velocity law and acceleration of the hydrogen and OSiN discrete components observed in P Cyg's stellar wind in 1982
2206. Marlborough, J.M., Zamir, M. 1984, *APJ*, 276, 706. Some effects of rotation on the structure and dynamics of a radiation-driven wind from a hot star
2207. Marlborough, J.M., Peters, G.J. 1986, *APJS*, 62, 875. Ultraviolet observations of Be stars. II. Superionization in Be stars of different spectral types.

2208. Maron, N. 1989, *AP&SS*, 161, 201. Properties of circumstellar grains in R Coronae Borealis
2209. Marshall, H.L., Carone, T.E., Fruscione, A. 1993, *APJ*, 414, L53. Observations of PKS 2155-304 with the Extreme Ultraviolet Explorer
2210. Marshall, H.L., Carone, T., Shull, J., Malkan, M., Elvis, M. 1996, *APJ*, 457, 169. The steep soft X-ray spectrum of the highly variable active nucleus in Markarian 478
2211. Marshall, H.L., Carone, T., Peterson, B., Clavel, J., Crenshaw, D., Korista, K., Kriss, G., Krolik, J., Malkan, M., Morris, S., O'Brien, P., Reichert, G. 1997, *APJ*, 479, 222. The variability and spectrum of NGC5548 in the extreme ultraviolet
2212. Marshall, K.P. 1996, *MNRAS*, 283, 77. The uv OI triplet and H Lyman beta pumping in the zeta Aurigae star HR6902
2213. Marsi, C., Selvelli, P.L. 1987, *A&AS*, 71, 153. The Fe II emission in the UV spectrum of CH Cyg
2214. Martin, C., Basri, G., Lampton, M., Kahn, S.M. 1982, *APJ*, 261, L81. The soft X-ray spectrum of Sirius B: evidence for the photospheric hypothesis
2215. Mas-Hesse, J.M., Arnault, P., Kunth, D. 1989, *AP&SS*, 157, 131. Population synthesis in starburst galaxies: Mkn 710
2216. Mas-Hesse, J.M., Rodriguez-Pascual, P.M., Sanz Fernandez de Cord, L., Boller, Th. 1994, *A&A*, 283, L9. UV variability of IRAS 13224-3809, a rapidly X-ray variable far-infrared luminous galaxy
2217. Mas-Hesse, J.M., Rodriguez-Pascual, P.M., Sanz Fernandez de Cord, L., Mirabel, I.F. 1994, *APJS*, 92, 599. Multiwavelength analysis of quasars, Seyfert galaxies, and starbursts
2218. Mas-Hesse, J.M., Rodriguez-Pascual, P.M., Sanz Fernandez de Cord, L., Mirabel, I., Wamstaker, W., Makino, F., Otani, C. 1995, *A&A*, 298, 22. Multiwavelength analysis of active galaxies: implications on unified Seyfert models
2219. Mas-Hesse, J.M., Cervino, M., Rodriguez-Pascual, P.M., Boller, T. 1996, *A&A*, 309, 431. Starburst activity in X-Ray and FIR luminous galaxies: the case of NGC4619 and IRAS15564+6359
2220. Mas-Hesse, J. M., Kunth, D. 1999, *A&A*, 349, 765. A comprehensive study of intense star formation bursts in irregular and compact galaxies
2221. Masegosa, J., Moles, M., Penston, M.V. 1986, *MNRAS*, 218, 541. IUE observations of the highly luminous Seyfert galaxy ESO 113-IG 45 (Fairall 9)
2222. Mason, K.O., Cordova, F.A. 1982, *APJ*, 255, 603. Ultraviolet spectrophotometry of 2A 1822-371: a bulge on the accretion disk
2223. Mason, K., Cordova, F., Watson, M., King, A. 1988, *MNRAS*, 232, 779. The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst
2224. Massa, D., Conti, P.S. 1981, *APJ*, 248, 201. IUE observations of eight OB stars in NGC 2244: ultraviolet continua and extinction
2225. Massa, D., Savage, B.D., Fitzpatrick, E.L. 1983, *APJ*, 266, 662. Peculiar ultraviolet interstellar extinction
2226. Massa, D., Savage, B.D., Cassinelli, J.P. 1984, *APJ*, 287, 814. Main-sequence B stars with strong winds in the core of NGC 6231
2227. Massa, D., Savage, B.D. 1984, *APJ*, 279, 310. Ultraviolet observations of interstellar extinction near the Cepheus OB3 molecular cloud

2228. Massa, D., Savage, B.D. 1985, APJ, 299, 905. The intrinsic ultraviolet continua of O stars
2229. Massa, D., Fitzpatrick, E.L. 1986, APJS, 60, 305. Ultraviolet extinction toward five open clusters, and the accuracy of IUE extinction measurements
2230. Massa, D. 1989, A&A, 224, 131. The UV silicon spectra of early B stars
2231. Massa, D., Altner, B., Wynne, D., Lamers, H. 1991, A&A, 242, 188. Carbon and nitrogen abundances in the BN supergiant HD 93840, and their implications for normal Galactic supergiants
2232. Massa, D., Shore, S.N., Wynne, D. 1992, A&A, 264, 169. Photospheric velocity gradients in B1 supergiants
2233. Massa, D., Fullerton, A., Prinja, R. 1994, AP&SS, 221, 77. Wind variability in intermediate luminosity B supergiants
2234. Massa, D. 1995, APJ, 438, 376. HD 93521, Zeta Ophiuchi, and the effects of rapid rotation on the atmospheres and winds of O9.5V stars.
2235. Massa, D., Fullerton, A.W., Nichols, J.S., Owocki, S.P., Prinja, R.K., St-Louis, N., Willis, A.J., Altner, B., Bolton, C.T., Cassinelli, J.P., Cohen, D., Cooper, R.G., Feldmeier, A., Gayley, K.G., Harries, T., Heap, S.R., Henriksen, R.N., Howarth, I.D., Hubeny, I., Kambe, E., Kaper, L., Koenigsberger, G., Marchenko, S., McCandliss, S.R., Moffat, A.F.J., Nugis, T., Puls, J., Robert, C., Schulte-Ladbeck, R.E., Smith, L.J., Smith, M.A., Waldron, W.L., White, R.L. 1995, APJ, 452, L53. The IUE MEGA campaign: wind variability and rotation in early-type stars
2236. Massa, D., Prinja, R.K., Fullerton, A.W. 1995, APJ, 452, 842. Wind variability of B supergiants. I. The rapid rotator HD 64760 (B0.5Ib)
2237. Massa, D., Fitzpatrick, E. L. 2000, APJS, 126, 517. A Recalibration of IUE NEWSIPS Low-Dispersion Data
2238. Massa, D., Fullerton, A.W., Hutchings, J.B. 2000, APJ, 538, L47. The detection of wind variability in Magellanic Cloud O stars
2239. Massey, P., Hutchings, J.B. 1983, APJ, 275, 578. IUE observations of the exciting stars of giant HII regions in M33: supermassive stars?
2240. Massey, P., Hutchings, J.B., Bianchi, L. 1985, AJ, 90, 2239. UV and optical spectroscopy of OB stars in M31 and M33
2241. Mateo, M., Szkody, P. 1984, AJ, 89, 863. VW Hyi: the white dwarf revealed
2242. Mateo, M., Szkody, P., Hutchings, J. 1985, APJ, 288, 292. Ultraviolet, optical, and infrared observations of the intermediate polar TV Columbae
2243. Mathioudakis, M., Doyle, J.G. 1989, A&A, 224, 179. Flux-flux relation: Mg II h and k versus X-rays in dwarf M and K stars
2244. Mathioudakis, M., Doyle, J.G. 1990, A&A, 232, 114. IUE observations of Gl 644AB (=Wolf 630) in the wavelength region 1150-1950 Å, in June 1981
2245. Mathioudakis, M., Doyle, J.G., Rodono, M., Gibson, D.M., Byrne, P.B., Avgoloupis, S., Linsky, J.L., Gary, D., Mavridis, L.N., Varvoglis, P. 1991, A&A, 244, 155. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVI. IUE spectroscopy and VLA observations of Gl 182 (=V1005 Orionis) in October 1983
2246. Mathioudakis, M., Doyle, J.G. 1992, A&A, 262, 523. Chromospheric heating in late-type dwarfs: acoustic or magnetic?

2247. Mathioudakis, M., Drake, J.J., Craig, N., Kilkeny, D., Doyle, J.G., Sirk, M.M., Dupuis, J., Frusciones, A., Christian, C.A., Abbott, M.J. 1995, *A&A*, 302, 422. Optical identification of EUV sources: the secrets of EUVE J2056-17.1
2248. Mathis, J.S., Perinotto, M., Patriarchi, P., Schiffer, F.H. 1981, *APJ*, 249, 99. The ultraviolet properties of dust in the Orion Nebula
2249. Mathis J.S., Torres-Peimbert S., Peimbert M. 1998, *APJ*, 495, 328. Temperature and density fluctuations in Planetary Nebulae
2250. Mathur, S., Wilkes, B., Elvis, M., Fiore, F. 1994, *APJ*, 434, 493. The X-ray and ultraviolet absorbing outflow in 3C 351
2251. Mathur, S., Elvis, M., Wilkes, B. 1995, *APJ*, 452, 230. Testing unified X-ray/ ultraviolet absorber models with NGC 5548
2252. Mathur, S., Wilkes, B., Aldcroft, T. 1997, *APJ*, 478, 182. The x-ray warm absorber in NGC 3516
2253. Mauas, P.J.D., Falchi, A. 1994, *A&A*, 281, 129. Atmospheric models of flare stars: the quiescent state of AD Leonis
2254. Mauche, C.W., Raymond, J.C. 1987, *APJ*, 323, 690. IUE observations of the dwarf nova HL Canis Majoris and the winds of cataclysmic variables
2255. Mauche, C.W., Raymond, J.C., Cordova, F.A. 1988, *APJ*, 335, 829. Interstellar absorption lines in high-resolution IUE spectra of cataclysmic variables
2256. Mauche, C.W. 1991, *APJ*, 373, 624. High-resolution IUE spectra of the nova-like variable IX Velorum
2257. Mauche, C.W., Raymond, J.C., Buckley, D.A.H., Mouchet, M., Bonnell, J., Sullivan, D.J., Bonnet-Bidaud, J.-M., Bunk, W.H. 1994, *APJ*, 424, 347. Optical, IUE, and ROSAT observations of the eclipsing nova-like variable V347 Puppis (LB 1800)
2258. Mauche, C.W., Lee, Y., Kallman, T. 1997, *APJ*, 477, 832. Ultraviolet emission line ratios of cataclysmic variables
2259. Mauche, C.W. 1999, *APJ*, 520, 822. ORFEUS II and IUE spectroscopy of EX Hydrae
2260. Maurice, E., Bouchet, P., Martin, N. 1989, *A&AS*, 78, 445. BVR photoelectric photometry of late-type stars and a compilation of other data in the Small Magellanic Cloud
2261. Mauron, N., Caux, E. 1992, *A&A*, 265, 711. K I/Na I scattering observations in circumstellar envelopes: Alpha-1 Herculis, Omicron Ceti, TX Piscium and Beta Pegasi
2262. Mayer, P., Lorenz, R., Drechsel, H. 1997, *A&A*, 320, 109. The early-type binary KX Velorum
2263. Mazeh, T., Netzer, H., Shaviv, G., Drechsel, H., Rahe, J., Wargau, W., Blades, J.C., Cacciari, C., Wamsteker, W. 1985, *A&A*, 149, 83. UV and optical observations of Nova Sagittarii 1982
2264. Mazzali, P.A. 1987, *APJS*, 65, 695. The ultraviolet spectrum of Beta Lyrae
2265. Mazzali, P.A., Pauldrach, A.W.A., Puls, J., Plavec, M.J. 1992, *A&A*, 254, 241. A two-wind radiation-driven model for the atmospheric features of Beta Lyrae
2266. Mazzali, P.A., Danziger, I.J., Turatto, M. 1995, *A&A*, 297, 509. A study of the properties of the peculiar SN Ia 1991T through models of its evolving early-time spectrum
2267. Mazzei, P., Xu, C., De Zotti, G. 1992, *A&A*, 256, 45. A model for the photometric evolution of disc galaxies from UV to far-IR

2268. Mazzei, P., De Zotti, G., Xu, C. 1994, APJ, 422, 81. Models for the evolution of the spectral energy distribution of elliptical galaxies from ultraviolet to far-infrared wavelengths
2269. McCandliss, S.R., Buss, R.H., Blair, W.P., Bowers, C.W., Davidsen, A.F., Feldman, P.D., Kruk, J.W. 1993, APJ, 416, 372. The spectrum of EZ Canis Majoris (HD 50896) to the Lyman limit with the Hopkins Ultraviolet Telescope
2270. McClintock, J.E., Petro, L.D., Hammerschlag-Hensberge, G., Proffitt, C.R., Remillard, R.A. 1984, APJ, 283, 794. Cygnus X-2: neutron star or degenerate dwarf?
2271. McCluskey, G.E., Kondo, Y. 1981, APJ, 246, 464. IUE observations of mass ejection by the close binary system AO Cassiopeiae
2272. McCluskey, G.E., Kondo, Y. 1983, APJ, 266, 755. International Ultraviolet Explorer observations of the peculiar variable spectrum of the eclipsing binary R Arae
2273. McCluskey, G.E., Kondo, Y., Olson, E.C. 1988, APJ, 332, 1019. IUE spectroscopy of U Cephei during the mass flow outburst of 1986 June
2274. McCluskey, G.E., McCluskey, C.P.S., Kondo, Y. 1991, APJ, 378, 281. IUE investigation of mass flow in the interacting binary U Sagittae
2275. McConnell, J.C., Parkinson, C.D., Ben-Jaffel, L., Emerich, C., Prangee, R., Vidal-Madjar, A. 1989, A&A, 225, L9. H Lyman-alpha emission at Neptune: Voyager prediction
2276. McCullough, P.R. 1992, APJ, 390, 213. The interstellar deuterium-to-hydrogen ratio: a reevaluation of Lyman absorption-line measurements
2277. McDowell, J.C., Elvis, M., Wilkes, B.J., Willner, S.P., Oey, M.S., Polomski, E., Bechtold, J., Green, R.F. 1989, APJ, 345, L13. Weak bump quasars
2278. McDowell, J.C., Canizares, C., Elvis, M., Lawrence, A., Markoff, S., Mathur, S., Wilkes, M.J. 1995, APJ, 450, 585. The unusual quasar PG 1407+265
2279. McEwen, A.S., Johnson, T.V., Matson, D.L., Soderblom, L.A. 1988, ICARUS, 75, 450. The global distribution, abundance, and stability of SO₂ on Io
2280. McFadden, L.A., A'Hearn, M.F., Feldman, P.D., Roettger, E.E., Edsall, D.M., Butterworth, P.S. 1987, A&A, 187, 333. Activity of comet P/Halley 23-25 March, 1986: IUE observations
2281. McFadden, L.A., A'Hearn, M.F., Feldman, P.D., Bohnhardt, H., Rahe, J., Festou, M.C., Brandt, J.C., Maran, S.P., Niedner, M.B., Smith, A.M., Schleicher, D.G. 1987, ICARUS, 69, 329. Ultraviolet spectrophotometry of Comet Giacobini-Zinner during the ICE encounter
2282. McGrath, M.A., Feldman, P.D., Ballester, G.E., Moos, H.W. 1989, GRL, 16, 583. IUE observations of the Jovian dayglow emission
2283. McGrath, M.A., Ballester, G.E., Moos, H.W. 1990, JGR, 95, 10365. Jovian H₂ dayglow emission (1978-1989)
2284. McGrath, M.A. 1991, GRL, 18, 1931. An unusual change in the Jovian Lyman-alpha bulge
2285. McGrath, M.A., Clarke, J.T. 1992, JGR, 97, 13691. H I Lyman alpha emission from Saturn (1980-1990)
2286. McGrath, M.A., Feldman, P.D., Strobel, D.F., Moos, H.W., Ballester, G.E. 1993, APJ, 415, L55. Detection of [O II] 2471 from the Io plasma torus
2287. McLachlan, A., Nandy, K. 1984, MNRAS, 207, 355. Interstellar CO in the direction of the runaway star AE Aurigae

2288. McLachlan, A., Nandy, K. 1984, *OBS*, 104, 29. On the reality of the 2800 Å interstellar absorption feature attributed to proteins
2289. McQuade, K., Calzetti, D., Kinney, A.L. 1995, *APJS*, 97, 331. Ultraviolet to optical spectral distributions of northern star-forming galaxies
2290. Meaburn, J. 1982, *A&A*, 114, 367. The visible and ultraviolet continuum from a Herbig-Haro object in the core of M16 (NGC 6611)
2291. Meaburn, J., Walsh, J.R. 1984, *A&A*, 138, 36. The continuum from the Herbig-Haro object M16-HH 1 from 1200 Å to 2.2 microns
2292. Meatheringham, S.J., Maran, S.P., Stecher, T.P., Michalitsianos, A.G., Gull, T.R., Aller, L.H., Keyes, C.D. 1990, *APJ*, 361, 101. An extremely carbon-poor planetary nebula in the Small Magellanic Cloud
2293. Megier, A. 1995, *MNRAS*, 274, 388. Average unreddened UV flux distributions of OB dwarfs
2294. Megier, A., Krelowski, J., Patriarchi, P., Aiello, S. 1997, *MNRAS*, 29, 853. A survey of vacuum-ultraviolet extinction curves based on International Ultraviolet Explorer spectra
2295. Meier, D.L., Terlevich, R. 1981, *APJ*, 246, L109. Extragalactic H II regions in the UV: implications for primeval galaxies
2296. Meier, R., A'Hearn, M. 1997, *ICARUS*, 127, 121. Atomic sulfur in cometary comae based on uv spectra of the SI triplet near 1814 Å
2297. Meier, S.R., Kafatos, M., Fahey, R.P., Michalitsianos, G. 1994, *APJS*, 94, 183. A far-ultraviolet atlas of symbiotic stars observed with IUE. I. The SWP range
2298. Meier, S.R., Kafatos, M. 1995, *APJ*, 451, 459. Ultraviolet temporal variability of the peculiar star R Aquarii
2299. Mentese, H.H. 1988, *AP&SS*, 146, 27. Column densities of interstellar matter in the direction of the star Kappa Cas (B1 Ia)
2300. Mentese, H.H. 1992, *AP&SS*, 187, 127. Relation between element depletion and interstellar reddening in the direction of OB stars
2301. Mentese, H.H. 1994, *AP&SS*, 220, 279. Column densities of interstellar gas in the direction of the star Epsilon Ori (B0 Ia)
2302. Messina, S., Guinan, E. F., Lanza, A. F., Ambruster, C. 1999, *A&A*, 347, 249. Activity cycle and surface differential rotation of the single Pleiades star HD 82443 (DX Leo)
2303. Meurer, G.R., Cacciari, C., Freeman, K.C. 1990, *AJ*, 99, 1124. Ultraviolet colors as age indicators for LMC clusters
2304. Meurer, G., Freeman, K., Dopita, M., Cacciari, C. 1992, *AJ*, 103, 60. NGC 1705. I. Stellar populations and mass loss via a galactic wind
2305. Meurer, G.R., Heckman, T.M., Leitherer, C., Kinney, A., Robert, C., Garnett, D.R. 1995, *AJ*, 110, 2665. Starburst and star clusters in the ultraviolet
2306. Meyer, D.M. 1990, *APJ*, 364, L5. Small-scale structure in the diffuse interstellar medium
2307. Meyer, F., Meyer-Hofmeister, E. 1989, *A&A*, 221, 36. Constraints from the UV delay in dwarf nova outbursts
2308. Michalitsianos, A.G., Kafatos, M., Hobbs, R.W. 1980, *APJ*, 237, 506. IUE observations of circumstellar emission from the late type variable R Aquarii (M7 + pec)

2309. Michalitsianos, A.G., Kafatos, M., Hobbs, R.W. 1980, APJ, 241, 774. IUE observations of a luminous M supergiant that exhibits emission continuum in the far ultraviolet
2310. Michalitsianos, A.G., Kafatos, M., Hobbs, R.W., Maran, S.P. 1980, NATURE, 284, 148. IUE observations of the hot components in two symbiotic stars
2311. Michalitsianos, A.G., Kafatos, M., Feibelman, W.A., Wallerstein, G. 1982, A&A, 109, 136. A brightening of the symbiotic variable SY Muscae
2312. Michalitsianos, A.G., Kafatos, M. 1982, APJ, 262, L47. International Ultraviolet Explorer observations of the R Aquarii Jet
2313. Michalitsianos, A.G., Kafatos, M., Feibelman, W.A., Hobbs, R.W. 1982, APJ, 253, 735. Ultraviolet observations of four symbiotic stars
2314. Michalitsianos, A.G., Kafatos, M. 1984, MNRAS, 207, 575. Variable ultraviolet emission in SY Muscae
2315. Michalitsianos, A.G., Hollis, J.M., Kafatos, M. 1986, CJP, 64, 523. Jet activity in the symbiotic variable R Aquarii
2316. Michalitsianos, A.G., Kafatos, M., Fahey, R.P., Viotti, R., Cassatella, A., Altamore, A. 1988, APJ, 331, 477. The C IV doublet ratio intensity effect in symbiotic stars
2317. Michalitsianos, A.G., Kafatos, M., Shore, S.N. 1989, APJ, 341, 367. Sanduleak's Star (LMC Anonymous): its similarity in the far-ultraviolet with the luminous object Eta Carinae and SN 1987A
2318. Michalitsianos, A.G., Maran, S.P., Oliverson, R.J., Bopp, B., Kontizas, E., Dapergolas, A., Kontizas, M. 1991, APJ, 371, 761. Observations of the peculiar object MWC 560 in outburst
2319. Michalitsianos, A.G., Kafatos, M., Meier, S.R. 1992, APJ, 389, 649. Fe II fluorescence and anomalous C IV doublet intensities in symbiotic novae
2320. Michalitsianos, A.G., Perez, M., Shore, S.N., Maran, S.P., Karovska, M., Sonneborn, G., Webb, J.R., Barnes III, T.G., Frueh, M.L., Oliverson, R.J., Starrfield, S.G. 1993, APJ, 409, L53. Ultraviolet continuum variability and visual flickering in the peculiar object MWC 560
2321. Michalitsianos, A.G., Nichols-Bohlin, J., Bruhweiler, F.C., Kazanas, D., Kondo, Y., De La Pena, M., Maran, S.P., Meylan, T., Perez, M., Thompson, R. 1993, APJ, 417, L57. Detection of far-ultraviolet high-excitation line emission and Lyman-beta absorption in the gravitational lens Q 0957+561
2322. Michalitsianos, A.G., Perez, M., Kafatos, M. 1994, APJ, 423, 441. Evidence signaling the start of enhanced counterjet flow in the symbiotic system R Aquarii
2323. Michalitsianos, A.G., Oliverson, R.J. 1995, APJ, 439, 599. The ultraviolet spectrum of the gravitational lens candidate UM 425 = QSO 1120+019: evidence for broad absorption line (BAL) structure
2324. Michalitsianos, A.G., Oliverson, R., Nichols, J. 1996, APJ, 461, 593. Detection of OVI 1033 Angstrom emission and far-ultraviolet spectral variability in the gravitational lens PG1115+080
2325. Michalitsianos, A.G., Oliverson, R., Maran, S. 1996, APJ, 458, 67. Far-ultraviolet spectral variability in the gravitational lens candidate UM425
2326. Middlemass, D. 1988, MNRAS, 231, 1025. Magnesium abundances in planetary nebulae and interstellar absorption of Mg II lambda 2800 A

2327. Middlemass, D., Clegg, R.E.S., Walsh, J.R. 1989, MNRAS, 239, 1. The giant haloes of NGC 6543 and 6826
2328. Middlemass, D. 1990, MNRAS, 244, 294. A model for the planetary nebula NGC 7027
2329. Mikolajewska, J., Selvelli, P.L., Hack, M. 1988, A&A, 198, 150. IUE low resolution observations of the symbiotic star CH Cygni in 1979-1986
2330. Mikolajewska, J., Kenyon, S.J., Mikolajewski, M. 1989, AJ, 98, 1427. On the nature of the symbiotic star BF Cygni
2331. Mikolajewska, J., Kenyon, S.J. 1992, AJ, 103, 579. On the nature of the symbiotic binary AX Persei
2332. Mikolajewska, J., Kenyon, S.J. 1992, MNRAS, 256, 177. On the nova-like eruptions of symbiotic binaries
2333. Mikolajewska, J., Brandi, E., Hack, W., Whitelock, P. A., Barba, R., Garcia, L., Marang, F. 1999, MNRAS, 305, 190. The symbiotic binary system RX Puppis: a possible recurrent nova with a Mira companion
2334. Mila Mitra, P., Dufour, R.J. 1990, MNRAS, 242, 98. Spectrophotometry of the shell around AG Carinae
2335. Milone, E.F., Stagg, C.R., Kurucz, R.L. 1992, APJS, 79, 123. The eclipsing binary AI Phoenicis: new results based on an improved light curve analysis program
2336. Miralda-Escude, J., Ostriker, J.P. 1990, APJ, 350, 1. What produces the ionizing background at large redshift?
2337. Miroschnichenko, A. 1996, A&A, 312, 941. MWC 314: a high luminosity peculiar Be star
2338. Misselt, K. A., Clayton, G. C., Gordon, K. D. 1999, APJ, 515, 128. A Reanalysis of the Ultraviolet Extinction from Interstellar Dust in the Large Magellanic Cloud
2339. Mittaz, J.P.D., Penston, M.V., Snijders, M.A.J. 1990, MNRAS, 242, 370. Ultraviolet variability of NGC 4151: a study using principal component analysis
2340. Modigliani, A., Patriarchi, P., Perinotto, M. 1993, APJ, 415, 258. Winds in central stars of planetary nebulae
2341. Moehler, S., Heber, U., de Boer, K.S. 1990, A&A, 239, 265. Hot subluminoous stars at high galactic latitudes. II. Physical parameters and distances of 37 sdB stars
2342. Moehler, S., Heber, U., Rupprecht, G. 1997, A&A, 319, 109. Hot HB stars in globular clusters: physical parameters and consequences for theory, III. NGC6752 and its long blue vertical branch.
2343. Moffat, A.F.J., Koenigsberger, G., Auer, L.H. 1989, APJ, 344, 734. IUE observations of Wolf-Rayet binary systems in the Small Magellanic Cloud
2344. Molaro, P., Morossi, C., Ramella, M. 1983, A&A, 119, 160. Evidence for outburst in the shell star 17 Lep derived from ultraviolet spectra
2345. Molaro, P., Morossi, C., Ramella, M., Franco, M. 1983, A&A, 127, L3. Superionization in the A0 V star HD 119921
2346. Molaro, P., Beckman, J. 1984, A&A, 139, 394. An upper limit to the abundance of Be 9 in the Population II star HD 76932 from a high resolution spectrum with IUE
2347. Molaro, P., Vladilo, G., Beckman, J.E. 1986, A&A, 161, 339. Distribution of Mg II in the local interstellar medium towards eight cool giants

2348. Molaro, P., Vladilo, G. 1989, *AP&SS*, 156, 107. Some considerations on the non-detection of interstellar Li and B towards the SN 1987A
2349. Molendi, S., Maraschi, L., Stella, L. 1992, *MNRAS*, 255, 27. Variability of the optical-UV continuum in NGC 5548: implications for accretion-disc models
2350. Monier, R., Halpern, J.P. 1987, *APJ*, 315, L17. The X-ray spectrum of NGC 1068
2351. Monier, R., Megessier, C. 1990, *A&A*, 237, 402. LTE analysis of the far-ultraviolet variations of 21 Comae
2352. Monier, R. 1990, *AJ*, 100, 884. Rapid line variations in the far-ultraviolet spectrum of 21 Com. I. The 1979 event
2353. Monier, R. 1991, *AJ*, 102, 234. The ultraviolet variations of Delta Scuti
2354. Monier, R., Megessier, C. 1992, *A&A*, 256, 205. The energy distribution of 21 Comae Berenices (A3p): comparison to standard stars of similar spectral types and modeling
2355. Monier, R. 1992, *A&A*, 263, 175. Application of the infrared flux method to 3 cool Ap stars (78 Virginis, 52 Herculis A and CS Virginis) and comparison of their energy distributions to model atmospheres
2356. Monier, R., Kreidl, T.J. 1994, *A&A*, 284, 210. The ultraviolet variations of the Delta Scuti stars 44 Tauri and 71 Tauri
2357. Monier, R., Parthasarathy, M. 1999, *A&A*, 341, 117. The ultraviolet variations of the post-AGB star HD 89353
2358. Monsignori Fossi, B.C., Landini, M. 1994, *A&A*, 284, 900. The EUV spectrum of AU Microscopii: temperature and density diagnostic from EUVE Spectrometers observations
2359. Monsignori Fossi, B.C., Landini, M., Drake, J.J., Cully, S.L. 1995, *A&A*, 302, 193. The EUV spectrum of AT Microscopii
2360. Montes, D., Saar, S. H., Collier Cameron, A., Unruh, Y. C. 1999, *MNRAS*, 305, 45. Optical and ultraviolet observations of a strong flare in the young, single K2 dwarf LQ Hya
2361. Montesinos, B., Cassatella, A., Gonzalez-Riestra, R., Fernandez-Castro, T., Eiroa, C., Jimenez-Fuensalida, J. 1990, *APJ*, 363, 245. Ultraviolet and infrared monitoring of FG Sagittae during 1982-1989: evolutionary status
2362. Montgomery, A.S., Bates, B., Davies, R.D., Kemp, S.N. 1993, *MNRAS*, 263, 131. IUE and H I observations of gas components towards HD 174632
2363. Moore, V., Hunt, G.E., Caldwell, J., Owen, T., Encrenaz, Th., Combes, M. 1983, *GRL*, 10, 1196. Observations of the UV spectrum of Saturn from 3200 Å to 1400 Å with IUE
2364. Moos, H.W., Clarke, J.T. 1979, *APJ*, 229, L107. Detection of acetylene in the Saturnian atmosphere using the IUE satellite
2365. Moos, H.W., Clarke, J.T. 1981, *APJ*, 247, 354. Ultraviolet observations of the Io Torus from the IUE observatory
2366. Moos, H.W., Durrance, S.T., Skinner, T.E., Feldman, P.D., Bertaux, J.-L., Festou, M.C. 1983, *APJ*, 275, L19. IUE spectrum of the Io Torus: identification of the $5S_{2,3}P_{2,1}$ transition of S III
2367. Moos, H.W., Skinner, T.E., Durrance, S.T., Feldman, P.D., Festou, M.C., Bertaux, J.-L. 1985, *APJ*, 294, 369. Long-term stability of the Io high-temperature plasma torus

2368. Moos, H.W., Feldman, P.D., Durrance, S.T., Blair, W.P., Bowers, C.W., Davidsen, A.F., Dixon, W.V., Ferguson, H.C., Henry, R.C., Kimble, R.A., Kriss, G.A., Kruk, J.W., Long, K.S., Vancura, O. 1991, APJ, 382, L105. Determination of ionic abundances in the Io torus using the Hopkins Ultraviolet Telescope
2369. Morales, C., Trapero, J., Gomez, J. F., Gimenez, A., Orozco, V., Bowyer, S., Edelstein, J., Korpela, E., Lampton, M., Cobb, J. 2000, APJ, 530, 403. Far-Ultraviolet Absolute Flux of α Virginis
2370. Morel, T., St-Louis, N., Marchenko, S.V. 1997, APJ, 482, 470. Optical Spectroscopy of EZ Canis Majoris: Indication for Large-Scale Structures in a Wolf-Rayet Wind
2371. Morgan, D.H., McLachlan, A., Nandy, K. 1982, MNRAS, 198, 779. Interstellar extinction in the Perseus arm
2372. Morgan, S., Bohm-Vitense, E. 1988, AJ, 96, 1373. ISM chemical abundances in two intermediate-velocity clouds in the line of sight to SN 1987A
2373. Morini, M., Scarsi, L., Molteni, D., Salvati, M., Perola, G.C., Piro, L., Simari, G., Boksenberg, A., Penston, M.V., Snijders, M.A.J., Bromage, G.E., Clavel, J., Elvius, A., Ulrich, M.-H. 1986, APJ, 307, 486. Simultaneous EXOSAT and IUE observations of Fairall 9: short and long term variability
2374. Morossi, C., Franchini, M., Malagnini, M.L., Kurucz, R.L., Buser, R. 1993, A&A, 277, 173. Cool stars: spectral energy distributions and model atmosphere fluxes
2375. Morris, P., Conti, P.S., Lamers, H.J.G.L.M., Koenigsberger, G. 1993, APJ, 414, L25. The "Baldwin Effect" in Wolf-Rayet stars
2376. Morris, P.W., Brownsberger, K.R., Conti, P.S., Massey, P., Vacca, W.D. 1993, APJ, 412, 324. Spectrophotometry of Wolf-Rayet stars. I. Continuum energy distributions
2377. Morrissey, P.F., Feldman, P.D., McGrath, M.A., Wolven, B.C., Moos, H.W. 1995, APJ, 454, 65. The ultraviolet reflectivity of Jupiter at 3.5 Angstrom resolution from Astro-1 and Astro-2
2378. Morvan, E., Vauclair, G., Vauclair, S. 1986, A&A, 163, 145. Silicon abundances in Feige 24 and Wolf 1346: results of the diffusion theory
2379. Motch, C., Stella, L., Janot-Pacheco, E., Mouchet, M. 1991, APJ, 369, 490. Accretion mechanisms in the Be/X-ray transient system A0535+26
2380. Mouchet, M., Bonnet-Bidaud, J.M., Ilovaisky, S.A., Chevalier, C. 1981, A&A, 102, 31. The ultraviolet spectrum of the X-ray source 2A 0526-33
2381. Mouchet, M., Bonnet-Bidaud, J.M., Buckley, D.A.H., Tuohy, I.R. 1991, A&A, 250, 99. The UV variability of the intermediate polars TW Pictoris (H 0534-581) and TX Columbae (1H 0542-407)
2382. Mouchet, M., Siess, L., Drew, J., Lasota, J.P., Buckley, D., Bonnet-Bidaud, J. 1996, A&A, 306, 212. A wind in the intermediate polar candidate H0551-819 ?
2383. Muci, A.M., Blanco, A., Fonti, S., Orofino, V. 1994, APJ, 436, 831. Ultraviolet spectra of amorphous carbon grains: comparison with the circumstellar extinction around C-rich objects
2384. Mueller, B.E.A., Nussbaumer, H. 1985, A&A, 145, 144. The ultraviolet spectrum of the symbiotic star HM Sge
2385. Mueller, B.E.A., Nussbaumer, H., Schmutz, W. 1986, A&A, 154, 313. The ultraviolet variability of the symbiotic star HBV 475. II. Study of line flux variations

2386. Muerset, U. 1995, *PASP*, 107, 92. The hot stars in symbiotic systems
2387. Muerset, U., Schild, H., Vogel, M. 1996, *A&A*, 307, 516. Extragalactic symbiotic systems, III: The stellar components of the systems in the Magellanic Clouds
2388. Mufson, S.L., Hutter, D.J., Hackney, K.R., Hackney, R.L., Urry, C.M., Mushotzky, R.F., Kondo, Y., Wisniewski, W.Z., Aller, H.D., Aller, M.F., Hodge, P.E. 1984, *APJ*, 285, 571. Coordinated multifrequency observations of the BL Lacertae objects Markarian 180 and Markarian 501
2389. Mufson, S.L., McCollough, M.L., Dickel, J.R., Petre, R., White, R., Chevalier, R. 1986, *AJ*, 92, 1349. A multiwavelength investigation of the supernova remnant IC 443
2390. Mufson, S.L., Hutter, D.J., Kondo, Y., Urry, C.M., Wisniewski, W.Z. 1990, *AP*, 354, 116. An evolving relativistic jet model for the BL Lacertae object Markarian 421
2391. Mukai, K., Bonnet-Bidaud, J.M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J. 1986, *MNRAS*, 221, 839. A multi-wavelength study of the long-period AM Her system E 2003+225 - II. Changes in the accretion geometry
2392. Mukherjee, S., Bhattacharya, U., Parui, S., Gupta, R., Gulati, R. 1996, *AP&SS*, 239, 361. A multi-layered backpropagation artificial neural network algorithm for UV spectral classification
2393. Mulchaey, J.S., Mushotzky, R.F., Weaver, K.A. 1992, *APJ*, 390, L69. Hard X-ray tests of the unified model for an ultraviolet-detected sample of Seyfert 2 galaxies
2394. Mulchaey, J.S., Koratkar, A., Ward, M.J., Wilson, A.S., Whittle, M., Antonucci, R.R.J., Kinney, A.L., Hurt, T. 1994, *APJ*, 436, 586. Multiwavelength tests of the dusty torus model for Seyfert galaxies
2395. Mullan, D.J., Stencel, R.E. 1982, *APJ*, 253, 716. Magnesium emission variability among late-type giant stars
2396. Mullan, D.J. 1984, *APJ*, 283, 303. Corotating interaction regions in stellar winds
2397. Mullan, D.J. 1984, *APJ*, 284, 769. Asymmetries in stellar Mg II h and k and Ca II H and K line profiles: discrepancies between Mg and Ca asymmetries
2398. Mullan, D.J., Sion, E.M., Bruhweiler, F.C., Carpenter, K.G. 1989, *APJ*, 339, L33. Evidence for a cool wind from the K2 dwarf in the detached binary V471 Tauri
2399. Mullan, D., Shipman, H., Sion, E., MacDonald, J. 1991, *APJ*, 374, 707. Inefficient accretion by the DA2 white dwarf in V471 Tauri
2400. Munari, U., Margoni, R., Mammano, A. 1988, *A&A*, 202, 83. A probable non-degenerate H-burning flash on the white dwarf of the symbiotic slow nova V1329 Cygni
2401. Munari, U. 1989, *A&A*, 208, 63. Studies of symbiotic stars. I. Location of the UV emitting regions in 6 S-type systems monitored by the IUE satellite
2402. Munari, U., Buson, L.M. 1991, *A&A*, 249, 141. Studies of symbiotic stars. IV. IUE-optical-IR observations of AS 360
2403. Munari, U., Whitelock, P.A., Gilmore, A.C., Blanco, C., Massone, G., Schmeer, P. 1992, *AJ*, 104, 262. The ongoing outburst of the eclipsing symbiotic nova AS 296: the first 1200 days
2404. Munari, U., Buson, L.M. 1992, *A&A*, 255, 158. Studies of symbiotic stars. V. The dust-free yellow system He 2-467

2405. Munari, U. 1992, *A&A*, 257, 163. Studies of symbiotic stars. VI. The eclipsing symbiotic nova AS 338
2406. Munari, U. 1993, *A&A*, 273, 425. Studies of symbiotic stars. VII. EG Andromedae
2407. Munari, U., Buson, L.M. 1993, *MNRAS*, 263, 267. Heavy mass loss from the symbiotic star AS 304
2408. Munari, U., Buson, L.M. 1994, *A&A*, 287, 87. The ultraviolet spectra of the symbiotic stars MWC 960, FN Sgr, SS 29, and Draco C-1
2409. Mundt, R., Appenzeller, I., Bertout, U., Chavarria, C., Krautter, J. 1981, *A&A*, 93, 412. IUE observations of V1331 Cyg
2410. Mundt, R., Witt, A.N. 1983, *APJ*, 270, L59. On the contributions of the Orion reflection nebulosity to the continuous UV spectrum of the Herbig-Haro objects HH 1 and HH 2 and of the C-S star
2411. Muratorio, G., Viotti, R., Friedjung, M., Baratta, G.B., Rossi, C. 1992, *A&A*, 258, 423. The spectrum of the VV Cephei star KQ Puppis. IV. The Fe II spectrum, level population and spectral synthesis
2412. Murset, U., Nussbaumer, H., Schmid, H.M., Vogel, M. 1991, *A&A*, 248, 458. Temperature and luminosity of hot components in symbiotic stars
2413. Murset, U., Nussbaumer, H. 1994, *A&A*, 282, 586. Temperatures and luminosities of symbiotic novae
2414. Murthy, J., Henry, R.C., Moos, H.W., Landsman, W.B., Linsky, J.L., Vidal-Madjar, A., Gry, C. 1987, *APJ*, 315, 675. IUE observations of hydrogen and deuterium in the local interstellar medium
2415. Murthy, J., Wofford, J.B., Henry, R.C., Moos, H.W., Vidal-Madjar, A., Linsky, J.L., Gry, C. 1989, *APJ*, 336, 949. IUE observations of the interstellar medium toward Beta Geminorum
2416. Murthy, J., Henry, R.C., Moos, H.W., Vidal-Madjar, A., Linsky, J.L., Gry, C. 1990, *APJ*, 356, 223. Studies of H I and D I in the local interstellar medium
2417. Murty, P.S. 1982, *M&P*, 26, 101. CO in the IUE spectrum of Comet Bradfield (1979I)
2418. Muzerolle, J., Calvet, N., Briceo, C., Hartmann, L., Hillenbrand, L. 2000, *APJ*, 535, L47. Disk Accretion in the 10 MYR Old T Tauri Stars TW Hydrae and Hen 3-600A
2419. Na, C.Y., Esposito, L.W., McClintock, W.E., Barth, C.A. 1994, *ICARUS*, 112, 389. Sulfur dioxide in the atmosphere of Venus. II. Modeling results
2420. Nandra, K., Turner, T.J., George, I.M., Fabian, A.C., Shrader, C., Sun, W.-H. 1995, *MNRAS*, 273, 85. Soft X-ray and ultraviolet observations of Mrk 841: implications for the blue bump
2421. Nandra, K., Clavel, J., Edelson, R. A., George, I. M., Malkan, M. A., Mushotzky, R. F., Peterson, B. M., Turner, T. J. 1998, *APJ*, 505, 594. New Constraints on the Continuum Emission Mechanism of Active Galactic Nuclei: Intensive Monitoring of NGC 7469 in the X-Ray and Ultraviolet
2422. Nandy, K., Morgan, D.H. 1978, *NATURE*, 276, 478. IUE observations of Large Magellanic Cloud members and detection of the 2200 Angstrom feature
2423. Nandy, K., Morgan, D.H., Willis, A.J., Gondhalekar, P.M. 1980, *MNRAS*, 193, 43P. A Large Magellanic Cloud member intermediate between Of and WN7

2424. Nandy, K., Morgan, D.H. 1980, MNRAS, 192, 905. IUE observations of Large Magellanic Cloud members
2425. Nandy, K., Morgan, D.H., Willis, A.J., Wilson, R., Gondhalekar, P.M., Houziaux, L. 1980, NATURE, 283, 725. Interstellar extinction in the Large Magellanic Cloud
2426. Nandy, K., Morgan, D.H., Willis, A.J., Wilson, R., Gondhalekar, P.M. 1981, MNRAS, 196, 955. Interstellar extinction in the Large Magellanic Cloud
2427. Nandy, K., McLachlan, A., Thompson, G.I., Morgan, D.H., Willis, A.J., Wilson, R., Gondhalekar, P.M., Houziaux, L. 1982, MNRAS, 201, 1P. Interstellar extinction in the Small Magellanic Cloud
2428. Nandy, K., Thompson, G.I., Morgan, D.H., Willis, A.J., Wilson, R., Houziaux, L. 1983, MNRAS, 205, 231. Visible and UV observations of the giant early-type members of the Large Magellanic Cloud
2429. Napiwotzki, R., Schonberner, D., Weidemann, V. 1991, A&A, 243, L5. A new case for strong main sequence core overshooting
2430. Napiwotzki, R., Barstow, M.A., Fleming, T., Holweger, H., Jordan, S., Werner, K. 1993, A&A, 278, 478. Analysis of the DA white dwarf HZ 43A and its companion star
2431. Napiwotzki, R., Heber, U., Koppen, J. 1994, A&A, 292, 239. Analysis of BD +33 2642: a newly detected planetary nebula in the galactic halo and its central star
2432. Naylor, T., Bath, G.T., Charles, P.A., Hassall, B.J.M., Sonneborn, G., van der Woerd, H., van Paradijs, J. 1988, MNRAS, 231, 237. The 1985 May superoutburst of the dwarf nova OY Carinae - II. IUE and EXOSAT observations
2433. Naylor, T., Charles, P.A., Drew, J.E., Hassall, B.J.M. 1988, MNRAS, 233, 285. Spectroscopy of the M15 X-ray source: discovery of binary motion and an unusual systemic velocity
2434. Naylor, T. 1989, MNRAS, 238, 587. IUE archive observations of dwarf nova WZ Sge during outburst
2435. Naylor, T., Charles, P.A., Hassall, B.J.M., Raymond, J.C., Nassiopoulos, G. 1992, MNRAS, 255, 1. UV spectroscopy of the X-ray binary AC 211 (= 4U 2127+11) in M 15
2436. Naylor, T., La Dous, C. 1997, MNRAS, 290, 160. The vertical disc structure of U Geminorum in outburst
2437. Neff, J.E., Walter, F.M., Rodono, M., Linsky, J.L. 1989, A&A, 215, 79. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XI. Ultraviolet spectral images of AR Lacertae in September 1985
2438. Neff, J., Ellis, T., Apt, T., Bergstrahl, J. 1985, ICARUS, 62, 425. Bolometric albedos of Titan, Uranus, and Neptune
2439. Neff, S.G., Fanelli, M.N., Roberts, L.J., O'Connell, R.W., Bohlin, R., Roberts, M., Smith, A., Stecher, T. 1994, APJ, 430, 545. Ultraviolet imaging of the AGN+ starburst galaxy NGC 1068
2440. Neff, S.G., Pagano, I., Rodono, M., Brown, A., Dempsey, R., Fox, D., Linsky, J. 1996, A&A, 310, 173. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars, XIX: Simultaneous IUE, ROSAT, VLA and visual observations of T Pyxidis
2441. Nelan, E.P., Wegner, G. 1985, APJ, 289, L31. Identification of the 1400 and 1600 Å features observed in the ultraviolet spectra of DA white dwarfs

2442. Nelson, B.O. 1996, APJ, 465, L87. A correlated optical-infrared outburst of Markarian 744: the strongest evidence yet for thermal dust reverberation
2443. Nelson, R.M., Lane, A.L., Matson, D.L., Veeder, G.J., Buratti, B.J., Tedesco, E.F. 1987, ICARUS, 72, 358. Spectral geometric albedos of the Galilean satellites from 0.24 to 0.34 micrometers: observations with the International Ultraviolet Explorer
2444. Nelson, R., Smythe, W., Hapke, B., Cohen, A. 1990, ICARUS, 85, 326. On the effect of X-rays on the color of elemental sulfur: implications for Jupiter's satellite Io
2445. Nemry, F., Surdej, J., Hernaiz, A. 1991, A&A, 247, 469. Pollution of P Cygni line profiles by Fe IV and Fe V photospheric absorption in the ultraviolet spectrum of O-type stars
2446. Nesci, R. 1981, A&A, 99, 120. Theoretical and observed UV energy distributions of 7 globular clusters
2447. Nesci, R. 1983, A&A, 121, 226. An ultraviolet approach to M15
2448. Nesci, R. 1983, A&A, 121, 325. Predicted and observed UV spectrum of M5
2449. Nesci, R., Perola, G.C. 1985, A&A, 145, 296. The ultraviolet spectra of normal elliptical galaxies: a population synthesis approach
2450. Netzer, H. 1985, APJ, 289, 451. The far-ultraviolet continuum of quasars and the universe at $Z \lesssim 4$
2451. Netzer, H., Wamsteker, W., Wills, B.J., Wills, D. 1985, APJ, 292, 143. The ultraviolet spectra of active galaxies with weak optical Fe II lines
2452. Netzer, H., Kollatschny, W., Fricke, K.J. 1987, A&A, 171, 41. Study of multiple nucleus galaxies. II. Mkn 739
2453. Netzer, H., Maoz, D. 1990, APJ, 365, L5. On the emission-line response to continuum variations in the Seyfert galaxy NGC 5548
2454. Netzer, H., Laor, A., Gondhalekar, P.M. 1992, MNRAS, 254, 15. Quasar discs - III. Line and continuum correlations
2455. Neugebauer, G., Morton, D., Oke, J.B., Becklin, E.E., Daltabuit, E., Matthews, K., Persson, S.E., Smith, A.M., Soifer, B.T., Torres-Peimbert, S., Wynn-Williams, C.G. 1980, APJ, 238, 502. Recombination spectrum and reddening in NGC 1068
2456. Neubig, M.M. Smith, Bruhweiler, F.C. 1997, AJ, 114, 1951. UV Spectral Classification of O and B Stars in the Small Magellanic Cloud
2457. Newmark, J.S., Buzasi, D.L., Huenemoerder, D.P., Ramsey, L.W., Barden, S.C., Nations, H.L., Seeds, M.A. 1990, AJ, 100, 560. Coordinated optical and ultraviolet observations of DH Leo
2458. Nguyen, Q., Fabian, D., Belle, K., Huang, M., Sion, E. M. 1998, PASP, 110, 39. Rotationally Broadened Synthetic Spectra for HST and IUE Observations of Exposed White Dwarfs in Cataclysmic Variables
2459. Nichols, J.S., Fesen, R.A. 1994, A&A, 291, 283. The origin of extended interstellar shells around Wolf-Rayet stars having bright optical ring nebulae
2460. Nichols-Bohlin, J., Fesen, R.A. 1986, AJ, 92, 642. High-velocity interstellar gas in the line of sight to the Wolf-Rayet star HD 50896
2461. Nichols-Bohlin, J., Fesen, R.A. 1990, APJ, 353, 281. High-velocity interstellar gas in the lines of sight to the Wolf-Rayet stars HD 97152 and HD 96548

2462. Nichols-Bohlin, J., Fesen, R.A. 1993, *AJ*, 105, 671. The violent interstellar environment around the Wolf-Rayet star HD 192163
2463. Nichols-Bohlin, J., Linsky, J. 1996, *AJ*, 111, 517. The Final Archive and recalibration of the International Ultraviolet Explorer (IUE) satellite
2464. Niedzielski, A., Rochowicz, K. 1994, *A&AS*, 108, 669. Low resolution IUE spectra of Wolf-Rayet stars
2465. Norgaard-Nielsen, H.U., Kjaergaard, P. 1981, *A&A*, 93, 290. The ultraviolet spectrum of the normal giant elliptical NGC 4472
2466. Norgaard-Nielsen, H., Jorgensen, H.E., Hansen, L. 1984, *A&A*, 135, L3. Detection of diffuse Lyman alpha emission from the cD Galaxy in Abell 1795
2467. Norgaard-Nielsen, H., Hansen, L., Jorgensen, H.E. 1990, *A&A*, 240, 70. Off-nucleus IUE observations of NGC 1275
2468. North, P., Lanz, T. 1991, *A&A*, 251, 489. The nature of the F str lambda 4077 stars. IV. Search for white dwarfs around barium dwarfs
2469. Nousek, J.A., Pravdo, S.H. 1983, *APJ*, 266, L39. IUE observations of E1405-451: a new AM Herculis type cataclysmic variable
2470. Nousek, J.A., Shipman, H.L., Holberg, J.B., Liebert, J., Pravdo, S.H., White, N.E., Giommi, P. 1986, *APJ*, 309, 230. H1504+65: an extraordinarily hot compact star devoid of hydrogen and helium
2471. Nugis, T., Willis, A.J. 1994, *A&A*, 292, 616. Observations and analyses of the S VI lambda 1975, lambda 1993A lines in the IUE ultraviolet spectra of WN stars
2472. Nussbaumer, H., Schild, H. 1979, *A&A*, 75, L17. C III observable with IUE
2473. Nussbaumer, H., Schild, H. 1981, *A&A*, 101, 118. A model for V1016 Cyg based on the ultraviolet spectrum
2474. Nussbaumer, H., Schmutz, W., Smith, L.J., Willis, A.J. 1982, *A&AS*, 47, 257. IUE ultraviolet spectrophotometry of 15 galactic Wolf-Rayet stars
2475. Nussbaumer, H., Schmutz, W. 1983, *A&A*, 126, 59. The ultraviolet variability of the symbiotic star HBV 475
2476. Nussbaumer, H., Schmutz, W. 1986, *A&A*, 154, 100. The nitrogen abundance in Wolf-Rayet WC stars
2477. Nussbaumer, H., Schmutz, W., Vogel, M. 1986, *A&A*, 169, 154. The ultraviolet variability of the symbiotic star HBV 475. III. The periodicity of HBV 475
2478. Nussbaumer, H., Vogel, M. 1987, *A&A*, 182, 51. A new approach to symbiotic stars
2479. Nussbaumer, H., Schmid, H.M. 1988, *A&A*, 192, L10. Discovery of a 9.5-year period in the symbiotic star V1016 Cyg
2480. Nussbaumer, H., Schild, H., Schmid, H., Vogel, M. 1988, *A&A*, 198, 179. Relative C, N, O abundances in red giants, planetary nebulae, novae and symbiotic stars
2481. Nussbaumer, H., Vogel, M. 1989, *A&A*, 213, 137. Z Andromedae and the symbiotic phenomenon
2482. Nussbaumer, H., Vogel, M. 1990, *A&A*, 236, 117. HM Sagittae: the evolution of a symbiotic nova

2483. Nussbaumer, H., Vogel, M. 1991, *A&A*, 248, 81. IUE and TIRGO observations of the symbiotic star HBV 475
2484. Nussbaumer, H., Vogel, M. 1996, *A&A*, 307, 470. PU Vulpeculae: an eclipsing symbiotic nova
2485. Nussbaumer, H., Dumm, T. 1997, *A&A*, 323, 387. The mass-loss history of the symbiotic nova RR Telescopii.
2486. O'Brien, P.T., Gondhalekar, P.M., Wilson, R. 1988, *MNRAS*, 233, 801. The ultraviolet continuum of quasars - I. The shape of the continuum, continuum reddening and intervening absorption
2487. O'Brien, P.T., Gondhalekar, P.M., Wilson, R. 1988, *MNRAS*, 233, 845. The ultraviolet continuum of quasars - II. Continuum variability
2488. O'Brien, P.T., Zheng, W., Wilson, R. 1989, *MNRAS*, 240, 741. Broad emission line variability in 3C 273
2489. O'Brien, P.T., Zheng, W. 1990, *AP&SS*, 171, 77. The structure of the broad line region in Fairall 9
2490. O'Brien, P.T., Harries, T.J. 1991, *MNRAS*, 250, 133. Ultraviolet emission-line variability in 3C 273
2491. O'Brien, P.T., Gondhalekar, P.M. 1991, *MNRAS*, 250, 377. The variable broad emission line spectrum of 4C 37.43
2492. O'Brien, P.T., Goad, M.R., Gondhalekar, P.M. 1994, *MNRAS*, 268, 845. Response functions as diagnostics of the broad-line region in active galactic nuclei - II. Anisotropic line emission
2493. O'Brien, P. T., Dietrich, M., Leighly, K., Alloin, D., Clavel, J., Crenshaw, D.M., Horne, K., Kriss, G.A., Krolik, J.H., Malkan, M. A., Netzer, H., Peterson, B. M., Reichert, G.A., Rodriguez-Pascual, P.M., Wamsteker, W., Anderson, K.S.J., Bochkarev, N.G., Cheng, F.-Z., Filippenko, A.V., Gaskell, C.M., George, I.M., Goad, M. R., Ho, L.C., Kaspi, S., Kollatschny, W., Korista, K. T., Macalpine, G., Marlow, D., Martin, P.G., Morris, S. L., Pogge, R.W., Qian, B.-C., Recondo-Gonzalez, M. C., Rodriguez-Espinosa, J.M., Santos-Lleo, M., Shapovalova, A.I., Shull, J.M., Stirpe, G.M., Sun, W.-H., Turner, T. J., Vio, R., Wagner, S., Wanders, I., Wills, K.A., Wu, H., Xue, S.-J., Zou, Z.-L. 1998, *APJ*, 509, 163. Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XIII. Ultraviolet Observations of the Broad-Line Radio Galaxy 3C 390.3
2494. O'Connell, R.W., Thuan, T.X., Puschell, J.J. 1986, *APJ*, 303, L37. The strong UV source in the active E galaxy NGC 4552
2495. O'Connell, R.W., Bohlin, R.C., Collins, N.R., Cornett, R.H., Hill, J.K., Hill, R.S., Landsman, W.B., Roberts, M.S., Smith, A.M., Stecher, T.P. 1992, *APJ*, 395, L45. Ultraviolet imaging of old populations in nearby galaxies
2496. O'Dell, C.R., Opal, C.B. 1989, *APJ*, 341, L79. Spectrophotometry near the atmospheric cutoff of the strongest Bowen resonance fluorescence lines of O III in two planetary nebulae
2497. O'Donnell, J.E., Cardelli, J.A., Churchwell, E. 1992, *AJ*, 104, 2161. Ultraviolet emission in the dark cloud toward HD 62542
2498. O'Donnell, J.E. 1994, *APJ*, 422, 158. R-nu-dependent optical and near-ultraviolet extinction
2499. Ockert, M., Nelson, R., Lane, A., Matson, D. 1987, *ICARUS*, 70, 499. Europa's ultraviolet absorption band (260 to 320 nm): temporal and spatial evidence from IUE

2500. Odegard, N., Cassinelli, J.P. 1982, APJ, 256, 568. X-ray luminosities of B supergiants estimated from ultraviolet resonance lines
2501. Oke, J.B., Zimmerman, B. 1979, APJ, 231, L13. IUE and visual spectrophotometry of 3C 120 and Markarian 79
2502. Oke, J.B., Bertola, F., Capaccioli, M. 1981, APJ, 243, 453. IUE observations of two elliptical galaxies: NGC 3379 and NGC 4472
2503. Oke, J.B., Goodrich, R.W. 1981, APJ, 243, 445. IUE and visual spectrophotometry of Markarian 9, Markarian 10, and 3C 390.3
2504. Oke, J.B., Weidemann, V., Koester, D. 1984, APJ, 281, 276. Temperatures and surface gravities of DB white dwarfs
2505. Oke, J., Gunn, J., Hoessel, J. 1996, AJ, 111, 290. The evolution of red galaxies in Clusters at $z=0.5$
2506. Olah, K., Budding, E., Butler, C.J., Houdebine, E.R., Gimenez, A., Zeilik, M. 1992, MNRAS, 259, 302. The interrelation of UV and optical activity diagnostics in HK Lacertae
2507. Oliverson, N.A., Anderson, C. 1983, APJ, 268, 250. Observational studies of the symbiotic stars. II. Emission-line relative intensity variations in CI Cygni, BF Cygni, AX Persei, and V1016 Cygni
2508. Oliverson, N.A., Anderson, C.M., Stencel, R.E., Slovak, M.H. 1985, APJ, 295, 620. Observational studies of the symbiotic stars. III. High-dispersion IUE and H alpha observations of EG Andromedae
2509. Olsen, K.A., Hodge, P., Wilcots, E., Pastwick, L. 1997, APJ, 475, 545 LH72, the center of Constellation III
2510. Olson, E. 1982, APJ, 259, 702. Transient photometric disturbances in Algol-like binaries
2511. Onaka, T., Tanaka, W., Watanabe, T., Watanabe, J., Yamaguchi, A., Nakagiri, M., Kodaira, K., Nakano, M., Sasaki, M., Tsujimura, T., Yamashita, K. 1989, APJ, 342, 238. Vacuum ultraviolet imagery of the Virgo Cluster region
2512. Oranje, B.J., Zwaan, C., Middlekoop, F. 1982, A&A, 110, 30. Magnetic structure in cool stars
2513. Oranje, B.J., Zwaan, C. 1985, A&A, 147, 265. Magnetic structure in cool stars. VIII. The Mg II h and k surface fluxes in relation to the Mt. Wilson photometric Ca II H and K measurements
2514. Oranje, B.J. 1986, A&A, 154, 185. Magnetic structure in cool stars. IX. Ultraviolet emission lines from chromospheres and transition regions
2515. Ortolani, S., D'Odorico, S. 1980, A&A, 83, L8. A discussion on the nature of the Herbig-Haro object No. 1 from its far UV spectrum
2516. Ortolani, S., Rafaneli, P., Rosino, L., Vittone, A. 1980, A&A, 87, 31. The recent outburst of the dwarf nova WZ Sagittae
2517. Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrtillek, S. 1986, MNRAS, 221, 823. A multi-wavelength study of the long-period AM Her system E 2003+225 - I. The soft X-ray light curve and the overall energy spectrum
2518. Osborne, J.P., Beuermann, K., Charles, P., Maraschi, L., Mukai, K., Treves, A. 1987, APJ, 315, L123. A new soft X-ray mode in the AM Herculis object E2003+225

2519. Osmer, P.S., Porter, A.C., Green, R.F. 1994, APJ, 436, 678. Luminosity effects and the emission-line properties of quasars with $0 < z < 3.8$
2520. Oswalt, T.D., Sion, E.M., Hammond, G., Vauclair, G., Liebert, J.W., Wegner, G., Koester, D., Marcum, P.M. 1991, AJ, 101, 583. UV Observations of the cool DBQA5 white dwarf LDS 678A: limits on the atmospheric composition, pressure shift, and gravitational redshift derived from C I 2479
2521. Owen, T., Caldwell, J., Rivolo, A.R., Moore, V., Lane, A.L., Sagan, C., Hunt, G., Ponnamparuma, C. 1980, APJ, 236, L39. Observations of the spectrum of Jupiter from 1500 to 2000 Å with the IUE
2522. Owocki, S.P., Cranmer, S.R., Fullerton, A.W. 1995, APJ, 453, L37. Periodic variations in ultraviolet spectral lines of the B0.5Ib star HD 64760: evidence for corotating wind streams rooted in surface variations
2523. Ozeren, F. F., Doyle, J. G., Jevremovic, D. 1999, A&A, 350, 635. The Wilson-Bappu relation for RS CVn stars
2524. Oznovich, I., Gibson, D.M. 1987, APJ, 319, 383. An IUE survey of activity in red giants and supergiants
2525. Pachoulakis, I. 1996, MNRAS, 280, 153. HD159176: photospheric and wind dominated light curve analyses coupled to wind modelling
2526. Paerels, F.B.S., Bleeker, J.A.M., Brinkman, A.C., Heise, J. 1986, APJ, 309, L33. Measurement of the EUV spectrum of the hot white dwarf Feige 24
2527. Paerels, F.B.S., Bleeker, J.A.M., Brinkman, A.C., Heise, J. 1988, APJ, 329, 849. The high-resolution photospheric soft X-ray spectrum of Sirius B
2528. Pakull, M.W., Moch, C., Bianchi, L., Thomas, H.-C., Guibert, J., Beaulieu, J.P., Grison, P., Schaeidt, S. 1993, A&A, 278, L39. Optical/UV counterpart of the supersoft transient X-ray source RX J0513.9-6951 in the Large Magellanic Cloud
2529. Paltani, S., Courvoisier, T.J.-L. 1994, A&A, 291, 74. Systematic study of the ultraviolet variability of active galactic nuclei
2530. Paltani, S., Walter, R. 1996, A&A, 312, 55. Components of the ultraviolet continuum in active galactic nuclei
2531. Paltani, S., Courvoisier, T. J. -L., Walter, R. 1998, A&A, 340, 47. The blue-bump of 3C 273
2532. Paltani, S., Courvoisier, T.J.-L. 1997, A&A, 323, 717. Rest-frame variability of quasars and Seyfert galaxies in the ultraviolet: constraints on the discrete-event models.
2533. Panagi, P.M., Byrne, P.B., Houdebine, E.R. 1991, A&AS, 90, 437. High resolution observations of chromospheric lines in late-type dwarfs
2534. Panagi, P.M., Mathioudakis, M. 1993, A&AS, 100, 343. The importance of surface inhomogeneities for K and M dwarf chromospheric fluxes
2535. Panagia, N., Vettolani, G., Boksenberg, A., Ciatti, F., Ortolani, S., Rafanelli, P., Rosino, L., Gordon, C., Reimers, D., Hempe, K., Benvenuti, P., Clavel, J., Heck, A., Penston, M.V., Macchetto, F., Stickland, D.J., Bergeron, J., Tarengi, M., Marano, B., Palumbo, G.C., Parmar, A.N., Pollard, G.S.W., Sanford, P.W., Sargent, W.L.W., Sramek, R.A., Weiler, K.W., Matzik, P. 1980, MNRAS, 192, 861. Coordinated optical, ultraviolet, radio and X-ray observations of supernova 1979c in M 100

2536. Panagia, N., Gilmozzi, R., Clavel, J., Barylak, M., Gonzalez-Riestra, R., Lloyd, C., Sanz Fernandez de Cord, L., Wamsteker, W. 1987, *A&A*, 177, L25. Photometric properties of SN 1987A and other sources in the same field
2537. Panagia, N. 1988, *PASA*, 7, 390. Ultraviolet observations of SN 1987A
2538. Panagia, N., Gilmozzi, R., Macchetto, F., Adorf, H.-M., Kirshner, R.P. 1991, *APJ*, 380, L23. Properties of the SN 1987A circumstellar ring and the distance to the Large Magellanic Cloud
2539. Panek, R.J. 1983, *APJ*, 270, 169. Ultraviolet flux distributions of stars in the Orion Nebula Cluster
2540. Panek, R.J., Holm, A.V. 1984, *APJ*, 277, 700. Ultraviolet spectroscopy of the dwarf nova U Geminorum
2541. Paresce, F. 1984, *AJ*, 89, 1022. On the distribution of interstellar matter around the sun
2542. Paresce, F. 1991, *A&A*, 247, L25. On the evolutionary status of Beta Pictoris
2543. Paresce, F., Livio, M., Hack, W., Korista, K. 1995, *A&A*, 299, 823. The structure and evolution of the Nova V1974 Cygni shell from HST observations
2544. Park, J.H., Lee, Y.W. 1997, *APJ*, 476, 28. Evidence for a sizable age spread among galaxies from the ultraviolet-upturn phenom in early-type systems
2545. Parker, J., Clayton, G., Winge, C., Conti, P. 1993, *APJ*, 409, 770. A new luminous blue variable: R 143 in 30 Doradus
2546. Parker J.W. 1998, *AJ*, 116, 180. Ultraviolet Imaging Telescope observations of the Magellanic Clouds
2547. Parsons, S.B. 1980, *APJ*, 239, 555. Ultraviolet spectroscopy of F and G supergiants with IUE. I. First results on Cepheid variables
2548. Parsons, S.B. 1981, *APJ*, 245, 201. HR 4511: a probable Cepheid with a supergiant-like hot companion
2549. Parsons, S.B. 1982, *PASP*, 94, 642. Ultraviolet spectroscopy of F and G supergiants with IUE. II. The hot companions of HR 2786 and HR 2859
2550. Parsons, S.B., Holm, A.V., Kondo, Y. 1983, *APJ*, 264, L19. HD 207739: a strange composite star
2551. Parsons, S.B., Ake, T.B., Hopkins, J.L. 1985, *PASP*, 97, 725. The August 1984 eclipse of 22 Vulpeculae
2552. Parsons, S.B., Ake, T.B. 1990, *APJ*, 364, L13. HD 51956: a supergiant in an interacting binary
2553. Parsons, S.B. 1993, *APJ*, 412, 814. Ultraviolet and optical studies of binaries with luminous cool primaries and hot companions. IV. Further IUE detections
2554. Parsons, S.B., Ake, T.B. 1998, *APJS*, 119, 83. Ultraviolet and Optical Studies of Binaries with Luminous Cool Primaries and Hot Companions. V. The Entire IUE Sample
2555. Parthasarathy, M., Lambert, D.L. 1983, *PASP*, 95, 1012. Epsilon Aurigae in eclipse. I. Ultraviolet spectroscopy during ingress and totality
2556. Parthasarathy, M., Sneden, C., Bohm-Vitense, E. 1984, *PASP*, 96, 44. IUE observations of weak G-band stars

2557. Parthasarathy, M., Cornachin, M., Hack, M. 1986, *A&A*, 166, 237. The ultraviolet spectrum of Upsilon Sagittarii
2558. Parthasarathy, M., Pottasch, S.R., Wamsteker, W. 1988, *A&A*, 203, 117. IUE observations of high galactic latitude F supergiants HD 161796 and HD 187885
2559. Parthasarathy, M., Hack, M., Tektunali, G. 1990, *A&A*, 230, 136. The ultraviolet spectrum of the hydrogen-poor binary HD 30353
2560. Parthasarathy, M., Garcia-Lario, P., Pottasch, S.R., Manchado, A., Clavel, J., de Martino, D., Van de Steene, G.C.M., Sahu, K.C. 1993, *A&A*, 267, L19. SAO 244567: a post-AGB star which has turned into a planetary nebula within the last 40 years
2561. Parthasarathy, M., Garcia-Lario, P., de Martino, D., Pottasch, S.R., Kilkenny, D., Martinez, P., Sahu, K.C., Reddy, B.E., Sewell, B.T. 1995, *A&A*, 300, L25. Fading and variations in the spectrum of the central star of the very young planetary nebula SAO 244567 (Hen 1357)
2562. Parthasarathy, M., Garcia-Lario, P., Pottasch, S. R., de Martino, D., Surendiranath, R. 2000, *A&A*, 355, 720. The UV (IUE) spectrum of the planetary nebula PC 11 (HD 149427)
2563. Pasquali, A., Schmutz, W., Nota, A., Origlia, L. 1997, *A&A*, 327, 265. A spectral analysis of HDE 269445 from optical and infrared observations
2564. Pasquini, L., Brocato, E. 1992, *A&A*, 266, 340. Chromospheric activity and stellar evolution: clues from IUE data
2565. Patriarchi, P., Perinotto, M. 1985, *A&A*, 143, 35. Properties of dust in the Orion Nebula
2566. Patriarchi, P., Perinotto, M., Cerruti-Sola, M. 1989, *APJ*, 345, 327. Model atmospheres and parameters of central stars of planetary nebulae
2567. Patriarchi, P., Perinotto, M. 1991, *A&AS*, 91, 325. Statistical properties of winds in central stars of planetary nebulae
2568. Patriarchi, P., Perinotto, M. 1992, *A&A*, 258, 285. Properties of fast winds in hot stars in the Magellanic Clouds
2569. Patriarchi, P., Perinotto, M. 1994, *A&A*, 287, 585. The abundance of carbon in three type I planetary nebulae
2570. Patriarchi, P., Perinotto, M. 1995, *A&AS*, 110, 353. A search for wind variability in central stars of planetary nebulae
2571. Patriarchi, P., Perinotto, M. 1996, *A&A*, 309, 895. HST observations of the PG1159-type central star of K1-16
2572. Patriarchi, P., Perinotto, M. 1997, *A&AS*, 126, 385. Wind variability in central stars of planetary nebulae. II.
2573. Patterson, J., Sterner, E., Halpern, J.P., Raymond, J.C. 1992, *APJ*, 384, 234. On the certification of AM Canum Venaticorum as a cataclysmic variable
2574. Patterson, J., Schwartz, D.A., Pye, J.P., Blair, W.P., Williams, G.A., Caillault, J.-P. 1992, *APJ*, 392, 233. Rapid oscillations in cataclysmic variables. VIII. YY Draconis (= 3A 1148+719)
2575. Pauldrach, A.W.A., Puls, J. 1990, *A&A*, 237, 409. Radiation-driven winds of hot luminous stars. VIII. The bistable wind of the luminous blue variable P Cygni (B1 Ia+)
2576. Pauldrach, A.W.A., Kudritzki, R.P., Puls, J., Butler, K., Hunsinger, J. 1994, *A&A*, 283, 525. Radiation-driven winds of hot luminous stars. XII. A first step towards detailed UV-line diagnostics of O-stars

2577. Payne, B.J., Coe, M.J. 1987, MNRAS, 225, 985. The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A 0535+26 and 4U 1145-619
2578. Peimbert, M., Torres-Peimbert, S. 1981, APJ, 245, 845. Physical conditions in the nucleus of M81
2579. Peimbert, M., Pena, M., Torres-Peimbert, S. 1986, A&A, 158, 266. The chemical composition of NGC 2363
2580. Peimbert, M., Torres-Peimbert, S., Dufour, R.J. 1993, APJ, 418, 760. Chemical composition of M 8 based on IUE and visual observations
2581. Pena, M., Torres-Peimbert, S. 1981, RMAA, 6, 309. Ultraviolet spectrum of the planetary nebula NGC 7662. Observations and models
2582. Pena, M., Ruiz, M.T. 1988, RMAA, 16, 55. A spectrophotometric study of the planetary nebula N66 in the Large Magellanic Cloud
2583. Pena, M., Ruiz, M., Torres-Peimbert, S., Maza, J. 1990, A&A, 237, 454. A newly discovered carbon-poor planetary nebula: PN 242-37.1
2584. Pena, M., Torres-Peimbert, S., Ruiz, M.T. 1991, PASP, 103, 865. The halo planetary nebulae M 2-29 and BB-1
2585. Pena, M., Torres-Peimbert, S., Ruiz, M.T. 1992, A&A, 265, 757. Ultraviolet and optical spectra of central stars of halo planetary nebulae
2586. Pena, M., Torres-Peimbert, S., Peimbert, M., Dufour, R.J. 1993, RMAA, 27, 175. IUE observations of the halo planetary nebula BB-1: the C, O and Ne abundances
2587. Pena, M., Torres-Peimbert, S., Peimbert, M., Ruiz, M.T., Maza, J. 1994, APJ, 428, L9. A thermal pulse in progress in the nucleus of the LMC planetary nebula N 66
2588. Pena, M., Olguin, L, Ruiz, M., Torres-Peimbert, S. 1994, RMAA, 28, 27. LM 1-64: a high excitation planetary nebula with WR nucleus in the LMC
2589. Pena, M., Ruiz, M., Bergeron, P., Torres-Peimbert, S., Heathcote, S. 1997, A&A, 317, 911. The evolved central star of the planetary nebula ESO 166 - PN 21
2590. Pena, M., Hamann, W.-R., Koesterke, L., Maza, J., Mendez, R. H., Peimbert, M., Ruiz, M. T., Torres-Peimbert, S. 1997, APJ, 491, 233. Spectrophotometric Data of the Central Star of the Large Magellanic Cloud Planetary Nebula N66: Quantitative Analysis of Its WN-Type Spectrum
2591. Pena, M., Ruiz, M.T., Torres-Peimbert, S. 1997, A&A, 324, 674. Spectroscopic study of the planetary nebulae with Wolf-Rayet nuclei in the Magellanic Clouds
2592. Pena, M., Ruiz, M.T. 1998, APJ, 504L.103. The Variable Central Star of PN G23.8-37.1
2593. Penning, W.R., Ferguson, D.H., McGraw, J.T., Liebert, J., Green, R.F. 1984, APJ, 276, 233. PG1012-029: a high-excitation eclipsing cataclysmic variable
2594. Penny, L.R. 1996, APJ, 463, 737. Projected rotational velocities of O-type stars.
2595. Penny, L.R., Gies, D., Bagnuolo, W. 1996, APJ, 460, 906. Two-dimensional ultraviolet spectral typing of O-type stars
2596. Penny, L.R. 1997, PASP, 109, 848. Tomographic Separation of Spectra of O-Type Binary Systems
2597. Penny, L.R., Gies, D.R., Bagnuolo, W.G., JR. 1997, APJ, 483, 439. Tomographic Separation of Composite Spectra. IV. The Physical Properties of the Massive Close Binary DH Cephei

2598. Penny, L. R., Gies, D. R., Bagnuolo, W. G., Jr. 1999, APJ, 518, 450. Tomographic Separation of Composite Spectra. VI. The Physical Properties of the Massive Close Binary HD 152248
2599. Penston, M.V., Clavel, J., Snijders, M.A.J., Boksenberg, A., Fosbury, R.A.E. 1979, MNRAS, 189, 45P. Far-ultraviolet profiles in the Seyfert galaxy NGC 4151
2600. Penston, M.V., Boksenberg, A., Bromage, G.E., Clavel, J., Elvius, A., Gondhalekar, P.M., Jordan, C., Lind, J., Lindegren, L., Perola, G.C., Pettini, M., Snijders, M.A.J., Tanzi, E.G., Tarenghi, M., Ulrich, M.-H. 1981, MNRAS, 196, 857. Detailed observations of NGC 4151 with IUE - I. Low dispersion data up to 1979 January
2601. Penston, M.V., Benvenuti, P., Cassatella, A., Heck, A., Selvelli, P., Macchetto, F., Ponz, D., Jordan, C., Cramer, N., Rufener, F., Manfroid, J. 1983, MNRAS, 202, 833. IUE and other new observations of the slow nova RR Tel
2602. Penston, M.V., Lago, M.T.V.T. 1983, MNRAS, 202, 77. Optical and ultraviolet line profiles and ultraviolet line intensities in the T Tauri star LHa 332-21
2603. Penston, M.V., Allen, D.A. 1985, MNRAS, 212, 939. On the ultraviolet spectrum of AG Peg
2604. Penston, M.V. 1988, MNRAS, 233, 601. On the nature of the Broad Line Region clouds
2605. Pereira, C.B., Vogel, M., Nussbaumer, H. 1995, A&A, 293, 783. The far UV variability of the symbiotic star SY Muscae
2606. Pereira, C.B. 1995, A&AS, 111, 471. The chemical abundances of southern symbiotic stars
2607. Pereira, C.B. 1996, AP&SS, 235, 305. UV observations of the symbiotic star EG And
2608. Pereira, C.B. 1996, AP&SS, 240, 1 UV observations of the symbiotic star EG And
2609. Pereira, C. B., Ortega, V. G., Monte-Lima, I. 1999, A&A, 344, 607. The eclipse of the symbiotic star SY Muscae
2610. Perez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M. 1988, MNRAS, 230, 353. An accretion disc in the broad-line radio galaxy 3C 390.3?
2611. Perez, M., The, P.S. 1994, RMAA, 29, 54. The clumpy accretion in Herbig Ae/Be stars
2612. Perez, M.R., Grady, C.A., The, P.S. 1993, A&A, 274, 381. UV spectral variability in the Herbig Ae star HR 5999. XI. The accretion interpretation
2613. Perez, M.R., Grady, C.A., The, P.S. 1994, AP&SS, 212, 115. The evidence for clumpy accretion in the Herbig Ae star HR 5999
2614. Perinotto, M., Panagia, N., Benvenuti, P. 1980, A&A, 85, 332. Physical conditions and abundances of CNO elements in NGC 7027
2615. Perinotto, M., Patriarchi, P. 1980, APJ, 235, L13. The abundance of carbon and magnesium in the Orion Nebula
2616. Perinotto, M., Patriarchi, P. 1980, APJ, 238, 614. IUE observations of the continuous spectrum of the Orion Nebula
2617. Perinotto, M., Benvenuti, P. 1981, A&A, 101, 88. The planetary nebula NGC 7009
2618. Perinotto, M., Benvenuti, P. 1981, A&A, 100, 241. UV spectroscopy of planetary nebulae
2619. Perinotto, M., Benvenuti, P., Cerruti-Sola, M. 1982, A&A, 108, 314. Stellar wind in the nucleus of IC 2149

2620. Perinotto, M., Cerruti-Sola, M., Lamers, H. 1989, APJ, 337, 382. Fast winds from the central stars of NGC 6543 and NGC 6826
2621. Perinotto, M. 1991, APJS, 76, 687. Chemical abundances in planetary nebulae: basic data and correlations between elements
2622. Perola, G.C., Tarengi, M. 1980, APJ, 240, 447. IUE spectra of the jet and the nucleus of M87
2623. Perola, G.C., Boksenberg, A., Bromage, G.E., Clavel, J., Elvis, M., Elvius, A., Gondhalekar, P.M., Lind, J., Lloyd, C., Penston, M.V., Pettini, M., Snijders, M.A.J., Tanzi, E.G., Tarengi, M., Ulrich, M.-H., Warwick, R.S. 1982, MNRAS, 200, 293. Detailed observations of NGC 4151 with IUE - II. Variability of the continuum from 1978 February to 1980 May, including X-ray and optical observations
2624. Perola, G.C., Piro, L., Altamore, A., Fiore, F., Boksenberg, A., Penston, M.V., Snijders, M.A.J., Bromage, G.E., Clavel, J., Elvius, A., Ulrich, M.-H. 1986, APJ, 306, 508. New results on the X-ray emission and its correlation with the ultraviolet in NGC 4151
2625. Perola, G.C., Piro, L. 1994, A&A, 281, 7. X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
2626. Perry, J.J., van Groningen, E., Wanders, I. 1994, MNRAS, 271, 561. Hysteresis in broad-line regions of active galactic nuclei
2627. Persic, M., Hack, M., Selvelli, P.L. 1984, A&A, 140, 317. The UV variations of the symbiotic star CH Cygni from 1978 to 1981
2628. Pesce, J.E., Stencel, R.E., Oliverson, N.A. 1987, PASP, 99, 1178. The search for the elusive companion of EG Andromedae
2629. Peters, G.J. 1982, APJ, 253, L33. Evidence for mass loss at polar latitudes in the Be stars Omega Orionis and 66 Ophiuchi
2630. Peters, G.J., Polidan, R.S. 1984, APJ, 283, 745. Evidence for a high-temperature accretion region in Algol-type binary systems
2631. Peters, G.J. 1984, PASP, 96, 960. Ultraviolet observations of the Be star Mu Centauri during its recent active phase
2632. Peters, G.J. 1986, APJ, 301, L61. Observation of the onset of an emission episode in the Be star Mu Centauri
2633. Peters, G.J. 1988, APJ, 331, L33. Recent unusual activity in the Be star FY Canis Majoris
2634. Peters, G.J. 1988, PASP, 100, 207. The loss and reestablishment of the wind in 66 Ophiuchi in 1985
2635. Peterson, B.M., Reichert, G.A., Korista, K.T., Wagner, R.M. 1990, APJ, 352, 68. Ultraviolet and optical spectroscopy of NGC 5548 and the nature of the broad-line region
2636. Peterson, B.M., Balonek, T.J., Barker, E.S., Bechtold, J., Bertram, R., Bochkarev, N.G., Bolte, M.J., Bond, D., Boroson, T.A., Carini, M.T., Carone, T.E., Christensen, J.A., Clements, S.D., Cochran, A.L., Cohen, R.D., Crampton, D., Dietrich, M., Elvis, M., Ferguson, A., Filippenko, A.V., Fricke, K.J., Gaskell, C.M., Halpern, J.P., Huchra, J.P., Hutchings, J.B., Kollatschny, W., Koratkar, A.P., Korista, K.T., Krolik, J.H., Lame, N.J., Laor, A., Leacock, R.J., MacAlpine, G.M., Malkan, M.A., Maoz, D., Miller, H.R., Morris, S.L., Netzer, H., Oliveira, C.L.M., Penfold, J., Penston, M.V., Perez, E., Pogge, R.W., Richmond, M.W., Romanishin, W., Rosenblatt, E.I., Saddlemeyer, L., Sadun, A., Sawyer, S.R., Shields, J.C., Shapovalova, A.I., Smith, A.G., Smith, H.A., Smith, P.S., Sun, W.-H., Thiele, U., Turner, T.J., Veilleux,

- S., Wagner, R.M., Weymann, R.J., Wilkes, B.J., Wills, B.J., Wills, D., Younger, P.F. 1991, APJ, 368, 119. Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. II. An intensive study of NGC 5548 at optical wavelengths
2637. Peterson, B.M., Gaskell, C.M. 1991, APJ, 368, 152. On the size of the broad-line region in Arakelian 120
2638. Peterson B.M., Wanders I., Horne K., Collier S., Alexander T., Kasphi S., Maoz D., 1998, PASP, 110, 660. On uncertainties in cross-correlation lags and the reality of wavelength-dependent continuum lags in Active Galactic Nuclei
2639. Petitjean, P., Boisson, C., Pequignot, D. 1990, A&A, 240, 433. A photoionization model study of the old nova shell DQ Herculis 1934
2640. Pettersen, B.R. 1989, A&A, 209, 279. Chromospheric lines in red dwarf flare stars. III
2641. Pettini, M., West, K.A. 1982, APJ, 260, 561. A study of interstellar absorption at high galactic latitudes. I. Highly ionized gas
2642. Pettini, M., Benvenuti, P., Blades, J.C., Boksenberg, A., Grewing, M., Holm, A., King, D.L., Panagia, N., Penston, M.V., Savage, B., Wamsteker, W., Wu, C., Boggess, A. 1982, MNRAS, 199, 409. The interstellar spectrum of the supernova 1980k in NGC 6946
2643. Pettini, M., Hunstead, R.W., Murdoch, H.S., Blades, J.C. 1983, APJ, 273, 436. C IV absorption in the high-redshift BL Lac object 0215+015, II. New observations at 20 km/s resolution
2644. Pettini, M., Boksenberg, A. 1985, APJ, 294, L73. PG 1700+518: a low-redshift, broad absorption line QSO
2645. Pfeiffer, R.J., Pachoulakis, I., Koch, R.H., Stickland, D.J. 1994, OBS, 114, 297. The winds of hot, close binaries. Paper 1: Y Cygni (HD 198846)
2646. Philip, A.G.D., Hayes, D.S., Huenemoerder, D.P. 1987, PASP, 99, 54. Ultraviolet spectra of field horizontal-branch A-type stars
2647. Philip, A.G.D., Hayes, D.S., Adelman, S.J. 1990, PASP, 102, 649. Ultraviolet spectra of field horizontal-branch A-type stars. II.
2648. Phillips, A.P., Gondhalekar, P.M., Blades, J.C. 1981, MNRAS, 195, 485. High-velocity gas associated with the supernova remnant S147
2649. Phillips, A.P., Gondhalekar, P.M. 1981, MNRAS, 196, 533. High-velocity interstellar C IV and Si IV toward two stars in the I Per OB association
2650. Phillips, A.P., Gondhalekar, P.M., Pettini, M. 1982, MNRAS, 200, 687. A study of element depletions in interstellar gas
2651. Phillips, A.P., Gondhalekar, P.M. 1983, MNRAS, 202, 483. Further ultraviolet observations of interstellar gas associated with the supernova remnant S 147
2652. Phillips, A.P., Pettini, M., Gondhalekar, P.M. 1984, MNRAS, 206, 337. Element depletions in interstellar gas - II. The density-dependence of calcium and sodium depletions
2653. Phillips, A.P., Welsh, B.Y., Pettini, M. 1984, MNRAS, 206, 55. IUE observations of high-velocity interstellar gas toward stars within the OB association Cyg OB1
2654. Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E. 1988, MNRAS, 235, 573. Flare activity on UV Ceti: visible and IUE observations

2655. Phillips, K.J.H., Bromage, G.E., Doyle, J.G. 1992, APJ, 385, 731. The origin of the far-ultraviolet continuum in solar and stellar flares
2656. Pian, E., Treves, A. 1993, APJ, 416, 130. The ultraviolet continua of blazars: a reconsideration of IUE archives
2657. Pian, E., Falomo, R., Scarpa, R., Treves, A. 1994, APJ, 432, 547. The near-infrared-optical-ultraviolet emission of BL Lacertae objects
2658. Pian, E., Falomo, R., Ghisellini, G., Maraschi, L., Sambruna, R., Scarpa, R., Treves, A. 1996, APJ, 459, 169. The broadband energy distribution of the misaligned gamma ray Blazar PKS0521-365
2659. Pian, E., Urry, C.M., Treves, A., Maraschi, L., Penton, S., Shull, J.M., Pesce, J.E., Grandi, P., Kii, T., Kollgaard, R.I., Madejski, G., Marshall, H.L., Wamsteker, W., Celotti, A., Courvoisier, T.J.-L., Falomo, R., Fink, H.H., George, I.M., Ghisellini, G. 1997, APJ, 486, 784. Multiwavelength Monitoring of the BL Lacertae Object PKS 2155-304 in 1994 May. II. The IUE Campaign
2660. Pian, E., Urry, C.M., Maraschi, L., Madejski, G., McHardy, I.M., Koratkar, A., Treves, A., Chiapetti, L. 1999, APJ, 521, 112. Ultraviolet and multiwavelength variability of the blazar 3C279: evidence for thermal emission
2661. Piro, L., Balucinska-Church, M., Fink, H., Fiore, F., Matsuoka, M., Perola, G., Soffitta, P. 1997, A&A, 319, 74. The ultraviolet to X-ray spectrum of the Seyfert I galaxy E1615+061: Accretion disk and reflection models
2662. Pistinner, S., Shaviv, G., Hauschildt, P.H., Starrfield, S. 1995, APJ, 451, 724. Some remarks about nNova spectroscopy and photometry
2663. Plait, P.C., Lundquist, P., Chevalier, R.A., Kirshner, R.P., 1995, APJ, 439, 730 HST observations of the ring around SN1987A
2664. Plavec, M.J., Weiland, J.L., Koch, R.H. 1982, APJ, 256, 206. Energy distribution in the strongly interacting binary system SX Cassiopeiae
2665. Plavec, M.J., Dobias, J.J. 1983, APJ, 272, 206. RW Tauri as a weak W Serpentis star
2666. Plavec, M.J. 1983, APJ, 275, 251. Far-ultraviolet emission lines in U Cephei: evidence for a hot turbulent circumstellar envelope
2667. Plavec, M.J., Dobias, J.J. 1987, AJ, 93, 440. The moderately interacting Algol-type eclipsing binary RY Geminorum
2668. Plavec, M.J., Dobias, J.J. 1987, AJ, 93, 171. The moderately interacting Algol binary RS Cephei
2669. Plavec, M.J. 1988, AJ, 96, 755. The Algol-like binary TT Hydrae: the stars, circumstellar matter, and superionized plasma
2670. Pogge, R.W., Peterson, B.M. 1992, AJ, 103, 1084. The intrinsic nature of the Baldwin effect
2671. Polcaro, V.F., Rossi, C., Giovannelli, F., Ferrari-Toniolo, M., La Padula, C., Persi, P., Manchanda, R.K., Golinskaya, I.M., Kurt, V.G., Misykima, T.A., Shafer, E.Yu., Shamolin, V.M., Smirnov, A.S., Sheffer, E.K., Boyarchuck, A.A., Gershberg, R. 1990, A&A, 231, 354. BD+37 1160: a probable optical counterpart of the X-ray source 1H 0521+373
2672. Polidan, R.S., Plavec, M.J. 1984, AJ, 89, 1721. A hot companion to Mu Sagittarii: an opportunity to sound the atmosphere of a B8 Ia supergiant

2673. Polidan, R.S., Holberg, J.B. 1984, *NATURE*, 309, 528. Far-UV and extreme-UV observations of SS Cyg and U Gem for Voyagers 1 and 2
2674. Polidan, R.S., Mauche, C.W., Wade, R.A. 1990, *APJ*, 356, 211. A study of extreme-ultraviolet emission from cataclysmic variables
2675. Pollacco, D.L., Bell, S.A. 1993, *MNRAS*, 262, 377. New light on UU Sagittae
2676. Pollacco, D.L., Bell, S.A. 1994, *MNRAS*, 267, 452. A preliminary analysis of the planetary nebula central star V477 Lyrae
2677. Ponder, J.M., Burstein, D., O'connell, R.W., Rose, J.A., Frogel, J.A., Wu, C.-C., Crenshaw, D.M., Rieke, M.J., Tripicco, M. 1998, *AJ*, 116, 2297. Integrated Ultraviolet Spectra and Line Indices of M31 Globular Clusters and the Cores of Elliptical Galaxies
2678. Porri, A., Stalio, R., Ali, B., Polidan, R.S., Morossi, C. 1994, *APJ*, 424, 401. Analysis of Voyager spectra of the Beta Cephei star Nu Eridani
2679. Porter, J.M., Drew, J.E. 1995, *A&A*, 296, 761. Decoupled line driven outflow around B and Be stars
2680. Pottasch, S.R., Wesselius, P.R., van Duinen, R.J. 1979, *A&A*, 74, L15. Determination of cooling rates in the interstellar medium
2681. Pottasch, S.R., Gathier, R., Gilra, D.P., Wesselius, P.R. 1981, *A&A*, 102, 237. The ultraviolet spectrum of the planetary nebula NGC 2371 and its exciting star
2682. Pottasch, S.R., Gilra, D.P., Wesselius, P.R. 1982, *A&A*, 109, 182. Abundances in the planetary nebula NGC 6853
2683. Pottasch, S.R., Dennefeld, M., Mo Jing-er, N.I. 1986, *A&A*, 155, 397. Abundances in the planetary nebula NGC 6153
2684. Pottasch, S.R., Preite-Martinez, A., Olmon, F.M., Mo Jing-er, N.I., Kingma, S. 1986, *A&A*, 161, 363. IRAS spectra of planetary nebulae. III.
2685. Praderie, F., Talavera, A., Lamers, H.J.G.L.M. 1980, *A&A*, 86, 271. Resonance line profiles in A type supergiants from IUE and Copernicus spectra
2686. Praderie, F., Talavera, A., Felenbok, P., Czarny, J., Merchant Boesgaard, A. 1982, *APJ*, 254, 658. The chromosphere and wind of the Herbig AE star, AB Aurigae
2687. Praderie, F., Simon, T., Catala, C., Boesgaard, A.M. 1986, *APJ*, 303, 311. Short-term spectral variability in AB Aurigae: clues for activity in Herbig Ae stars. I. The ultraviolet lines of Mg II and Fe II
2688. Praderie, F., Catala, C., Czarny, J., The, P.S., Tjin A Djie, H.R.E. 1991, *A&AS*, 89, 91. Short term H-alpha variations in two Herbig PMS stars: HR 5999 and HD 52721
2689. Prange, R., Elkhamsi, M. 1991, *JGR*, 96, 21,371. Modeling the precipitation flux in the Jovian auroral zones. 1. The model and its application to the UV auroral emissions
2690. Pravdo, S.H., White, N.E., Kondo, Y., Becker, R.H., Boldt, E.A., Holt, S.S., Serlemitsos, P.J., McCluskey, G.E. 1980, *APJ*, 237, L71. X-ray and ultraviolet spectroscopy of Cygnus X-1 = HDE 226868
2691. Prevot, L., Laurent, C., Paul, J., Vidal-Madjar, A., Audouze, J., Ferlet, R., Lequeux, J., Maucherat-Joubert, M., Prevot-Burnichon, M.L., Rocca-Volmerange, B. 1980, *A&A*, 90, L13. Highly ionized species in the spectra of Small Magellanic Cloud stars
2692. Prialnik, D., Bar-Nun, A. 1990, *APJ*, 363, 274. Gas release in comet nuclei

2693. Pringle, J.E., Verbunt, F., Wade, R.A. 1986, MNRAS, 221, 169. Dwarf novae in outburst: modelling the observations
2694. Pringle, J.E., Bateson, F.M., Hassall, B.J.M., Heise, J., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F. 1987, MNRAS, 225, 73. Multiwavelength monitoring of the dwarf nova VW Hydri. I. Overview
2695. Pringle, J.E. 1988, MNRAS, 230, 587. White dwarf heating and the ultraviolet flux in dwarf novae
2696. Prinja, R.K. 1984, MNRAS, 207, 157. IUE ultraviolet observations of narrow absorption components in the spectrum of Xi Puppis
2697. Prinja, R.K., Howarth, I.D. 1986, APJS, 61, 357. Narrow absorption components and variability in ultraviolet P Cygni profiles of early-type stars
2698. Prinja, R.K., Howarth, I.D., Henrichs, H.F. 1987, APJ, 317, 389. Ultraviolet observations of extensive variability in the stellar wind of Xi Persei
2699. Prinja, R.K. 1987, MNRAS, 228, 173. The stellar winds of early-type stars in the Small Magellanic Cloud
2700. Prinja, R.K. 1988, MNRAS, 231, 21P. Evidence for rotationally modulated variability in O star winds
2701. Prinja, R.K., Howarth, I.D. 1988, MNRAS, 233, 123. Opacity enhancements in the stellar wind of 68 Cygni - not 'shells' or 'puffs'
2702. Prinja, R.K. 1989, MNRAS, 241, 721. Ultraviolet observations of stellar winds in Be and 'normal' B non-supergiant stars
2703. Prinja, R.K. 1990, A&A, 232, 119. Similarities in the wind characteristics of hot stars
2704. Prinja, R.K., Barlow, M.J., Howarth, I.D. 1990, APJ, 361, 607. Terminal velocities for a large sample of O stars, B supergiants, and Wolf-Rayet stars
2705. Prinja, R.K. 1990, MNRAS, 246, 392. Photospheric absorption lines in the UV spectra of O and B type stars
2706. Prinja, R.K., Schild, H. 1991, A&A, 249, 428. The peculiar UV and optical spectrum of the LMC supergiant HD 269216
2707. Prinja, R.K., Rosen, S.R., Supelli, K. 1991, MNRAS, 248, 40. Time-resolved ultraviolet spectroscopy of the cataclysmic variable, PG 1711+336
2708. Prinja, R.K., Smith, L.J. 1992, A&A, 266, 377. Migrating optical depth enhancements in the UV wind lines of the Wolf-Rayet star HD 93131
2709. Prinja, R.K., Balona, L.A., Bolton, C.T., Crowe, R.A., Fieldus, M.S., Fullerton, A.W., Gies, D.R., Howarth, I.D., McDavid, D., Reid, A.H.N. 1992, APJ, 390, 266. Time series observations of O stars. I. IUE observations of variability in the stellar wind of Zeta Puppis
2710. Prinja, R.K., Drew, J.E., Rosen, S.R. 1992, MNRAS, 256, 219. Variability in the UV resonance lines of the cataclysmic variable V795 Herculis (PG 1711+336)
2711. Prinja, R.K., Rosen, S.R. 1993, MNRAS, 262, L37. A 4.86-h periodic modulation in the UV resonance lines of the cataclysmic variable V795 Herculis
2712. Prinja, R.K. 1994, A&A, 289, 221. Determining hot star wind terminal velocities from low-resolution IUE data

2713. Prinja, R.K., Fullerton, A.W. 1994, APJ, 426, 345. Low-velocity variability in the stellar wind of HD 152408 (O8: Iafpe)
2714. Prinja, R.K., Massa, D., Fullerton, A.W. 1995, APJ, 452, L61. The IUE MEGA campaign. Modulated structure in the wind of HD64760 (B0.5lb)
2715. Prinja, R.K., Rosen, S.R. 1995, MNRAS, 273, 461. High-resolution IUE spectroscopy of fast winds from cataclysmic variables
2716. Prinja, R.K., Massa, D., Fullerton, A., Howarth, I., Pontefract, M. 1997, A&A, 318, 157. Wind variability of B supergiants, II: The two-component stellar wind of gamma Arae
2717. Prinja, R.K., Massa, D., Howarth, I.D., Fullerton, A.W. 1998, MNRAS, 301, 926. Repetitive structure in the stellar wind of HD 93843: a normal O-type star
2718. Prisant, M.G., Jackson, W.M. 1987, A&A, 187, 489. A rotational-state population analysis of the high-resolution IUE observation of CS emission in comet P/Halley
2719. Pritchard, J.D., Tobin, W., Clark, M., Guinan, E.F. 1998, MNRAS, 299, 1087. CCD photometry of variable stars in the Magellanic Clouds - VI. The eclipsing binary HV982 in the Large Magellanic Cloud
2720. Puchnarewicz, E.M., Mason, K.O., Cordova, F.A., Kartje, J., Branduardi-Raymont, G., Mit-taz, J.P.D., Murdin, P.G., Allington-Smith, J. 1992, MNRAS, 256, 589. Optical properties of active galaxies with ultra-soft X-ray spectra
2721. Puls, J., Owocki, S.P., Fullerton, A.W. 1993, A&A, 279, 457. On the synthesis of resonance lines in dynamical models of structured hot-star winds
2722. Puls, J., Kudritzki, R., Herrero, A., Pauldrach, A., Haser, S., Lennon, D., Gabler, R., Voels, S., Vilchez, J., Wachter, S., Feldmeier, A. 1996, A&A, 305, 171. O star mass loss and wind momentum rates in the Galaxy and the Magellanic Clouds: Observations and theoretical predictions
2723. Pun, C.S.J., Kirshner, R.P., Sonneborn, G., Challis, P., Nassiopoulos, G., Arquilla, R., Crenshaw, D.M., Shrader, C., Teays, T., Cassatella, A., Gilmozzi, R., Talavera, A., Wamsteker, W., Fransson, C., Panagia, N. 1995, APJS, 99, 223. Ultraviolet observations of SN 1987A with the IUE satellite
2724. Puyoo, O., Jaffel, B., Emerich, C. 1997, APJ, 480, 262. The neutral hydrogen abundance and ionization in the inner heliospher
2725. Pwa, T.H., Mo, J.E., Pottasch, S.R. 1984, A&A, 139, L1. Nebular and interstellar absorption lines in planetary nebulae: the case of NGC 6543
2726. Pwa, T.H., Pottasch, S.R., Mo, J.E. 1986, A&A, 164, 184. Abundances in the planetary nebula BD +30 3639
2727. Pwa, T.H., Pottasch, S.R. 1986, A&A, 164, 116. Detailed analysis of the ISM toward Zeta Oph and 9 Sgr
2728. Querci, F., Querci, M., Wing, R.F., Cassatella, A., Heck, A. 1982, A&A, 111, 120. On the structure of the outer layers of cool carbon stars
2729. Querci, M., Querci, F. 1985, A&A, 147, 121. Temporal variations in UV spectra of the red giant C star, TW Hor
2730. Quin, D.A., Brown, P.J.F., Conlon, E.S., Dufton, P.L., Keenan, F.P. 1991, APJ, 375, 342. IUE observations of early-type stars at high galactic latitudes

2731. Quin, D.A., Lamers, H.J.G.L.M. 1992, *A&A*, 260, 261. UV observations of LB 3193 and LB 3116: two hot post-AGB objects in the galactic halo?
2732. Quin, D.A., Doyle, J.G., Butler, C.J., Byrne, P.B., Swank, J.H. 1993, *A&A*, 272, 477. Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XVII. UV spectroscopy and optical photometry of AU Microscopii in 1986
2733. Raassen, A.J.J. 1985, *APJ*, 292, 696. Additional identifications of high ionization stages of iron and nickel in the ultraviolet spectrum of the slow nova RR Telescopii
2734. Rahe, J., Boggess, A., Drechsel, H., Holm, A., Krautter, J. 1980, *A&A*, 88, L9. Detection of periodic light variations in the old nova V603 Aquilae (1918)
2735. Ramella, M., Morossi, C., Santin, P. 1980, *A&A*, 90, 146. Ultraviolet observations of the blue halo star: HD 93521
2736. Ramella, M., Castelli, F., Malagnini, M.L., Morossi, C., Pasian, F. 1987, *A&AS*, 69, 1. Identification lists of the far UV spectra of 7 solar chemical composition main sequence stars in the spectral range B2-B9.5
2737. Ramos, E., Kafatos, M., Fruscione, A., Bruhweiler, F.C., Mchardy, I.M., Hartman, R.C., Titarchuk, L.G., Von Montigny, C. 1997, *APJ*, 482, 167. Contemporaneous IUE, EUVE, and High-Energy Observations of 3C 273
2738. Rao, N.K., Nandy, K., Bappu, M.K.V. 1981, *MNRAS*, 195, 71P. Presence of Mg II emission in R Coronae Borealis at maximum light
2739. Rao, S.M., Turnshek, D.A., Briggs, F.H. 1995, *APJ*, 449, 488. The incidence of damped Ly-alpha systems in the redshift interval $0 < z < 41$
2740. Rao, S.M., Turnshek, D.A. 2000, *APJS*, 130, 1. Discovery of damped Ly α systems at redshifts less than 1.65 and results of their incidence and cosmological mass density
2741. Rauch, T., Heber, U., Hunger, K., Werner, K., Neckel, T. 1991, *A&A*, 241, 457. NLTE-analysis of subluminescent O stars: KS 292
2742. Rauch, T. 1993, *A&A*, 276, 171. NLTE analysis of subluminescent O stars: the hot subdwarf in the binary system HD 128220
2743. Rauch, T., Koppen, J., Werner, K. 1994, *A&A*, 286, 543. Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star
2744. Rauch, T., Dreizler, S., Wolff, B., 1998, *A&A*, 338, 651. Spectral analysis of O(He)-type post-AGB stars
2745. Rauch, T. 2000, *A&A*, 356, 665. NLTE spectral analysis of the sdOB primary of the eclipsing binary system LB 3459 (AA Dor)
2746. Ray, T.P. 1994, *AP&SS*, 216, 71. Herbig Ae/Be stars
2747. Raymond, J.C., Black, J.H., Davis, R.J., Dupree, A.K., Gursky, H., Hartmann, L. 1979, *APJ*, 230, L95. Ultraviolet observations of AM Herculis with IUE
2748. Raymond, J.C., Black, J.H., Dupree, A.K., Hartmann, L., Wolff, R.S. 1980, *APJ*, 238, 881. Ultraviolet observations of the Cygnus Loop
2749. Raymond, J.C., Black, J.H., Dupree, A.K., Hartmann, L., Wolff, R.S. 1981, *APJ*, 246, 100. Ultraviolet emission of the Vela supernova remnant and the Cygnus Loop
2750. Raymond, J.C. 1982, *APJ*, 258, 240. Ultraviolet spectra of the X-ray transient A0538-66

2751. Raymond, J., Blair, W., Fesen, R., Gull, T. 1983, APJ, 275, 636. The structure and emission spectrum of a nonradiative shock wave in the Cygnus Loop
2752. Raymond, J.C., Hester, J.J., Cox, D., Blair, W.P., Fesen, R.A., Gull, T.R. 1988, APJ, 324, 869. Spatial and spectral interpretation of a bright filament in the Cygnus Loop
2753. Raymond, J.C., Hartigan, P., Hartmann, L. 1988, APJ, 326, 323. Improved bow shock models for Herbig-Haro objects: application to HH 2A'
2754. Raymond, J.C., Wallerstein, G., Balick, B. 1991, APJ, 383, 226. Evidence for a thermally unstable shock wave in the Vela supernova remnant
2755. Raymond, J.C. 1993, APJ, 412, 267. A model of an X-ray-illuminated accretion disk and corona
2756. Rayne, M.W., Whelan, J.A.J. 1981, MNRAS, 196, 73. The dwarf nova Z Chamaeleontis. II. Spectroscopy
2757. Recondo-Gonzalez, M., Wamsteker, W., Clavel, J., Rodriguez-Pascual, P., Vio, R., Ting-Gui, W., Santo-LLeo, M., Makino, F. 1997, A&AS, 121, 461. Ultraviolet variability of the Seyfert I galaxy Fairall 9
2758. Redfors, A. 1991, A&A, 249, 589. Oscillator strengths for Y III and Zr III in the IUE region
2759. Rego, M., Fernandez-Figueroa, M.J. 1979, A&A, 76, 249. Mg II and Ca II emissions from three G dwarfs
2760. Rego, M., Cornide, M., Fernandez-Figueroa, M.J. 1980, A&AS, 39, 251. The far-ultraviolet spectrum of Kappa Cet observed from IUE
2761. Rego, M., Gonzalez-Riestra, R., Fernandez-Figueroa, M.J. 1983, A&A, 119, 227. The relationship between soft X-rays and the 1640 Å feature fluxes in late-type stars
2762. Reichert, G., Polidan, R., Wu, C.-C., Carone, T. 1988, APJ, 325, 671. Voyager and IUE observations of 3C 273: detection of possible Lyman continuum absorption in a nearby ($z=0.158$) quasar
2763. Reichert, G.A., Branduardi-Raymont, G., Filippenko, A.V., Mason, K.O., Puchnarewicz, E.M., Wu, C.-C. 1992, APJ, 387, 536. Spatially resolved ultraviolet spectroscopy of the liner galaxy NGC 3998
2764. Reichert, G.A., Rodriguez-Pascual, P.M., Alloin, D., Clavel, J., Crenshaw, D.M., Kriss, G.A., Krolik, J.H., Malkan, M.A., Netzer, H., Peterson, B.M., Wamsteker, W., Altamore, A., Altieri, B., Anderson, K.S., Blackwell, J.H., Boisson, C., Brosch, N., Carone, T.E., Dietrich, M., England, M.N., Evans, I.N., Filippenko, A.V., Gaskell, C.M., Goad, M., Gondhalekar, P.M., Horne, K., Kazanas, D., Kollatschny, W., Koratkar, A.P., Korista, K.T., MacAlpine, G.M., Maoz, D., Mazeh, T., McCollum, B., Miller, H.R., Mendes de Oliveira, C., O'Brien, P.T., Pastoriza, M.G., Pelat, D., Perez, E., Perola, G.C., Pogge, R.W., Ptak, R.L., Recondo-Gonzalez, M.C., Rodriguez-Espinoza, J., Rosenblatt, E.I., Sadun, A.C., Santos-Lleo, M., Shields, J.C., Shrader, C.R., Shull, J.M., Simkin, S.M., Sitko, M.L., Sniijders, M.A.J., Sparke, L.S., Stirpe, G.M., Stoner, R., Storchi-Bergmann, T., Sun, W.-H., Wang, T., Welsh, W.F., White, R.J., Winge, C., Zheng, W. 1994, APJ, 425, 582. Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. V. Variability of the ultraviolet continuum and emission lines of NGC 3783
2765. Reimers, D. 1982, A&A, 107, 292. Detection of further red giants with "hybrid" atmospheres and a possible correlation with double circumstellar Mg II and Ca II lines
2766. Reimers, D., Schroder, K.-P. 1983, A&A, 124, 241. A study of UV spectra of Zeta Aur/VV Cep stars. IV. System parameters and mass-loss of Delta Sge

2767. Reimers, D., Groote, D. 1983, *A&A*, 123, 257. Observations of an emission nebula associated with the carbon star UV Aur
2768. Reimers, D. 1984, *A&A*, 136, L5. Discovery of a white dwarf companion of the "hybrid" K giant HD 81817
2769. Reimers, D. 1985, *A&A*, 142, L16. Discovery of a cataclysmic variable type companion of the M3 III giant 4 Dra with IUE
2770. Reimers, D., Cassatella, A. 1985, *APJ*, 297, 275. The ultraviolet spectrum of the companion of Mira (Omicron Ceti): observational evidence for a disk formed by wind accretion
2771. Reimers, D., Che-Bohnenstengel, A. 1986, *A&A*, 166, 252. A study of UV spectra of Zeta Aur/VV Cep stars. IX. Mass-loss and wind properties of the solar type supergiant 22 Vul (G3 Ib-II)
2772. Reimers, D., Griffin, R.F., Brown, A. 1988, *A&A*, 193, 180. 4 Draconis: a unique triple system containing an M3 giant and a cataclysmic binary
2773. Reimers, D., Clavel, J., Groote, D., Engels, D., Hagen, H.J., Naylor, T., Wamsteker, W., Hopp, U. 1989, *A&A*, 218, 71. The luminous quasar HS1700+6416 and the shape of the "big bump" below 500 Å
2774. Reimers, D., Schroder, K.-P. 1989, *A&A*, 214, 261. Observations of modulation and phase displacement of the stellar wind in six red giant spectroscopic binaries
2775. Reimers, D., Baade, R., Schroder, K.-P. 1990, *A&A*, 227, 133. Discovery of a highly ionized, low mass-loss wind and a corona seen in absorption in the G9 II star HR 6902
2776. Reimers, D., Baade, R., Schroder, K., Ising, J. 1990, *A&A*, 236, L25. First observations of a corona of a cool bright giant with height resolution
2777. Reimers, D., Rodriguez-Pascual, P., Hagen, H.-J., Wisotzki, L. 1995, *A&A*, 293, L21. Discovery of three UV-bright $z \lesssim 2$ quasars
2778. Reimers, D., Hopp, U., Clavel, J., Chini, R., Dahlem, M., Engels, D., Fink, H., Hagen, H.-J., Heber, U., Schramm, K.-J., Wamsteker, W., Wisotzki, L. 1995, *A&A*, 303, 449. Multiwavelength observations of the bright QSO HS 0624+6907
2779. Reimers, D., Jordan, S., Koester, D., Bade, N., Koehler, T., Wisotzki, L. 1996, *A&A*, 311, 572. Discovery of 4 white dwarfs with strong magnetic fields by the Hamburg/ESO survey
2780. Reimers, D., Kohler, S., Wisotzki, L., Groote, D., Rodriguez-Pascual, P., Wamsteker, W. 1997, *A&A*, 327, 890. Patchy intergalactic He II absorption in HE 2347-4342. II. The possible discovery of the epoch of He-reionization
2781. Reitermann, A., Baschek, B., Stahl, O., Wolf, B. 1990, *A&A*, 234, 109. Abundances from B stars of the Magellanic Clouds
2782. Reynolds, C. S., Ward, M. J., Fabian, A. C., Celotti, A. 1997, *MNRAS*, 291, 403. A multi-wavelength study of the Seyfert 1 galaxy MCG-6-30-15
2783. Rich, R.M., Minniti, D., Liebert, J. 1993, *APJ*, 406, 489. Far-ultraviolet radiation from disk globular clusters
2784. Richter, P., Widmann, H., De Boer, K. S., Appenzeller, I., Barnstedt, J., Golz, M., Grewing, M., Gringel, W., Kappelman, N., Kramer, G., Mandel, H., Werner, K. 1998, *A&A*, 338, L9. ORFEUS II echelle spectra: Detection of H₂ absorption in SMC gas
2785. Rifatto, A., Longo, G., Capaccioli, M. 1995, *A&AS*, 109, 341. The uv properties of normal galaxies, II. The non-IUE data

2786. Rifatto, A., Longo, G., Capaccioli, M. 1995, *A&AS*, 114, 527. The uv properties of normal galaxies, III. Standard luminosity profiles and total magnitudes
2787. Rinehart, S.A., Hajian, A.R., Houck, J.R., Terzian, Y. 2000, *PASP*, 112, 977. Periodicities in the ultraviolet flux of α Orionis
2788. Ringuelet, A.E., Fontenla, J.M., Rovira, M. 1981, *A&A*, 100, 79. Ultraviolet observations of 27 Canis Majoris, Pi Aquarii and 48 Librae
2789. Ringuelet, A.E., Rovira, M., Fontenla, J.M. 1981, *RMAA*, 6, 215. Ultraviolet continuum of a sample of Be stars
2790. Ringuelet, A.E., Sahade, J., Rovira, M., Fontenla, J.M., Kondo, Y. 1984, *A&A*, 131, 9. Simultaneous IUE and ground-based observations of V923 Aquilae
2791. Robert, C., Leitherer, C., Heckman, T.M. 1993, *APJ*, 418, 749. Synthetic UV lines of Si IV, C IV, and He II from a population of massive stars in starburst galaxies
2792. Robinson, E.L., Mailloux, T.M., Zhang, E., Koester, D., Steining, R.F., Bless, R.C., Percival, J.W., Taylor, M.J., van Citters, G.W. 1995, *APJ*, 438, 908. The pulsation index, effective temperature and thickness of the Hydrogen layer in the pulsating DA white dwarf G117-B15A
2793. Robinson, R.D., Carpenter, K.G., Woodgate, B.E., Maran, S.P. 1993, *APJ*, 414, 872. A search for proton beams during flares on AU Microscopii
2794. Robinson, R.D., Carpenter, K.G., Slee, O.B., Nelson, G.J., Stewart, R.T. 1994, *MNRAS*, 267, 918. Ultraviolet and radio observations of the young, rapidly rotating K0 dwarf star HD 197890
2795. Robinson, R.D., Carpenter, K.G. 1995, *APJ*, 442, 328. MgII h and k profiles in high-luminosity, late-type stars
2796. Robinson, R.D., Smith, M.A. 2000, *APJ*, 540, 474. A search for rotational modulation of X-ray centers on the classical Be stars γ Cassiopeiae
2797. Rocca-Volmerange, B., Prevot, L., Ferlet, R., Lequeux, J., Prevot-Burnichon, M.L. 1981, *A&A*, 99, L5. Ultraviolet extinction in the Small Magellanic Cloud
2798. Rocca-Volmerange, B., Guiderdoni, B. 1987, *A&A*, 175, 15. Star formation in nuclei of S0/E galaxies
2799. Rocca-Volmerange, B., Guiderdoni, B. 1988, *A&AS*, 75, 93. An atlas of synthetic spectra of galaxies
2800. Rocca-Volmerange, B. 1989, *MNRAS*, 236, 47. An evolutionary model of star formation for elliptical galaxies
2801. Rochowicz, K. 1996, *AP&SS*, 238, 71. Analyses of Wolf-Rayet ultraviolet spectra
2802. Rodono, M., Cutispoto, G., Pazzani, V., Catalano, S., Byrne, P.B., Doyle, J.G., Butler, C.J., Andrews, A.D., Blanco, C., Marilli, E., Linsky, J.L., Scaltriti, F., Busso, M., Cellino, A., Hopkins, J.L., Okazaki, A., Hayashi, S.S., Zeilik, M., Helston, R., Henson, G., Smith, P., Simon, T. 1986, *A&A*, 165, 135. Rotational modulation and flares on RS CVn and BY Dra-type stars. I. Photometry and spot models for BY Dra, AU Mic, AR Lac, II Peg, and V711 Tau (=HR 1099)
2803. Rodono, M., Byrne, P.B., Neff, J.E., Linsky, J.L., Simon, T., Butler, C.J., Catalano, S., Cutispoto, G., Doyle, J.G., Andrews, A.D., Gibson, D.M. 1987, *A&A*, 176, 267. Rotational modulation and flares on RS CVn and BY Dra stars. III. IUE observations of V711 Tau (=HR 1099), II Peg, and AR Lac

2804. Rodrigue, M., Schultz, A., Thompson, J., Colegrove, T., Spight, L.D., Disanti, M., Fink, U., Grundy, W., Fricke, K., Papaderos, P. 1995, *AJ*, 109, 2362. A multiwavelength investigation of the merging galaxy HCG 95C
2805. Rodrigues, C. V., Magalhaes, A. M., Coyne, G. V., S.J., Piirola, V. 1997, *APJ*, 485, 618. Dust in the Small Magellanic Cloud: Interstellar Polarization and Extinction
2806. Rodrigues, L.L., Bohm-Vitense, E. 1992, *APJ*, 401, 695. Absorption-line profiles in a companion spectrum of a mass-losing cool supergiant
2807. Rodriguez-Pascual, P, Santos-Lleo, M, Clavel, J. 1989, *A&A*, 219, 101. A comparative study of the discrete and cross correlation techniques: an application to the NGC 5548 IUE light-curve
2808. Rodriguez-Pascual, P.M., Mas-Hesse, J.M., Sanz Fernandez de Cord, L., Mirabel, I.F., Makino, F., Otani, C. 1993, *AP&SS*, 205, 113. X-ray, UV and FIR emission of Seyfert galaxies
2809. Rodriguez-Pascual, P.M., et al. 1997, *APJS*, 110, 9. Steps towards the determination of the size and structure of the broad-line region in AGN, IX. Ultraviolet observations of Fairall 9
2810. Rodriguez-Pascual, P.M., Mas-Hesse, J.M., Santos-Lleo, M. 1997, *A&A*, 327, 72. The broad line region of narrow-line Seyfert 1 galaxies.
2811. Rodriguez-Pascual, P. M., Gonzalez-Riestra, R., Schartel, N., Wamsteker, W. 1999, *A&AS*, 139, 183. The IUE INES System: Improved data extraction procedures for IUE
2812. Roettger, E.E., Feldman, P.D., A'Hearn, M.F., Festou, M.C., McFadden, L.A., Gilmozzi, R. 1989, *ICARUS*, 80, 303. IUE observations of the evolution of Comet Wilson (1986I): comparison with P/Halley
2813. Roettger, E.E., Feldman, P.D., A'Hearn, M.F., Festou, M.C. 1990, *ICARUS*, 86, 100. Comparison of water production rates from UV spectroscopy and visual magnitudes for some recent comets
2814. Roettger, E.E., Buratti, B.J. 1994, *ICARUS*, 112, 496. Ultraviolet spectra and geometric albedos of 45 asteroids
2815. Rogers, C., Martin, P.G., Crabtree, D.R. 1983, *APJ*, 272, 175. The circumstellar dust of Mu Cephei
2816. Rokaki, E., Boisson, C., Collin-Souffrin, S. 1992, *A&A*, 253, 57. Fitting the broad line spectrum and UV continuum by accretion discs in active galactic nuclei
2817. Rokaki, E., Collin-Souffrin, S., Magnan, C. 1993, *A&A*, 272, 8. NGC 5548: a perfect laboratory for testing AGN models?
2818. Rola, C., Stasinska, G. 1994, *A&A*, 282, 199. The carbon abundance problem in planetary nebulae
2819. Rolleston, W.R.J., Dufton, P.L., Fitzsimmons, A., Howarth, I.D., Irwin, M.J. 1993, *A&A*, 277, 10. The chemical compositions of four B-type stars in the Small Magellanic Cloud
2820. Rolleston, W., Brown, P., Dufton, P., Howarth, I. 1996, *A&A*, 315, 95 The chemical compositions of three main sequence B-type stars in the Large Magellanic Cloud
2821. Roos, N. 1992, *APJ*, 385, 108. Gas clouds from tidally disrupted stars in active galactic nuclei
2822. Rosa, M. 1980, *A&A*, 85, L21. IUE UV spectra of giant extragalactic H II regions

2823. Rosa, M., Joubert, M., Benvenuti, P. 1984, *A&AS*, 57, 361. IUE UV spectra of extragalactic H II regions. I. The catalogue and the atlas
2824. Rosa, M.R., Benvenuti, P. 1994, *A&A*, 291, 1. The IMF and the extinction law in M 101: HST FOS spectra of extragalactic H II regions
2825. Rose, J. A., Deng, S. 1999, *AJ*, 117, 2213. The Integrated Spectra of M32 and of 47 Tucanae: A Comparative Study in the Mid-Ultraviolet With IUE
2826. Rosen, S.R., Prinja, R.K., Drew, J.E., Mason, K.O., Howell, S.B. 1998, *MNRAS*, 299, 305. Phase-resolved Hubble Space Telescope ultraviolet spectroscopy of V795 Her
2827. Rosenzweig, P., Morrison, N.D. 1986, *APJ*, 306, 522. The extinction law in the open cluster NGC 457 and the intrinsic energy distribution of Phi Cassiopeiae (F0 Ia)
2828. Rosenzweig, P., Anderson, L. 1993, *APJ*, 411, 207. A determination of the basic atmospheric parameters of Phi Cassiopeiae
2829. Rosino, L., Bianchini, A., Rafanelli, P. 1982, *A&A*, 108, 243. The ultraviolet spectrum of the old novae HR Del, GK Per, RR Pic, and RS Oph
2830. Ross, R.R., Fabian, A.C., Mineshige, S. 1992, *MNRAS*, 258, 189. The spectra of accretion discs in active galactic nuclei
2831. Rossi, C., Altamore, A., Ferrari-Toniolo, M., Persi, P., Viotti, R. 1988, *A&A*, 206, 279. The Mira-type symbiotic star BI Crucis
2832. Rossi, C., Altamore, A., Baratta, G.B., Friedjung, M., Viotti, R. 1992, *A&A*, 256, 133. The spectrum of the VV Cephei star KQ Puppis (Boss 1985). III. A possible model
2833. Rossi, C., Errico, L., Friedjung, M., Giovannelli, F., Muratorio, G., Viotti, R., Vittone, A. 1999, *A&AS*, 136, 95. On the nature of the Herbig Be star V 380 Orionis
2834. Rossi, L., Viotti, R., Altamore, A. 1984, *A&AS*, 55, 361. A comparative study of the ultraviolet spectrum of hot subdwarfs
2835. Rountree, J., Sonneborn, G. 1991, *APJ*, 369, 515. Criteria for the spectral classification of B stars in the ultraviolet
2836. Rovero, A.C., Ringuélet, A.E. 1994, *MNRAS*, 266, 203. 3 Puppis: a peculiar object with infrared excess
2837. Rovira, M., Ringuélet, A.E., Fontenla, J.M., Sahade, J., Kondo, Y. 1985, *RMAA*, 10, 245. Simultaneous IUE and ground-based observations of 48 Librae
2838. Rowan-Robinson, M. 1995, *MNRAS*, 272, 737. A new model for the infrared emission of quasars
2839. Rowlands, N., Houck, J.R., Herter, T., Gull, G.E., Skrutskie, M.F. 1989, *APJ*, 341, 901. Electron temperatures in the high-excitation zones of planetary nebulae
2840. Rowlands, N., Houck, J., Hayward, T., Miles, J. 1992, *APJ*, 390, L93. The high-excitation region of NGC 7027
2841. Roy, J.-R., Aube, M., McCall, M.L., Dufour, R.J. 1992, *APJ*, 386, 498. The origin of broad emission lines in the extragalactic giant H II region NGC 2363
2842. Rubin, R., Simpson, J., Haas, M., Erickson, E. 1991, *APJ*, 374, 564. Axisymmetric model of the ionized gas in the Orion Nebula
2843. Rubin, R.H., Dufour, R.J., Walter, D.K. 1993, *APJ*, 413, 242. Silicon and carbon abundances in the Orion Nebula

2844. Rubin, R.H., Colgan, S., Haas, M., Lord, S., Simpson, J. 1997, APJ, 479, 332. Far-infrared spectroscopy of Planetary Nebulae with the Kuiper Airborne Observatory
2845. Rucinski, S.M., Vilhu, O. 1983, MNRAS, 202, 1221. IUE observations of W UMa-type stars
2846. Rucinski, S.M., Brunt, C.C., Pringle, J.E., Vilhu, O. 1984, MNRAS, 208, 309. IUE observations of two extremes among contact binaries: AW Ursae Majoris and SW Lacertae
2847. Rucinski, S.M. 1984, OBS, 104, 186. Can activity of the secondary components explain the emission-line spectra of cataclysmic binaries
2848. Rucinski, S.M., Vilhu, O., Whelan, J.A.J. 1985, A&A, 143, 153. The Lyman alpha emission in W Ursae Majoris
2849. Rucinski, S.M. 1985, MNRAS, 215, 615. The Mg II emission in W UMa-type binaries
2850. Rucinski, S.M. 1985, MNRAS, 215, 591. IUE observations of HD 36705
2851. Rucinski, S.M. 1985, OBS, 105, 77. The Mg II emission in BD -0 4234
2852. Rucinski, S.M. 1985, PASP, 97, 657. IUE observations of HD 164615
2853. Rudy, R.J., Cohen, R.D., Puetter, R.C. 1985, APJ, 288, L29. IUE observations of the Seyfert 1.9 galaxy Markarian 423
2854. Rudy, R.J., Cohen, R.D., Ake, T.B. 1988, APJ, 332, 172. Ultraviolet and optical spectrophotometry of the Seyfert 1.8 galaxy Markarian 609
2855. Rudy, R.J., Cohen, R.D., Rossano, G.S., Erwin, P., Puetter, R.C., Lynch, D.K. 1991, APJ, 380, 151. The 0.46-1.3 micron spectrum of the planetary nebula Bd +30 3639
2856. Rudy, R.J., Rossano, G.S., Erwin, P., Puetter, R.C., Feibelman, W.A. 1993, AJ, 105, 1002. Near-infrared and ultraviolet spectrophotometry of the young planetary nebula Hubble 12
2857. Rudy, R. J., Meier, S. R., Rossano, G. S., Lynch, D. K., Puetter, R. C., Erwin, P. 1999, APJS, 121, 533. Near-Infrared and Ultraviolet Spectrophotometry of Symbiotic Novae
2858. Russell, S.C., Dopita, M.A. 1990, APJS, 74, 93. Abundances of the heavy elements in the Magellanic Clouds. II. H II regions and supernova remnants
2859. Russell, S.C., Dopita, M.A. 1992, APJ, 384, 508. Abundances of the heavy elements in the Magellanic Clouds. III. Interpretation of results
2860. Rutten, R.G.M., Schrijver, C.J., Zwaan, C., Duncan, D.K., Mewe, R. 1989, A&A, 219, 239. Magnetic structure in cool stars. XVI. Emissions from the outer atmospheres of M-type dwarfs
2861. Rutten, R.G.M., Schrijver, C.J., Lemmens, A.F.P., Zwaan, C. 1991, A&A, 252, 203. Magnetic structure in cool stars. XVII. Minimum radiative losses from the outer atmosphere
2862. Rutten, R.G.M., van Paradijs, J., Tinbergen, J. 1992, A&A, 260, 213. Reconstruction of the accretion disk in six cataclysmic variable stars
2863. Sadakane, K., Jugaku, J. 1981, PASP, 93, 60. Boron and beryllium in early-type peculiar stars
2864. Sadakane, K., Takada, M., Jugaku, J. 1983, APJ, 274, 261. The resonance lines of aluminium in IUE spectra of B-type chemically peculiar stars
2865. Sadakane, K. 1984, PASP, 96, 259. Anomalous C IV and Si IV resonance lines in 36 Lyncis

2866. Sadakane, K., Jugaku, J., Takada-Hidai, M. 1985, APJ, 297, 240. The resonance lines of B II and Be II in Hg-Mn stars
2867. Sadakane, K., Hirata, R., Jugaku, J., Kondo, Y., Matsuoka, M., Tanaka, Y., Hammerschlag-Hensberge, G. 1985, APJ, 288, 284. Ultraviolet spectroscopic observations of HD 77581 (Vela X-1 = 4U 0900-40)
2868. Sadakane, K., Nishimura, M., Hirata, R. 1986, PASJ, 38, 215. Analysis of the ultraviolet spectrum (2000 Å to 3000 Å) of Vega
2869. Sadakane, K., Jugaku, J., Takada-Hidai, M. 1988, APJ, 325, 776. The abundance of zinc in Hg-Mn stars
2870. Sadakane, K., Jugaku, J., Takada-Hidai, M. 1988, PASP, 100, 811. Abundances of mercury in Sirius and Vega
2871. Saffer, R.A., Wade, R.A., Liebert, J., Green, R.F., Sion, E.M., Bechtold, J., Foss, D., Kidder, K. 1993, AJ, 105, 1945. PG 0308+096 and PG 1026+002: two new short period binary stars resulting from common-envelope evolution
2872. Saha, A., Oke, J.B. 1982, PASP, 94, 802. The IUE spectrum of BD +39 4926
2873. Sahade, J. 1980, A&A, 87, L7. On the structure and composition of Wolf-Rayet atmospheres
2874. Sahade, J., Brandi, E., Fontenla, J.M. 1981, RMAA, 6, 201. Variations in the ultraviolet spectrum of the symbiotic star Z Andromedae
2875. Sahade, J., Ferrer, O.E. 1982, PASP, 94, 113. Ground-based and IUE spectral observations of AU Monocerotis
2876. Sahade, J., Brandi, E., Fontenla, J.M. 1984, A&AS, 56, 17. IUE low dispersion observations of symbiotic objects
2877. Sahade, J., Kondo, Y., McCluskey, G.E. 1984, APJ, 276, 281. Comments on the ultraviolet spectrum of Gamma 2 Velorum
2878. Sahade, J., Hernandez, C.A. 1984, PASP, 96, 88. The IUE spectrum of Gamma-1 Velorum
2879. Sahade, J., Hernandez, C.A. 1985, RMAA, 10, 257. An investigation of Beta Persei (Algol) in the IUE ultraviolet
2880. Sahade, J., Brandi, E. 1985, RMAA, 10, 229. The IUE spectrum of AX Monocerotis
2881. Sahade, J., Garcia, L.G. 1987, PASP, 99, 617. The IUE spectrum of the early-type eclipsing binary Mu-1 Scorpii
2882. Sahade, J., Rovira, M., Ringuélet, A.E., Kondo, Y., Cidale, L. 1988, APJ, 327, 335. The extended atmosphere of Lambda Pavonis at the time of the emergence of H-emissions from minimum intensity
2883. Sahade, J., Brandi, E. 1991, APJ, 379, 706. Wind collision effects in the early-type close binaries HD 47129 and AO Cassiopeiae
2884. Sahade, J., Barba, R., Kondo, Y. 1992, APJS, 81, 303. The orbital parameters and the IUE spectrum of the single-lined spectroscopic binary HD 698
2885. Sahade, J. 1994, AP&SS, 214, 185. Use of IUE data in advancing the knowledge of interacting binary stars
2886. Sahnou, D.J., Feldman, P.D., McCandliss, S.R., Martinez, M.E. 1993, ICARUS, 101, 71. Long-slit ultraviolet spectroscopy of comet Austin (1990 V)

2887. Saizar, P., Starrfield, S., Ferland, G.J., Wagner, R.M., Truran, J.W., Kenyon, S.J., Sparks, W.M., Williams, R.E., Stryker, L.L. 1991, APJ, 367, 310. PW Vulpeculae: a nova with nearly solar abundances
2888. Saizar, P., Starrfield, S., Ferland, G.J., Wagner, R.M., Truran, J.W., Kenyon, S.J., Sparks, W.M., Williams, R.E., Stryker, L.L. 1992, APJ, 398, 651. A multiwavelength study of Nova QU Vulpeculae 1984
2889. Saizar, P., Pachoulakis, I., Shore, S., Starrfield, S., Williams, R., Rothschild, E., Sonneborn, G. 1996, MNRAS, 279, 280. Nova V351 Puppis 1991: a multiwavelength study of the nebular phase
2890. Salvati, M., Hunt, L.K., Calamai, G., Del Zanna, G., Giannuzzo, E., Kidger, M., Mannucci, F., Stanga, R.M., Wamsteker, W. 1993, A&A, 274, 174. Variability and emission mechanisms in Seyfert 1 galaxies: a near-infrared outburst in NGC 4051
2891. Samarasinha, N.H., Belton, M.J.S. 1994, ICARUS, 108, 103. The nature of the source of CO in Comet P/Halley
2892. Sambruna, R.M., Chiappetti, L., Treves, A., Bonnet-Bidaud, J.M., Bouchet, P., Maraschi, L., Motch, C., Mouchet, M. 1991, APJ, 374, 744. X-ray to infrared observations of the AM Herculis system E1405-451 (V834 Centauri)
2893. Sambruna, R.M., Chiappetti, L., Treves, A., Bonnet-Bidaud, J.M., Bouchet, P., Maraschi, L., Motch, C., Mouchet, M., Van Amerongen, S. 1992, APJ, 391, 750. X-ray to infrared observations of the cataclysmic variable KO Velorum (E 1013-477)
2894. Sambruna, R.M., Parmar, A.N., Chiappetti, L., Maraschi, L., Treves, A. 1994, APJ, 424, 947. Transition in the X-ray light curve of the AM Herculis system V834 Centauri (E 1405-451): 1985-1986 EXOSAT observations
2895. Santos-Lleo, M., Clavel, J., Barr, P., Glass, I.S., Pelat, D., Peterson, B.M., Reichert, G. 1994, MNRAS, 270, 580. Multifrequency monitoring of the Seyfert 1 galaxy NGC 4593 - I. Isolating the nuclear emission
2896. Santos-Lleo, M., Clavel, J., Barr, P., Glass, I.S., Pelat, D., Peterson, B.M., Reichert, G. 1995, MNRAS, 274, 1. Multifrequency monitoring of the Seyfert 1 galaxy NGC 4593 -II. A small, compact nucleus?
2897. Sanz Fernandez de Cord, L. 1993, A&A, 276, 103. Evolution of SN 1987A in the ultraviolet
2898. Sarro, L. M., Byrne, P. B. 2000, A&A, 355, 227. Rotational modulation of the ultraviolet line fluxes from the RS CVn star II Pegasi
2899. Sasselov, D.D., Lester, J.B. 1994, APJ, 423, 777. The He I lambda 10830 line in classical Cepheids. I. Observations
2900. Sasselov, D.D., Lester, J.B. 1994, APJ, 423, 795. The chromospheric structure of classical Cepheids: constraints from the He I lambda 10830 line
2901. Savage, B.D., De Boer, K.S. 1979, APJ, 230, L77. Observational evidence for a hot gaseous galactic corona
2902. Savage, B.D., de Boer, K.S. 1981, APJ, 243, 460. Ultraviolet absorption by interstellar gas at large distances from the galactic plane
2903. Savage, B.D., Fitzpatrick, E.L., Cassinelli, J.P., Ebbets, D.C. 1983, APJ, 273, 597. The nature of R136a, the superluminous central of the 30 Doradus Nebula
2904. Savage, B.D., Massa, D. 1985, APJ, 295, L9. Ultraviolet absorption by highly ionized halo gas near the galactic center

2905. Savage, B.D., Massa, D. 1987, APJ, 314, 380. Highly ionized interstellar gas located in the galactic disk and halo
2906. Savage, B.D., Jenkins, E.B., Joseph, C.L., de Boer, K.S. 1989, APJ, 345, 393. Ultraviolet observations of interstellar absorption lines toward SN 1987A
2907. Savage, B.D., Massa, D., Sembach, K. 1990, APJ, 355, 114. Ultraviolet interstellar absorption toward HD 163522, a halo star at 9 kiloparsecs in the direction $l=350$ and $b=-9$
2908. Savage, B.D., Edgar, R.J., Diplas, A. 1990, APJ, 361, 107. The distribution of interstellar Al III away from the galactic plane
2909. Savage, B.D., Sembach, K.R. 1991, APJ, 379, 245. The analysis of apparent optical depth profiles for interstellar absorption lines
2910. Savage, B.D., Lu, L., Weymann, R.J., Morris, S.L., Gilliland, R.L. 1993, APJ, 404, 124. Observations of the gaseous galactic halo toward 3C 273 with the Goddard High Resolution Spectrograph
2911. Savage, B.D., Sembach, K.R. 1994, APJ, 434, 145. Properties of the highly ionized disk and halo gas toward two distant high-latitude stars
2912. Saxner, M. 1981, A&A, 104, 240. Transition region structure in F dwarfs
2913. Scarpa, R., Falomo, R., Pian, E. 1995, A&A, 303, 730. A study of emission line variability of the active galaxy PKS 0521-365
2914. Schachter, J., Filippenko, A.V., Kahn, S.M. 1989, APJ, 340, 1049. Bowen fluorescence in Scorpius X-1
2915. Schaefer, B.E. 1989, APJ, 337, 927. Flashes from normal stars
2916. Scherb, F., Smyth, W.H. 1993, JGR, 98, 18729. Variability of [O I] 6300-Å emission near Io
2917. Schild, H., Berthet, S. 1986, A&A, 162, 369. Blue stragglers and the OBN phenomenon
2918. Schild, H., Muerset, U., Schmutz, W. 1996, A&A, 306, 477. High resolution spectroscopy of symbiotic stars, II: RW Hydrae orbit, eclipses and stellar parameters
2919. Schild, R. 1983, A&A, 120, 223. The ultraviolet reddening of Be stars
2920. Schindler, M., Stencel, R.E., Linsky, J.L. 1982, APJ, 263, 269. Ultraviolet and X-ray detection of the 56 Pegasi system (K0 IIp+WD): evidence for accretion of a cool stellar wind onto a white dwarf
2921. Schleicher, D.G., A'Hearn, M.F. 1982, APJ, 258, 864. OH fluorescence in comets: fluorescence efficiency of the ultraviolet bands
2922. Schleicher, D.G., A'Hearn, M.F. 1988, APJ, 331, 1058. The fluorescence of cometary OH
2923. Schmid, H.M., Schild, H. 1990, MNRAS, 246, 84. Physical conditions and elemental abundances in the symbiotic novae V1016 Cyg, HM Sge and HBV 475
2924. Schmid, H.M., Nussbaumer, H. 1993, A&A, 268, 159. On the relative C,N,O abundances and the evolutionary status of yellow symbiotic stars
2925. Schmid, H.M. 1995, MNRAS, 275, 227. Monte Carlo simulations of the Rayleigh scattering effects in symbiotic stars
2926. Schmidt, E.G., Parsons, S.B. 1982, APJS, 48, 185. The chromospheres of classical Cepheids. I. Low resolution IUE spectra

2927. Schmidt, E.G., Parsons, S.B. 1984, APJ, 279, 202. The chromospheres of classical cepheids. II. High-resolution profiles of the Mg II h and k lines
2928. Schmidt, E.G., Parsons, S.B. 1984, APJ, 279, 215. The chromospheres of classical cepheids. III. A search for transition region emission lines
2929. Schmidt E.G., Carruthers, G.R. 1995, APJS, 96, 605. Far-ultraviolet stellar photometry: Fields in Sagittarius and Scorpius
2930. Schmidt, E.G., Carruthers, G. 1996, APJS, 104, 101. Far-ultraviolet stellar photometry: Fields centred on rho Ophiuchi and the galactic center
2931. Schmidt, G.D., West, S.C., Liebert, J., Green, R.F., Stockman, H.S. 1986, APJ, 309, 218. The new magnetic white dwarf PG 1031+234: polarization and field structure at more than 500 million Gauss
2932. Schmidt, G.D., Latter, W.B., Foltz, C.B. 1990, APJ, 350, 758. On the spectrum and field strength of the magnetic white dwarf GD 229
2933. Schmidt, G.D., Szkody, P., Smith, P.S., Silber, A., Tovmassian, G., Hoard, D., Gaensicke, B., de Martino, D. 1996, APJ, 473, 483. AR Ursae Majoris: The first high-field magnetic cataclysmic variable
2934. Schmidt, J.H., de Boer, K., Heber, U., Moehler, S. 1996, A&A, 306, L33. PG0009+036: A rapidly rotating normal B star in the galactic halo
2935. Schmidtke, P.C., Hopkins, J.L. 1990, AP&SS, 164, 323. Photometry of the 1989 eclipse of Tau Persei
2936. Schmidtke, P., Cowley, A., Hauschildt, P., Ponder, A., McGrath, T., Frattare, L., Franklin, B. 1996, PASP, 108, 668. UV observations of three LMC Be-star/X-Ray binaries
2937. Schmitt, H.R., Kinney, A.L., Calzetti, D., Storchi Bergmann, T. 1997, AJ, 114, 592. The Spectral Energy Distribution of Normal, Starburst, and Active Galaxies.
2938. Schmutz, W., Abbott, D.C., Russell, R.S., Hamann, W.-R., Wessolowski, U. 1990, APJ, 355, 255. Non-LTE model calculations for SN 1987A and the extragalactic distance scale
2939. Schmutz, W., Leitherer, C., Hubeny, I., Vogel, M., Hamann, W.-R., Wessolowski, U. 1991, APJ, 372, 664. Non-LTE analysis of the Ofpe/WN9 star HDE 269227 (R84)
2940. Schneider, D.P., Hartig, G.F., Jannuzi, B.T., Kirhakos, S., Saxe, D.H., Weymann, R.J., Bahcall, J.N., Bergeron, J., Boksenberg, A., Sargent, W.L.W., Savage, B.D., Turnshek, D.A., Wolfe, A.M. 1993, APJS, 87, 45. The Hubble Space Telescope Quasar Absorption Line Key Project. II. Data calibration and absorption-line selection
2941. Schonberner, D., Hunger, K. 1978, A&A, 70, L57. The UV spectrum of the extreme helium stars BD+10 2179 and BD-9 4395
2942. Schonberner, D., Drilling, J.S. 1983, APJ, 268, 225. On the nature of Upsilon Sagittarii
2943. Schonberner, D., Drilling, J.S. 1984, APJ, 276, 229. LSS 4300: a hot counterpart of Upsilon Sagittarii and KS Persei?
2944. Schonberner, D., Drilling, J.S. 1984, APJ, 278, 702. Effective temperatures and luminosities of very hot O type subdwarfs
2945. Schonberner, D., Drilling, J.S. 1985, APJ, 290, L49. On the ultraviolet iron spectrum of pre-white dwarfs

2946. Schonberner, D., Napiwotzki, R. 1994, *A&A*, 282, 106. The interior structure and evolution of blue straggler stars in open clusters
2947. Schrijver, C.J. 1987, *A&A*, 172, 111. Magnetic structure in cool stars. XI. Relations between radiative fluxes measuring stellar activity, and evidence for two components in stellar chromospheres
2948. Schrijver, C.J., Dobson, A.K., Radick, R.R. 1989, *APJ*, 341, 1035. The magnetic, basal, and radiative-equilibrium components in Mount Wilson Ca II H + K fluxes
2949. Schrijver, C.J., Zwaan, C. 1991, *A&A*, 251, 183. Activity in tidally interacting binaries
2950. Schrijver, C.J., Dobson, A.K., Radick, R.R. 1992, *A&A*, 258, 432. Nearly simultaneous observations of chromospheric and coronal radiative losses of cool stars
2951. Schroder, K.-P. 1983, *A&A*, 124, L16. Detection of a stellar prominence of the K supergiant 32 Cyg
2952. Schroder, K.-P., Che-Bohnenstengel, A. 1985, *A&A*, 151, L5. Photometric and UV spectroscopic observations of 22 Vul at eclipse: observational evidence for an extended chromosphere of a "solar type" G supergiant
2953. Schroder, K.-P. 1985, *A&A*, 147, 103. A study of ultraviolet spectra of Zeta Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region
2954. Schroder, K.-P. 1986, *A&A*, 170, 70. A study of UV spectra of Zeta Aur/VV Cep systems. VIII. Chromospheric ionization and opacity
2955. Schroder, K.-P., Reimers, D., Carpenter, K.G., Brown, A. 1988, *A&A*, 202, 136. What does C II lambda 2355 A emission tell us about chromospheres of red supergiants? A critical test using Zeta Aurigae-type K supergiants
2956. Schroder, K.-P., Reimers, D. 1989, *A&A*, 208, 223. A study of ultraviolet spectra of Zeta Aurigae/VV Cephei systems. XI. 22 Vulpeculae: IUE observations of its extended chromosphere and wind with spatial resolution
2957. Schroder, K.-P., Griffin, R.E.M., Griffin, R.F. 1990, *A&A*, 234, 299. Optical spectra of Zeta Aurigae binary systems. II. The lower chromosphere of Zeta Aurigae
2958. Schroder, K.-P. 1990, *A&A*, 236, 165. A study of ultraviolet spectra of Zeta Aurigae/VV Cephei systems. XII. The physical state of supergiant chromospheres at the transition from coronae to cool winds
2959. Schroder, K.-P., Hunsch, M. 1992, *A&A*, 257, 219. Optical spectra of Zeta Aurigae systems. IV. The January 1990 eclipse of HR 2554: detection of chromospheric absorption and extended plasma at 100,000 K
2960. Schroder, K.-P., Hunsch, M. 1994, *A&A*, 289, 893. The corona of the G-type giant HR 2554: discovery of co-existing, very different temperature regimes
2961. Schroder, K.-P., Marshall, K., Griffin, R.E.M., 1996, *A&A*, 311, 631. Optical spectra of zeta Aurigae systems, VIII: The chromosphere of HR6902
2962. Schulte-Ladbeck, R.E., Nordsieck, K.H., Code, A.D., Anderson, C.M., Babler, B.L., Bjorkman, K.S., Clayton, G.C., Magalhaes, A.M., Meade, M., Shepherd, D., Taylor, M., Whitney, B. 1992, *APJ*, 391, L37. The first linear polarization spectra of Wolf-Rayet stars in the ultraviolet: EZ Canis Majoris and Theta Muscae

2963. Schulte-Ladbeck, R.E., Shepherd, D.S., Nordsieck, K.H., Code, A.D., Anderson, C.M., Babler, B.L., Bjorkman, K.S., Clayton, G.C., Magalhaes, A.M., Meade, M.R., Taylor, M., Whitney, B.A. 1992, APJ, 401, L105. Evidence for a bipolar nebula around the peculiar B[e] star HD 45677 from ultraviolet spectropolarimetry
2964. Schulte-Ladbeck, R.E., Clayton, G.C. 1993, AJ, 106, 790. Wind variability in the Large Magellanic Cloud B[e] supergiant HD 34664
2965. Schulte-Ladbeck, R.E., Eenens, P.R., Davis, K. 1995, APJ, 454, 917. The structure of Wolf-Rayet winds. I. Observation of ionization stratification in WR 6 and WR 111
2966. Schultz, D., Li, G., Scherb, F., Roesler, F. 1992, ICARUS, 96, 190. Comet Austin (1989c1) O(1D) and H₂O production rates
2967. Schultz, D., Li, G., Scherb, F., Roesler, F. 1993, ICARUS, 101, 95. The O(1D) distribution of comet Austin 1989c1=1990 V
2968. Schulz, R., A'Hearn, M.F., Birch, P.V., Bowers, C., Kempin, M., Martin, R. 1993, ICARUS, 104, 206. CCD imaging of comet Wilson (1987 VII): a quantitative coma analysis
2969. Schwartz, G.J., Hauschildt, P., Starrfield, S., Baron, E., Allard, F., Shore, S., Sonneborn, G. 1997, MNRAS, 284, 669. Non-LTE model atmosphere analysis of the early ultraviolet spectra of nova OS Andromedae 1986
2970. Schwarz, G.J., Starrfield, S., Shore, S.N., Hauschildt, P.H. 1997, MNRAS, 290, 75. Abundance analysis of the slow nova PW Vulpeculae 1984
2971. Schwarz, G.J., Hauschildt, P.H., Starrfield, S., Whitelock, P.A., Baron, E., Sonneborn, G. 1998, MNRAS, 300, 931. A multiwavelength study of the early evolution of the classical nova LMC 1988 1
2972. Schwartz, R.D. 1983, APJ, 268, L37. Ultraviolet continuum and H₂ fluorescent emission in Herbig-Haro objects 43 and 47
2973. Schwarzenberg-Czerny, A., Ward, M., Hanes, D.A., Jones, D.H.P., Pringle, J.E., Verbunt, F., Wade, R.A. 1985, MNRAS, 212, 645. Dwarf novae in outburst: simultaneous ultraviolet and optical observations of VW Hydri
2974. Schwarzenberg-Czerny, A., Udalski, A., Monier, R. 1992, APJ, 401, L19. Possible first detection of ultraviolet pulses from an intermediate polar: V603 Aquila
2975. Scott, A.D., Duerbeck, H.W., Evans, A., Chen, A.-L., de Martino, D., Hjellming, R., Krautter, J., Laney, D., Parker, Q.A., Eawlings, J.M.C., van Winckel, H.A. 1995, A&A, 296, 439. A multiwavelength study of the classical nova V4169 Sagittarii
2976. Seab, C.G., Snow, T.P., Joseph, C.L. 1981, APJ, 246, 788. Ultraviolet extinction curves derived from IUE data
2977. Seab, C.G., Shull, J.M. 1983, APJ, 275, 652. Shock processing of interstellar grains
2978. Seab, C.G., Snow, T.P. 1984, APJ, 277, 200. Ultraviolet extinction and diffuse band strength correlations
2979. Seab, C.G., Snow, T.P. 1985, APJ, 295, 485. A search for diffuse interstellar bands in the ultraviolet
2980. Seab, C.G., Snow, T.P. 1989, APJ, 347, 479. On the size distribution of newly formed grains in red supergiant atmospheres
2981. Seaquist, E.R., Krogulec, M., Taylor, A.R. 1993, APJ, 410, 260. A highly sensitive radio survey of symbiotic stars at 3.6 centimeters

2982. Seaton, M.J. 1979, MNRAS, 187, 785. Extinction of NGC 7027
2983. Seggewiss, W. 1990, A&A, 229, 186. Search for chromospheric Mg II emission in Ap-type stars
2984. Sekanina, Z. 1991, AJ, 102, 350. Comprehensive model for the nucleus of periodic comet Tempel 2 and its activity
2985. Sekiguchi, K., Anderson, K.S. 1987, AJ, 94, 644. The initial mass function for early-type stars in starburst galaxies
2986. Sekiguchi, K., Anderson, K.S. 1987, AJ, 94, 129. Mass to line-strength relations from IUE spectra of early-type stars
2987. Selvelli, P.L., Cassatella, A., Gilmozzi, R. 1992, APJ, 393, 289. The nature of the recurrent nova T Coronae Borealis: ultraviolet evidence for a white dwarf accretor
2988. Sembach, K.R., Savage, B.D., Massa, D. 1991, APJ, 372, 81. Ultraviolet interstellar absorption toward HD 156359, a halo star at 11 kiloparsecs in the direction $l=329$ and $b=-15$
2989. Sembach, K.R., Savage, B.D. 1992, APJS, 83, 147. Observations of highly ionized gas in the galactic halo
2990. Sembach, K.R. 1993, PASP, 105, 983. IUE observations of highly ionized gas toward distant stars in the Milky Way
2991. Sembach, K.R., Savage, B.D. 1994, APJ, 431, 201. Gas kinematics and ionization along the extended sight line to HD 116852
2992. Sembach, K.R. 1994, APJ, 434, 244. Highly ionized gas in the galactic disk: the $l=295$ degrees, $b=0$ degrees interarm direction
2993. Sembach, K.R., Savage, B.D., Lu, L. 1995, APJ, 439, 672. Probing the Galactic disk and halo, 2: Hot interstellar gas toward the inner galaxy star HD156359
2994. Sembach, K., Steidel, C., Macke, R., Meyer, D. 1995, APJ, 445, L27. A critical analysis of interstellar Zn and Cr as galactic abundance benchmarks for quasar absorbers.
2995. Sembach, K.R., 1995, APJ, 445, 314. Properties of the +70 km/sec cloud toward HD203664
2996. Sembach, K.R., Savage, B., Tripp, T. 1997, APJ, 480, 216. High-resolution ultraviolet observations of the highly ionised interstellar gas toward radio loops I and IV
2997. Sembach, K. R., Savage, B. D., Lu, L., Murphy, E. M. 1999, APJ, 515, 108. Highly Ionized High-Velocity Clouds: Intergalactic Gas in the Local Group or Distant Gas in the Galactic Halo?
2998. Sembay, S., Coe, M.J., Clement, R., Dean, A.J., Hanson, C.G., Ferrari-Toniolo, M., Persi, P., Spinoglio, L., Bassani, L., Di Cocco, G., Macdougall, J.R., Elsmore, B. 1985, MNRAS, 216, 121. IRAS observations of MKN 501 with quasi-simultaneous observations at radio, near-infrared, and ultraviolet wavelengths
2999. Sembay, S., Warwick, R.S., Urry, C.M., Sokoloski, J., George, I.M., Makino, F., Ohashi, T., Tashiro, M. 1993, APJ, 404, 112. The X-ray spectral variability of the BL Lacertae type object PKS 2155-304
3000. Seward, F.D., Harnden, F.R. 1994, APJ, 421, 581. The outer shell of SNR 0540-69.3
3001. Shafter, A.W., Szkody, P. 1984, APJ, 276, 305. Radial velocity studies of cataclysmic binaries. II. The ultrashort period dwarf nova T Leonis

3002. Shafter, A.W., Szkody, P., Liebert, J., Penning, W.R., Bond, H.E., Grauer, A.D. 1985, APJ, 290, 707. TT Arietis: the low state
3003. Shaver, P.A., Boksenberg, A., Robertson, J.G. 1982, APJ, 261, L7. Spectroscopy of the QSO pair Q0028+003/Q0029+003
3004. Shaw, J.S., Guinan, E.F. 1989, AJ, 97, 836. The VV Cephei star V641 Cassiopeiae
3005. Shemansky, D.E., Judge, D.L. 1988, JGR, 93, 21. Evidence for change in particle excitation of Jupiter's atmosphere 1968-1979
3006. Shenton, M., Albinson, J.S., Barrett, P., Davies, J.K., Evans, A., Goldsmith, M.J., Hutchinson, M.G., Maddison, R.C., Weight, A. 1992, A&A, 262, 138. Multiwavelength observations of RV Tauri stars. I. AC Herculis
3007. Shenton, M., Evans, A., Cardelli, J.A., Marang, F., van Wyk, F., Weight, A. 1994, A&A, 287, 852. Multiwavelength observations of RV Tauri stars. II. U Monocerotis
3008. Shenton, M., Monier, R., Evans, A., Carter, B., Lloyd Evans, T., Marang, F., Parker, Q.A., Rawlings, J.M.C., Scott, A.D., van Wyk, F. 1994, A&A, 287, 866. Multiwavelength observations of RV Tauri stars. III. R. Scuti
3009. Shenton, M., Evans, A., Albinson, J.S., Barrett, P., Davies, J.K., Goldsmith, M.J., Hutchinson, M.G., Laney, D., Maddison, R.C. 1994, A&A, 292, 102. Multiwavelength observations of RV Tauri stars. IV. SX Centauri
3010. Shevchenko, V. S., Ezhkova, O., Tjin A Djie, H. R. E., Van Den Ancker, M. E., Blondel, P. F. C., De Winter, D. 1997, A&AS, 124, 33. The FUOR characteristics of the PMS star BN Orionis inferred from new spectroscopic and photometric observations
3011. Shields, G.A., Aller, L.H., Keyes, C.D. 1981, APJ, 248, 569. The optical and ultraviolet spectrum of the planetary nebula NGC 2440
3012. Shields, J.C., Ferland, G.J. 1993, APJ, 402, 425. Implications of Lyman-alpha equivalent widths in active galactic nuclei
3013. Shimura, T., Takahara, F. 1995, APJ, 440, 610. Emission spectrum integrated over an accretion disk: comparison with observations of active galactic nuclei
3014. Shipman, H.L., Greenstein, J.L. 1983, APJ, 266, 761. Iron and magnesium in the White Dwarf GD 40: a test of diffusion theory
3015. Shipman, H.L., Provencal, J., Roby, S.W., Barstow, M., Bond, H., Bruhweiler, F., Finley, D., Fontaine, G., Holberg, J., Nousek, J., Sion, E., Tweedy, R., Wesemael, F., Vauclair, G. 1995, AJ, 109, 1220 Photospheric, circumstellar, and interstellar features of He,C,N,O, Si in the HST spectra of four hot white dwarf stars
3016. Shlosman, I., Vitello, P. 1993, APJ, 409, 372. Winds from accretion disks: ultraviolet line formation in cataclysmic variables
3017. Shlosman, I., Vitello, P., Mauche, C. 1996, APJ, 461, 377. Rotating winds from accretion disks in cataclysmic variables: Eclipse modelling of V347 Puppis
3018. Shore, S.N., Sanduleak, N. 1983, APJ, 273, 177. The extreme LMC supergiant HD 38489: an optical and ultraviolet study
3019. Shore, S.N., Sanduleak, N. 1984, APJS, 55, 1. The early-type strong emission-line supergiants of the Magellanic Clouds: a spectroscopic zoology
3020. Shore, S.N., Sanduleak, N., Allen, D.A. 1987, A&A, 176, 59. The peculiar early-type emission line supergiant S18/SMC: an optical and ultraviolet study

3021. Shore, S.N., Brown, D.N. 1987, *A&A*, 184, 219. IUE observations of the broad continuum feature at 1400 Å in the silicon and related stars
3022. Shore, S.N., Brown, D.N., Sonneborn, G., Gibson, D.M. 1987, *A&A*, 182, 285. The rapidly oscillating Ap stars as a test of stellar chromospheric heating mechanisms
3023. Shore, S.N., Brown, D.N., Sonneborn, G. 1987, *AJ*, 94, 737. The sn stars: magnetically controlled stellar winds among the helium-weak stars
3024. Shore, S.N., Brown, D.N. 1988, *APJ*, 334, 1021. Colliding stellar winds in the eclipsing Wolf-Rayet binary V444 Cygni
3025. Shore, S.N., Brown, D.N., Sonneborn, G., Landstreet, J.D., Bohlender, D.A. 1990, *APJ*, 348, 242. The discovery of magnetically controlled circumstellar matter in the helium-weak stars HD 5737 and HD 79158
3026. Shore, S.N., Brown, D.N. 1990, *APJ*, 365, 665. Magnetically controlled circumstellar matter in the helium-strong stars
3027. Shore, S.N., Brown, D.N., Bopp, B.W., Robinson, C.R., Sanduleak, N., Feldman, P.D. 1990, *APJS*, 73, 461. A multiwavelength study of the Carlson-Henize sample of early-type galactic extreme emission-line stars
3028. Shore, S.N., Sonneborn, G., Starrfield, S.G., Hamuy, M., Williams, R.E., Cassatella, A., Drechsel, H. 1991, *APJ*, 370, 193. Multiwavelength observations of Nova LMC 1990 Number 2: the first extragalactic recurrent nova
3029. Shore, S.N., Sonneborn, G., Starrfield, S., Gonzalez-Riestra, R., Ake, T.B. 1993, *AJ*, 106, 2408. The early ultraviolet spectral evolution of Nova Cygni 1992
3030. Shore, S.N., Altner, B., Bolton, C.T., Cardelli, J.A., Ebbets, D.C. 1993, *APJ*, 411, 864. Goddard High-Resolution Spectrograph observations of narrow discrete stellar wind absorption features in the ultraviolet spectrum of the O7.5 III star Xi Persei
3031. Shore, S.N., Aufdenberg, J.P. 1993, *APJ*, 416, 355. On the interpretation of the ultraviolet spectra of symbiotic stars and recurrent novae. I.
3032. Shore, S.N., Aufdenberg, J., Michalitsianos, A. 1994, *AJ*, 108, 671. A model for the spectroscopic variations of the peculiar symbiotic star MWC 560
3033. Shore, S.N., Sonneborn, G., Starrfield, S., Gonzalez-Riestra, R., Polidan, R.S. 1994, *APJ*, 421, 344. The early bolometric evolution of Nova Cygni 1992
3034. Shore, S.N., Starrfield, S., Gonzalez-Riestra, R., Hauschildt, P.H., Sonneborn, G. 1994, *NATURE*, 369, 539. Dust formation in Nova Cassiopeiae 1993 seen by ultraviolet absorption
3035. Shore, S.N., Starrfield, S., Sonneborn, G. 1996, *APJ*, 463, L21. The ultraviolet and X-ray view of the demise of Nova V1974 Cygni
3036. Shore, S.N., Kenyon, S., Starrfield, S., Sonneborn, G. 1996, *APJ*, 456, 717. On the interpretation of the ultraviolet spectra of symbiotic stars and recurrent novae, II. The 1985 outburst of RS Ophiuchi
3037. Shrader, C.R., Gonzalez-Riestra, R. 1993, *A&A*, 276, 373. IUE observations of X-ray Nova Muscae 1991 during outburst
3038. Shrader, C.R., Gonzalez-Riestra, R., Cheng, F.H., Horne, K., Panagia, N., Gilmozzi, R., Lund, N. 1993, *A&AS*, 97, 309. Ultraviolet spectroscopy of Nova Muscae 1991

3039. Shrader, C.R., Webb, J.R., Balonek, T.J., Brotherton, M.S., Wills, B.J., Wills, D., Godlin, S.D., Smith, A.G., McCollum, B. 1994, *AJ*, 107, 904. Optical and ultraviolet observations of 3C 279 during outburst
3040. Shrader, C.R., Wagner, R.M., Hjellming, R.M., Han, X.H., Starrfield, S.G. 1994, *APJ*, 434, 698. The early ultraviolet, optical, and radio evolution of the soft X-ray transient GRO J0422+32
3041. Shrader, C. R., Singh, K. P., Barrett, P. 1997, *APJ*, 486, 1006. The Ultraviolet Spectrum of the Magnetic Cataclysmic Variable RX J1802.1+1804
3042. Shukla, H., Stoner, R. 1996, *APJS*, 106, 41. Correlation of ultraviolet and radio flux in three active galactic nuclei
3043. Shull, J.M., Van Steenberg, M., Seab, C.G. 1983, *APJ*, 271, 408. Observationally determined Fe II oscillator strengths
3044. Shull, J.M., Van Steenberg, M.E. 1985, *APJ*, 294, 599. Galactic interstellar abundance surveys with IUE. I. Neutral hydrogen
3045. Shull, J.M., Sachs, E.R. 1993, *APJ*, 416, 536. Variable C IV absorption in the Seyfert galaxy NGC 5548: a connection to broad absorption line quasi-stellar objects?
3046. Shuping, R., Snow, T. 1997, *APJ*, 480, 272. Abundances and depletions toward the Orion Nebula
3047. Shure, M.A., Herter, T., Houck, J.R. 1983, *APJ*, 274, 646. O IV temperature determination for NGC 7662
3048. Siemiginowska, A., Dobrzycki, A. 1990, *A&A*, 231, L1. Accretion disk in the high-redshift quasar HS1700+6416
3049. Silber, A., Vrtilik, S.D., Raymond, J.C. 1994, *APJ*, 425, 829. Concurrent X-ray and optical observations of two dwarf novae during eruption
3050. Silber, A., Raymond, J., Mason, P., Andronov, I., Borisov, N., Shakhovskoy, N. 1996, *APJ*, 460, 939. IUE and optical observations of AM Herculis in its low state
3051. Sillanpaa, A. 1991, *AP&SS*, 176, 297. The rise and fall of OJ 287 in 1983-1984: periodicities and wavelength-dependent delays
3052. Silva, A.M., Mirabel, I.F. 1988, *A&A*, 201, 350. Gaseous outbursts in comet P/Halley. A model for the dissociation of the OH radical
3053. Simon, T., Linsky, J.L. 1980, *APJ*, 241, 759. IUE ultraviolet spectra and chromospheric models of HR 1099 and UX Arietis
3054. Simon, T., Kelch, W.L., Linsky, J.L. 1980, *APJ*, 237, 72. Outer atmospheres of cool stars. VI. Models for Epsilon Eridani based on IUE spectra of C II, Mg II, Si II and Si III
3055. Simon, T., Linsky, J.L., Schiffer, F.H. 1980, *APJ*, 239, 911. IUE spectra of a flare in the RS Canum Venaticorum-type system UX Arietis
3056. Simon, T., Linsky, J.L., Stencel, R.E. 1982, *APJ*, 257, 225. The reality of a boundary in the H-R diagram between late-type stars with and without big-T outer atmospheres
3057. Simon, T. 1984, *APJ*, 279, 738. On the dispersion in brightness of far-ultraviolet emission lines of cool giant stars
3058. Simon, T., Fekel, F.C., Gibson, D.M. 1985, *APJ*, 295, 153. AY Ceti: a flaring, spotted star with a hot companion

3059. Simon, T., Herbig, G., Boesgaard, A.M. 1985, APJ, 293, 551. The evolution of chromospheric activity and the spin-down of solar-type stars
3060. Simon, T., Cash, W., Snow, T.P. 1985, APJ, 293, 542. Ultraviolet and X-ray observations of NGC 2264
3061. Simon, T. 1986, AJ, 91, 1233. A search for rotational modulation of the ultraviolet spectra of Psi 3 Piscium and 31 Comae Berenices
3062. Simon, T. 1986, AP&SS, 118, 209. Stellar chromospheres, coronae, and winds (invited review)
3063. Simon, T., Sonneborn, G. 1987, AJ, 94, 1657. The ultraviolet variability of AY Ceti
3064. Simon, T., Fekel, F.C. 1987, APJ, 316, 434. The dependence of ultraviolet chromospheric emission upon rotation among late-type stars
3065. Simon, T., Drake, S.A. 1989, APJ, 346, 303. The evolution of chromospheric activity of cool giant and subgiant stars
3066. Simon, T., Vrba, F.J., Herbst, W. 1990, AJ, 100, 1957. The ultraviolet and visible light variability of BP Tauri: possible clues for the origin of T Tauri star activity
3067. Simon, T. 1990, APJ, 359, L51. IUE observations of rapidly rotating low-mass stars in young clusters: the relation between chromospheric activity and rotation
3068. Simon, T., Landsman, W. 1991, APJ, 380, 200. The onset of chromospheric activity among the A and F stars
3069. Simon, T., Drake, S.A. 1993, AJ, 106, 1660. The coronae of main-sequence A stars
3070. Simon, T., Landsman, W.B., Gilliland, R.L. 1994, APJ, 428, 319. A search for chromospheric emission in A-type stars using the Goddard High-Resolution Spectrograph
3071. Simon, T., Landsman, W.B. 1997, APJ, 484, 360. Convection, Thermal Bifurcation, and the Colors of A Stars
3072. Singh, J., Castelli, F. 1992, A&A, 253, 431. Effective temperature of B-type stars from the Si II lines of the UV multiplet 13.04 at 130.5-130.9 nm
3073. Sion, E.M., Guinan, E.F., Wesemael, F. 1982, APJ, 255, 232. A spectrophotometric analysis of the hot helium-rich white dwarf HD 149499B
3074. Sion, E.M., Guinan, E.F. 1983, APJ, 265, L87. The hot DO white dwarf HD 149499B: Einstein redshift of a DB progenitor with carbon features
3075. Sion, E.M., Wesemael, F., Guinan, E.F. 1984, APJ, 279, 758. IUE spectrophotometry of the DA4 primary in the short-period white dwarf-red dwarf spectroscopic binary Case 1
3076. Sion, E.M. 1985, APJ, 297, 538. On the observed properties and long-term structure and evolution of white dwarfs in cataclysmic variables
3077. Sion, E.M., Liebert, J., Wesemael, F. 1985, APJ, 292, 477. Detection and analysis of photospheric CNO features in the ultraviolet spectrum of the hot DO white dwarf PG 1034+001
3078. Sion, E.M. 1985, APJ, 292, 601. On the nature of the UX Ursae Majoris-type nova-like variables: CPD -48 1577
3079. Sion, E.M., Starrfield, S.G., Van Steenberg, M.E., Sparks, W., Truran, J.W., Williams, R.E. 1986, AJ, 92, 1145. High-resolution IUE observations of the line of sight to nova V693 Corona Austrinae 1981

3080. Sion, E.M., Bruhweiler, F.C., Mullan, D., Carpenter, K. 1989, APJ, 341, L17. Discovery of a cool expanding shell at -1200 kilometers per second around V471 Tauri
3081. Sion, E.M., Leckenby, H.J., Szkody, P. 1990, APJ, 364, L41. The discovery of strong neutral atomic carbon absorption lines in the spectrum of the DAQZ5 white dwarf in the ultra-short-period dwarf nova WZ Sagittae during quiescence
3082. Sion, E., Bohlin, R., Tweedy, R., Vauclair, G. 1992, APJ, 391, L29. The identification of highly ionized metal species in the hot DA1 white dwarf G 191-B2B with the Hubble Space Telescope Faint Object Spectrograph
3083. Sion, E.M., Downes, R.A. 1992, APJ, 396, L79. Hubble Space Telescope FOS observations of KPD 0005+5106: a subluminescent WN-WC descendant with ongoing mass outflow?
3084. Sion, E.M., Ready, C.J. 1992, PASP, 104, 87. Outbursts by low-mass white dwarfs in symbiotic variables
3085. Sion, E., Shore, S., Ready, C., Scheible, M. 1993, AJ, 106, 2118. The onset of Wolf-Rayet wind outflow and the nature of the hot component in the symbiotic nova PU Vulpecula
3086. Sion, E.M., Holberg, J.B., Barstow, M.A., Kidder, K.M. 1995, PASP, 107, 232. Far-ultraviolet and optical spectroscopy of the detached white dwarf-M binary RE J1629+780
3087. Sion, E.M., Szkody, P., Cheng, F., Huang, M. 1995, APJ, 444, 97. An HST study of the underlying white dwarf in the dwarf nova VW Hydri during quiescence
3088. Sion, E. M. 1999, PASP, 111, 532. White Dwarfs in Cataclysmic Variables
3089. Sitko, M.L., Savage, B.D. 1980, APJ, 237, 82. Ultraviolet, visual, and infrared observations of the peculiar Be star HD 45677
3090. Sitko, M.L., Savage, B.D., Meade, M.R. 1981, APJ, 246, 161. Ultraviolet observations of hot stars with circumstellar dust shells
3091. Sitko, M.L. 1981, APJ, 247, 1024. Spectral energy distributions of hot stars with circumstellar dust
3092. Sitko, M.L. 1983, APJ, 265, 848. Molecular emission bands in the ultraviolet spectrum of the Red Rectangle star HD 44179
3093. Sitko, M.L., Simon, T., Meade, M.R. 1984, PASP, 96, 54. Ultraviolet spectroscopy of hot young stars with infrared excesses: NGC 2264-W46, W90, and W100
3094. Sitko, M.L. 1990, APJS, 72, 777. Multifrequency observations of the optically active radio-quiet quasar GQ Comae. I. Ultraviolet continuum and line variability
3095. Sitko, M.L., Sitko, A.K., Siemiginowska, A., Szczerba, R. 1993, APJ, 409, 139. Multifrequency observations of the optically active radio-quiet quasar GQ Comae. II. Ultraviolet, optical, and infrared continuum variability
3096. Sitko, M.L., Halbedel, E.M., Lawrence, G.F., Smith, J.A., Yanow, K. 1994, APJ, 432, 753. Variable extinction in HD 45677 and the evolution of dust grains in pre-main-sequence disks
3097. Skillen, I., Fernley, J.A., Jameson, R.F., Lynas-Gray, A.E., Longmore, A.J. 1989, MNRAS, 241, 281. The absolute magnitudes of RR Lyrae stars. II. DX Delphini
3098. Skinner, S.L., Brown, A., Stewart, R.T. 1993, APJS, 87, 217. A high-sensitivity survey of radio continuum emission from Herbig Ae/Be stars
3099. Skinner, T.E., Durrance, S.T., Feldman, P.D., Moos, H.W. 1983, APJ, 265, L23. Temporal variation of the Jovian H I Lyman-alpha emission (1979-1982)

3100. Skinner, T.E., Durrance, S.T., Feldman, P.D., Moos, H.W. 1984, APJ, 278, 441. IUE observations of longitudinal and temporal variations in the Jovian auroral emission
3101. Skinner, T.E., Moos, H.W. 1984, GRL, 11, 1107. Comparison of the Jovian north and south pole aurorae using the IUE observatory
3102. Skinner, T.E., Durrance, S.T. 1986, APJ, 310, 966. Neutral oxygen and sulfur densities in the Io Torus
3103. Skinner, T.E., DeLand, M.T., Ballester, G.E., Coplin, K.A., Feldman, P.D., Moos, H.W. 1988, JGR, 93, 29. Temporal variation of the Jovian H I Lyman alpha emission (1979-1986)
3104. Skopal A., Bode, M., Lloyd, H.M., Tamura, S. 1996, A&A, 308, L9. Eclipses in the symbiotic system CH Cyg
3105. Skopal, A. 1997, A&A, 318, 53. Is the symbiotic binary EG And an eclipsing system ?
3106. Skuppin, R., Bianchi, L., de Boer, K.S., Grewing, M. 1987, A&A, 177, 228. Interstellar absorption lines in the spectra of Theta Crateris and 14 Canum Venaticorum
3107. Slavin, J.D., Shull, J.M., Begelman, M.C. 1993, APJ, 407, 83. Turbulent mixing layers in the interstellar medium of galaxies
3108. Slettebak, A., Carpenter, K.G. 1983, APJS, 53, 869. Ultraviolet spectroscopic observations of some Be stars of later type and A-F type shell stars
3109. Slettebak, A. 1994, APJS, 94, 163. Ultraviolet spectral classification and stellar winds in a sample of Be and standard stars
3110. Slevinsky, R.J., Stys, D., West, S., Sion, E.M., Cheng, F.H. 1999, PASP, 111, 1292 A time-series IUE archival study of the White Dwarf in the ultrashort-period Dwarf Nova WZ Sagittae
3111. Slovak, M.H. 1981, APJ, 248, 1059. A photometric study of the old nova V603 Aquilae
3112. Smith, C.K. 1995, A&A, 297, 237. Anomalous gallium line profiles in HgMn stars: possible evidence for chemically stratified atmospheres
3113. Smith, E.P., O'Connell, R.W., Bohlin, R.C., Cheng, K.-P., Cornett, R.H., Hill, J.K., Hill, R.S., Hintzen, P., Landsman, W.B., Neff, S., Roberts, M., Smith, A.M., Stecher, T. 1992, APJ, 395, L49. Implications of Ultraviolet Imaging Telescope observations for star formation histories in NGC 1275
3114. Smith, E.P., Landsman, W.B., Hill, R.S., Bohlin, R.C., Cheng, K.-P., Hintzen, P., Maran, S.P., O'Connell, R.W., Roberts, M.S., Smith, A.M., Stecher, T.P. 1993, APJ, 418, 850. Ultraviolet morphologies of globular clusters observed with the Ultraviolet Imaging Telescope
3115. Smith, G.H., Burstein, D., Fanelli, M.N., O'Connell, R.W., Wu, C.-C. 1991, AJ, 101, 655. On the utility of low resolution IUE spectroscopy of the 2800 Å Mg II lines as a stellar chromosphere indicator
3116. Smith, K.C., Dworetzky, M.M. 1993, A&A, 274, 335. Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. I. Iron-peak elements
3117. Smith, K.C. 1993, A&A, 276, 393. Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra
3118. Smith, K.C. 1994, A&A, 291, 521. Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc

3119. Smith, K.C. 1996, *A&A*, 305, 902. Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra, IV: Gallium
3120. Smith, K.C. 1997, *A&A*, 319, 928. Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra, V. Mercury
3121. Smith, L.J., Willis, A.J., Wilson, R. 1980, *MNRAS*, 191, 339. IUE observations of interstellar Si IV and C IV line observed in the spectra of Wolf-Rayet stars
3122. Smith, L.J., Hartquist, T.W. 1980, *MNRAS*, 192, 73P. IUE observations of N V, a diagnostic of hot interstellar gas
3123. Smith, L.J., Willis, A.J. 1982, *MNRAS*, 201, 451. The carbon and nitrogen abundances in WN and WC Wolf-Rayet stars
3124. Smith, L.J., Willis, A.J. 1983, *A&AS*, 54, 229. UV and visible spectrophotometry of nine LMC Wolf-Rayet stars
3125. Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W. 1984, *MNRAS*, 211, 679. The remarkable kinematics of the WR wind-blown bubble RCW 58
3126. Smith, L.J., Lloyd, C., Walker, E.N. 1985, *A&A*, 146, 307. UV and optical observations of variability in the WR+compact candidate HD 96548
3127. Smith, L.J., Crowther, P.A., Prinja, R.K. 1994, *A&A*, 281, 833. A study of the luminous blue variable candidate HE 3-519 and its surrounding nebula
3128. Smith, M.A., Polidan, R.S. 1993, *APJ*, 408, 323. Dynamic processes in Be star atmospheres. I. "Dimple" formation in the He I 6678 line of Lambda Eridani
3129. Smith, M.A., Grady, C.A., Peters, G.J., Feigelson, E.D. 1993, *APJ*, 409, L49. A giant X-ray flare on Lambda Eridani (B2e)
3130. Smith, M.A., Plett, K., Johns-Krull, C., Basri, G., Thomson, J., Aufdenberg, J. 1996, *APJ*, 469, 336. Dynamic processes in Be star atmospheres, IV: Common attributes of line profile "dimples"
3131. Smith, M.A., Cohen, D.H., Hubeny, I., Plett, K., Basri, G., Johns-Krull, C., Macfarlane, J., Hirata, R. 1997, *APJ*, 481, 467. Dynamic processes in Be star atmospheres, V. Helium line emission from the outer atmosphere of lambda Eridani
3132. Smith, M.A., Murakami, T., Ezuka, H., Anandarao, B., Chakraborty, A. Corcoran, M., Hirata, R. 1997, *APJ*, 481, 479. Dynamic processes in Be star atmospheres, VI. Simultaneous x-ray, ultraviolet and optical variations in lambda Eridani
3133. Smith, M.A., Robinson, R.D., Hatzes, A.P. 1998, *APJ*, 507, 945. A Multiwavelength Campaign on gamma Cassiopeiae. II. The Case for Corotating, Circumstellar Clouds
3134. Smith, M. A. 1999, *PASP*, 111, 722. A Study of the Time-dependent Background and Continuum Flux Levels in IUE High-Dispersion SWP Images
3135. Smith, M.A., Roche, P. 1999, *APJ*, 522, 444. Spectroscopic monitoring of the Be/X-ray pulsar X Persei-4U 0352+309 with the orbiting and retrievable far and extreme ultraviolet spectrometer SPAS II and the IUE
3136. Smith Neubig, M. M., Bruhweiler, F. C. 1999, *AJ*, 117, 2856. Ultraviolet Spectral Classification of O and B Stars in the Large Magellanic Cloud
3137. Smyth, W.H., Marconi, M., Scherb, F., Roesler, F. 1993, *APJ*, 413, 756. Analysis of hydrogen H-alpha observations of the coma of comet P/Halley

3138. Snijders, M.A.J., Boksenberg, A., Barr, P., Sanford, P.W., Ives, J.C., Penston, M.V. 1979, MNRAS, 189, 873. Ultraviolet and X-ray observations of the BL Lac object MK 501
3139. Snijders, M.A.J., Pettini, M., Boksenberg, A. 1981, APJ, 245, 386. The ultraviolet spectrum of the high redshift QSO B2 1225+31
3140. Snijders, M.A.J., Boksenberg, A., Penston, M.V., Sargent, W.L.W. 1982, MNRAS, 201, 801. IUE observations of the BL Lac object AO 0235+164
3141. Snijders, M.A.J., Batt, T.J., Seaton, M.J., Blades, J.C., Morton, D.C. 1984, MNRAS, 211, 7P. Nova Aquilae 1982 - a short report
3142. Snijders, M.A.J., Netzer, H., Boksenberg, A. 1986, MNRAS, 222, 549. Detection of broad ultraviolet Fe II lines in the spectrum of NGC 1068
3143. Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C. 1987, MNRAS, 228, 329. Nova Aquilae 1982
3144. Snow, T.P., Seab, C.G. 1980, APJ, 242, L83. An anomalous ultraviolet extinction curve in the Taurus dark cloud
3145. Snow, T.P., Joseph, C.L. 1981, AJ, 86, 1916. Interstellar abundances derived from IUE data. I. Silicon depletions toward reddened stars
3146. Snow, T.P., Joseph, C.L. 1985, APJ, 288, 277. A study of depletions within the Rho Ophiuchi cloud based on IUE observations of HD 147889
3147. Snow, T., Buss, R., Gilra, D., Swings, J.-P. 1987, APJ, 321, 921. Extinction and abundance properties of Alpha Scorpii circumstellar grains
3148. Snow, T.P., Witt, A. 1989, APJ, 342, 295. Interstellar gas and large grains toward HD 38087
3149. Snow, T.P. 1993, APJ, 402, L73. A possible connection between enhanced CH⁺ and intense far-ultraviolet radiation fields
3150. Snow, T.P., Hanson, M.M., Seab, C.G., Saken, J.M. 1994, APJ, 420, 632. Interstellar gas and dust in the young cluster IC 348
3151. Snow, T.P., Lamers, H.J.G.L.M., Lindholm, D.M., Odell, A.P. 1994, APJS, 95, 163. An atlas of ultraviolet P Cygni profiles
3152. Snow, T.P., Black, J.H., van Dishoeck, E., Burks, G., Crutcher, R., Lutz, B.L., Hanson, M.M., Shuping, R. 1996, APJ, 465, 245. The translucent molecular clouds toward HD154368, I: Extinction, abundances and depletions
3153. Soderblom, D.R., Clements, S.D. 1987, AJ, 93, 920. Chromospheric and transition-region emission from young solar-type stars in clusters, kinematic groups, and the field
3154. Soderblom, D.R., Duncan, D.K., Johnson, D.R.H. 1991, APJ, 375, 722. The chromospheric emission-age relation for stars of the lower main sequence and its implications for the star formation rate
3155. Soderblom, D.R., Mayor, M. 1993, AJ, 105, 226. Stellar kinematic groups. I. The Ursa Major group
3156. Sofia, U.J., Bruhweiler, F.C., Sofia, S. 1989, JGR, 94, 9117. Ultraviolet variability of the solar analogue star Alpha Centauri A
3157. Sokolov, N. A. 2000, A&A, 353, 707. Spectrophotometric behavior of CU Virginis
3158. Solano, E., Paunzen, E., 1999, A&A, 348, 940. Identification of λ Bootis stars using IUE spectra. II. High resolution data

3159. Solheim, J.-E., Sion, E.M. 1994, *A&A*, 287, 503. A study of a high resolution IUE spectrum of AM Canum Venaticorum
3160. Sonneborn, G., Altner, B., Kirshner, R.P. 1987, *APJ*, 323, L35. The progenitor of SN 1987A: spatially resolved ultraviolet spectroscopy of the supernova field
3161. Sonneborn, G., Grady, C.A., Wu, C.-C., Hayes, D.P., Guinan, E.F., Barker, P.K., Henrichs, H.F. 1988, *APJ*, 325, 784. Mass loss in a B2 IIIe star: Omega Orionis 1978-1984
3162. Sonneborn, G., Fransson, C., Lundqvist, P., Cassatella, A., Gilmozzi, R., Kirshner, R., Panagia, N., Wamsteker, W. 1997, *APJ*, 477, 848. The evolution of ultraviolet emission lines from circumstellar material surrounding SN1987A
3163. Sorrell, W.H. 1989, *MNRAS*, 241, 89. Modelling the dust grains around the peculiar Be star HD 45677
3164. Sorrell, W.H. 1990, *MNRAS*, 243, 570. The lambda 2175-A feature from irradiated graphitic particles
3165. Sparks, W.B., Cameron, A.C. 1988, *MNRAS*, 232, 215. A relation between UV excess and the interstellar medium in elliptical galaxies?
3166. Spite, M., Caloi, V., Spite, F. 1981, *A&A*, 103, L11. Ultraviolet observations of two extreme population II stars: detection of chromospheric emission and mass loss
3167. Spitzer, L., Fitzpatrick, E.L. 1995, *APJ*, 445, 196. Composition of interstellar clouds in the disk and halo. III. HD 149881
3168. St-Louis, N., Smith, L.J., Stevens, I.R., Willis, A.J., Garmany, C.D., Conti, P.S. 1989, *A&A*, 226, 249. IUE observations of variability in the WN6 star HD 192163
3169. St-Louis, N., Smith, L.J. 1991, *A&A*, 252, 781. An IUE and optical study of interstellar gas towards stars within the Cygnus OB1 and OB3 associations
3170. St-Louis, N., Howarth, I.D., Willis, A.J., Stickland, D.J., Smith, L.J., Conti, P.S., Garmany, C.D. 1993, *A&A*, 267, 447. Ultraviolet spectroscopic variability of the WN 5 star HD 50896: timescales and linear physical dimensions of the perturbations
3171. St-Louis, N., Moffat, A.F.J., Lapointe, L., Efimov, Yu.S., Shakhovskoy, N.M., Fox, G.K., Piirola, V. 1993, *APJ*, 410, 342. Polarization eclipse model of the Wolf-Rayet binary V444 Cygni with constraints on the stellar radii and an estimate of the Wolf-Rayet mass-loss rate
3172. St-Louis, N., Willis, A.J., Stevens, I.R. 1993, *APJ*, 415, 298. Ultraviolet observations of selective wind eclipses in Gamma Velorum and evidence for colliding winds
3173. St-Louis, N. 1994, *AP&SS*, 221, 197. Simultaneous optical and ultraviolet observations of variability in HD 50896
3174. St-Louis, N., Dalton, M.J., Marchenko, S.V., Moffat, A.F.J., Willis, A.J. 1995, *APJ*, 452, L57. The IUE MEGA campaign: wind structure and variability of HD 50896 (WN5)
3175. Stacy, J.G., Vestrand, W., Sreekumar, P., Bonnell, J., Kubo, H., Hartman, R. 1996, *A&AS*, 120, 549. First cycle 4 multiwavelength observations of the gamma-ray quasar PKS0208-512
3176. Stahl, O., Wolf, B., Zickgraf, F.-J., Bastian, U., de Groot, M.J.H., Leitherer, C. 1983, *A&A*, 120, 287. R 66(Aeq): an LMC B supergiant with a massive cool and dusty wind
3177. Stahl, O., Wolf, B., Klare, G., Cassatella, A., Krautter, J., Persi, P., Ferrari-Toniolo, M. 1983, *A&A*, 127, 49. R 127: an S Dor type variable intermediate between Of and WN

3178. Stahl, O., Wolf, B., Leitherer, C., Zickgraf, F.-J., Krautter, J., de Groot, M. 1984, *A&A*, 140, 459. Variable blue supergiants in the Large Magellanic Cloud: R 84, R 85, and R 99
3179. Stahl, O., Wolf, B. 1986, *A&A*, 154, 243. New observational results of the LMC-S Dor variable R 127 during outburst
3180. Stahl, O., Wolf, B. 1987, *A&A*, 181, 293. The peculiar emission-line supergiant HD 37836
3181. Stahl, O., Wolf, B., Zickgraf, F.-J. 1987, *A&A*, 184, 193. Photometry and spectroscopy of the eclipsing P Cygni star R81 in the Large Magellanic Cloud
3182. Stahl, O., Wolf, B., Klare, G., Juttner, A., Cassatella, A. 1990, *A&A*, 228, 379. Observations of the new Luminous Blue Variable R 110 of the Large Magellanic Cloud during an F star-phase
3183. Stahl, O., Aab, O., Smolinski, J., Wolf, B. 1991, *A&A*, 252, 693. Stellar wind properties of A-type hypergiants
3184. Stahl, O., Kaufer, A., Rivinius, T., Szeifert, T., Wolf, B., Gaeng, T., Gummersbach, C., Jankovics, I., Kovacs, J., Mandel, H., Pakull, M., Peitz, J. 1996, *A&A*, 312, 539. Phase-locked photospheric and stellar wind variations of theta Orionis C
3185. Stalio, R., Franco, M.L. 1980, *A&A*, 84, 369. BD +33 2642: a galactic halo blue star observed by IUE
3186. Stanghellini, L., Starrfield, S., Cox, A.N. 1990, *A&A*, 233, L13. The cause of the pulsations of the white dwarf component in V471 Tauri
3187. Starrfield, S., Shore, S.N., Sparks, W.M., Sonneborn, G., Truran, J.W., Politano, M. 1992, *APJ*, 391, L71. A prediction of the gamma-ray flux from Nova Herculis 1991
3188. Starrfield, S.G., Cox, A.N., Hodson, S.W., Pesnell, W.D. 1983, *APJ*, 268, L27. The discovery of nonradial instability strips for hot, evolved stars
3189. Stecher, T.P., Maran, S.P., Gull, T.R. 1982, *APJ*, 262, L41. Luminosities and masses for three central stars of planetary nebulae in the Magellanic Clouds from ultraviolet spectroscopy with the IUE
3190. Steenman, H., The, P.S. 1991, *AP&SS*, 184, 9. The anomalous extinction law. II. The effect of changing the lower size cutoff of the particle size distribution
3191. Stefl, S. 1985, *BAIC*, 36, 313. Properties and nature of Be stars. 12. The UV line spectrum of KX And - is there a hot primary?
3192. Steidel, C.C. 1992, *PASP*, 104, 843. The redshift evolution of QSO heavy-element absorption systems
3193. Stencel, R.E., Kondo, Y., Bernat, A.P., McCluskey, G.E. 1979, *APJ*, 233, 621. IUE observations of 32 Cygni: the effects of the B star within the upper chromosphere of a late-type supergiant
3194. Stencel, R.E., Sahade, J. 1980, *APJ*, 238, 929. IUE observations of the peculiar M giant HD 4174
3195. Stencel, R.E., Mullan, D.J. 1980, *APJ*, 238, 221. Detection of mass loss in stellar chromospheres
3196. Stencel, R.E., Mullan, D.J., Linsky, J.L., Basri, G.S., Worden, S.P. 1980, *APJS*, 44, 383. Outer atmospheres of cool stars. VII. High resolution, absolute flux profiles of the Mg II h and k lines in stars of spectral types F8 to M5

3197. Stencel, R.E., Chapman, R.D. 1981, APJ, 251, 597. The 1979-1980 eclipse of Zeta Aurigae. II. The emission spectrum
3198. Stencel, R.E., Linsky, J.L., Brown, A., Jordan, C., Carpenter, K.G., Wing, R.F., Czyzak, S. 1981, MNRAS, 196, 47P. Density sensitive C II lines in cool stars of low gravity
3199. Stencel, R.E., Michalitsianos, A.G., Kafatos, M., Boyarchuk, A.A. 1982, APJ, 253, L77. Ultraviolet observations of the 1980 eclipse of the symbiotic star CI Cygni
3200. Stencel, R.E. 1984, APJ, 281, L75. Changes in the ultraviolet spectrum of EG Andromedae
3201. Stencel, R.E., Hopkins, J.L., Hagen, W., Fried, R., Schmidtke, P.C., Kondo, Y., Chapman, R.D. 1984, APJ, 281, 751. The 1982 eclipse of 31 Cygni
3202. Stencel, R.E., Carpenter, K.G., Hagen, W. 1986, APJ, 308, 859. Ultraviolet and infrared observations of stars with "quenched" chromospheres and the nature of mass loss
3203. Stencel, R.E., Potter, D.E., Bauer, W.H. 1993, PASP, 105, 45. Rapid mass-loss transients in VV Cephei
3204. Stengler-Larrea, E.A., Boksenberg, A., Steidel, C.C., Sargent, W.L.W., Bahcall, J.N., Bergeron, J., Hartig, G.F., Jannuzi, B.T., Kirhakos, S., Savage, B.D., Schneider, D.P., Turnshek, D.A., Weymann, R.J. 1995, APJ, 444, 64. The Hubble Space Telescope quasar absorption-line key project. V. Redshift evolution of Lyman limit absorption in the spectra of a large sample of quasars
3205. Stepien, K., Dominiczak, R. 1989, A&A, 219, 197. Effective temperatures of Ap stars
3206. Stepien, K., Czechowski, W. 1993, A&A, 268, 187. Spectrophotometric behavior of 56 Arietis
3207. Stern, R.A., Skumanich, A. 1983, APJ, 267, 232. Rapid rotation and stellar activity in the triple system HD 165590
3208. Stern, R.A., Uchida, Y., Walter, F., Vilhu, O., Hannikainen, D., Brown, A., Veale, A., Haisch, B.M. 1992, APJ, 391, 760. Coordinated Ginga, IUE, and VLA observations of stellar activity in Sigma-2 Coronae Borealis
3209. Stern, S.A., Skinner, T.E., Brosch, N., Van Santvoort, J., Trafton, L.M. 1989, APJ, 342, 533. The UV spectrum of Pluto-Charon: IUE observations from 2600 to 3100 Å
3210. Stern, S.A., Skinner, T.E., Brosch, N., Van Santvoort, J., Trafton, L.M. 1989, APJ, 341, L107. The first UV spectrum of Triton: IUE observations from 2600 to 3200 Å
3211. Stern, S.A., Festou, M.C., Van Santvoort, J., Buratti, B.J. 1990, AJ, 100, 1676. The first UV spectrum of a Uranian satellite: IUE observations of Oberon from 2650-3200 Å
3212. Stern, S.A., Brosch, N., Barker, E.S., Gladstone, G.R. 1991, ICARUS, 92, 332. Rotationally resolved midultraviolet studies of Triton and the Pluto/Charon system I: IUE results
3213. Stern, S.A., Green, J.C., Cash, W., Cook, T.A. 1992, ICARUS, 95, 157. Helium and argon abundance constraints and the thermal evolution of Comet Austin (1989c1)
3214. Stern, S.A. 1993, ICARUS, 102, 170. Properties and tentative identification of the strongly UV-absorbing surface constituent on Triton
3215. Stern, S.A., Trafton, L.M. 1994, ICARUS, 112, 533. The ultraviolet spectrum of Triton from HST: first results
3216. Sternberg, A. 1989, APJ, 347, 863. Ultraviolet fluorescent molecular hydrogen emission
3217. Stevens, I.R., Willis, A.J. 1988, MNRAS, 234, 783. The expected X-ray luminosity of HD 50896

3218. Stevens, I.R. 1993, APJ, 404, 281. Colliding wind binary systems: Monte Carlo simulations of line-profile variability
3219. Stickland, D.J., Harmer, D.L. 1978, A&A, 70, L53. The discovery of a hot companion to HR 8752
3220. Stickland, D.J. 1979, A&A, 77, 359. The UV spectrum of the possible radio star HD 26676
3221. Stickland, D.J., Dworetzky, M.M. 1980, MNRAS, 191, 33P. Does Phi Herculis have a corona?
3222. Stickland, D.J., Lambert, D.L. 1981, A&A, 102, 296. A high resolution IUE spectrum of the G0-G5 Ia supergiant HR 8752
3223. Stickland, D.J., Penn, C.J., Seaton, M.J., Sniijders, M.A.J., Storey, P.J. 1981, MNRAS, 197, 107. Nova Cygni 1978 - I. The nebular phase
3224. Stickland, D.J., Sanner, F. 1981, MNRAS, 197, 791. Far UV observations of late K and M type stars
3225. Stickland, D.J., Cassatella, A., Ponz, D. 1982, MNRAS, 199, 1113. Mira B
3226. Stickland, D.J., Williams, D. 1983, OBS, 103, 58. Psi3 Piscium and the rotation-activity connexion
3227. Stickland, D.J., Bromage, G.E., Budding, E., Burton, W.M., Howarth, I.D., Jameson, R., Sherrington, M.R., Willis, A.J. 1984, A&A, 134, 45. Ultraviolet, optical and infrared observations of the Wolf-Rayet contact-eclipsing binary CQ Cephei
3228. Stickland, D.J., Kelly, B.D., Cooke, J.A., Coulson, I., Engelbrecht, C., Kilkenny, D., Spencer-Jones, J. 1984, MNRAS, 206, 819. RZ Gru - a UX UMa 'disc star'
3229. Stickland, D., Pike, C., Lloyd, C., Howarth, I. 1987, A&A, 184, 185. A study of the massive O-type binary Iota Orionis
3230. Stickland, D.J. 1987, OBS, 107, 5. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 1: Iota Orionis
3231. Stickland, D.J. 1987, OBS, 107, 68. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 2: Plaskett's Star
3232. Stickland, D.J., Lloyd, C. 1988, OBS, 108, 174. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 4: AO Cassiopeiae
3233. Stickland, D.J. 1989, OBS, 109, 74. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 5: 29 (UW) Canis Majoris
3234. Stickland, D.J., Lloyd, C. 1990, OBS, 110, 1. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 6: Gamma 2 Velorum
3235. Stickland, D.J., Howarth, I.D. 1991, OBS, 111, 23. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 7: V861 Scorpii (HD 152667)
3236. Stickland, D.J. 1991, OBS, 111, 113. The Zeta Aurigae-type binary AL Velorum
3237. Stickland, D.J. 1991, OBS, 111, 225. The remarkable ultraviolet spectrum of HD 43246
3238. Stickland, D.J. 1992, MNRAS, 257, 21P. The radial velocity and binarity of X Persei
3239. Stickland, D.J. 1992, OBS, 112, 123. Radial velocities of the IUE calibration stars
3240. Stickland, D.J., Lloyd, C., Koch, R.H., Pachoulakis, I., Pfeiffer, R.J. 1992, OBS, 112, 150. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 9: Y Cygni (HD 198846)

3241. Stickland, D.J., Koch, R.H., Pfeiffer, R.J. 1992, OBS, 112, 277. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 10: CW Cephei (HD 218066)
3242. Stickland, D.J., Lloyd, C. 1993, MNRAS, 264, 935. The radial velocity and binarity of HD 153919 (4U 1700-37)
3243. Stickland, D.J., Koch, R.H., Pachoulakis, I., Pfeiffer, R.J. 1993, OBS, 113, 139. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 11: Delta Circini (HD 135240)
3244. Stickland, D.J., Koch, R.H., Pachoulakis, I., Pfeiffer, R.J. 1993, OBS, 113, 204. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 12: HD 159176
3245. Stickland, D.J., Lloyd, C. 1993, OBS, 113, 256. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 13: HD 93205
3246. Stickland, D.J., Lloyd, C. 1994, OBS, 114, 41. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 14: HD 49798
3247. Stickland, D.J., Koch, R.H., Pachoulakis, I., Pfeiffer, R.J. 1994, OBS, 114, 107. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 15: LY Aurigae (HD 35921)
3248. Stickland, D.J., Lloyd, C., Corcoran, M.F. 1994, OBS, 114, 284. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 16: EM Carinae (HD 97484)
3249. Stickland, D.J. 1995, OBS, 115, 180. Spectroscopic binary orbits from ultraviolet radial velocities, Paper 17: HD206267
3250. Stickland, D.J., Lloyd, C., Koch, R.H., Pachoulakis, I. 1995, OBS, 115, 317. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 18: TU Muscae (HD 100213)
3251. Stickland, D.J., Sahade, J., Henrichs, M. 1996, Obs, 116, 85. Spectroscopic binary orbits form ultraviolet radial velocities. Paper 19: mu 1 Scorpii (HD151890)
3252. Stickland, D.J., Koch, R.H. 1996, Obs, 116, 145. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 20: HD149404
3253. Stickland, D.J., Lloyd, C., Penny, L.R., Gies, D.R., Bagnuolo, W.G. 1996, Obs, 116, 226. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 21: HD152248
3254. Stickland, D.J. 1996, Obs, 116, 294. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 22: HD48099
3255. Stickland, D.J., Lloyd, C., Koch, R.H., Pachoulakis, I. 1996, Obs, 116, 387. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 23: pi Scorpii (HD143018)
3256. Stickland, D.J. 1997, Obs 117, 37. Three massive binaries and the Struve-Sahade Effect
3257. Stickland, D.J., Lloyd, C., Radziun-Woodham, A. 1996, MNRAS, 286, 21 The orbit of the supergiant component of Vela X-1 derived from IUE radial velocities
3258. Stickland, D. J., Lloyd, C. 1998, Obs, 118, 138. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 28: omi Persei.
3259. Stickland, D. J., Lloyd, C., Pachoulakis, I., Koch, R. H. 1998, Obs, 118, 356. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 29: V Puppis (HD 65818)
3260. Stickland, D. J., Lloyd, C., Sweet, I. 1998, Obs, 118, 7. Spectroscopic binary orbits from ultraviolet radial velocities. Paper 27: tau Canis Majoris (HD 57061)

3261. Stirpe, G.M., Winge, C., Altieri, B., Alloin, D., Aguero, E.L., Anupama, G.C., Ashley, R., Bretram, R., Calderon, J.H., Catchpole, R.M., Corradi, R.L.M., Covino, E., Dottori, H.A., Feast, M.W., Ghosh, K.K., Gil Hutton, R., Glass, I.S., Grebel, E.K., Jorda, L., Koen, C., Laney, C.D., Maia, M., Marang, F., Mayya, Y.D., Morrell, N., Nakada, Y., Pastoriza, M.G., Pati, A.K., Pelat, D., Peterson, B.M., Prabhu, T.P., Roberts, G., Sagar, R., Salamanca, I., Sekiguchi, K., Storchi-Bergmann, T., Subramaniam, A., van Winckel, H., van Wyk, F., Villada, M., Wagner, R.M., Whitelock, P.A., Winkler, H., Clavel, J., Dietrich, M., Kollatschny, W., O'Brien, P.T., Perola, G.C., Recondo-Gonzalez, M.C., Rodriguez-Pascual, P., Santos-Lleo, M. 1994, *APJ*, 425, 609. Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. VI. Variability of NGC 3783 from ground-based data
3262. Stocke, J.T., Case, J., Donahue, M., Shull, J.M., Snow, T.P. 1991, *APJ*, 374, 72. New observations of the gas cloud associated with the quasar-galaxy pair 3C 232/NGC 3067
3263. Stocke, J., Shull, J., Granados, A., Sachs, E. 1994, *AJ*, 108, 1178. Satellite emission features in two Seyfert galaxies: new evidence that radio-quiet AGN possess subrelativistic winds
3264. Stocke, J.T., Shull, J.M., Penton, S., Donahue, M., Carilli, C. 1995, *APJ*, 451, 24. The local Ly-alpha forest: association of clouds with superclusters and voids
3265. Stoner, R., Ptak, R. 1984, *APJ*, 280, 516. C IV lambda 1550 emission profiles in IUE spectra of Seyfert 1 galaxies
3266. Stoner, R., Ptak, R., Gregory, S. 1984, *APJ*, 285, 69. The variable component of the NGC 4151 IUE spectrum: evidence for an expanding spherical emission shell
3267. Stoner, R., Ptak, R. 1985, *APJ*, 297, 611. Evidence for supermassive stars in three Seyfert galaxy nuclei from IUE spectra
3268. Storchi-Bergmann, T., Kinney, A.L., Challis, P. 1995, *APJS*, 98, 103. Ultraviolet to near-infrared spectral distributions of star-forming and Seyfert 2 galaxies
3269. Strassmeier, K.G., Hall, D.S., Fekel, F.C., Scheck, M. 1993, *A&AS*, 100, 173. A catalog of chromospherically active binary stars (second edition)
3270. Stys, D., Slevinsky, R., Sion, E. M., Saffer, R., Holberg, J. B., O'Donoghue, D., Kilkenny, D., Stobie, R. S., Koen, C. 2000, *PASP*, 112, 354. EC 11481-2303: A Peculiar Hot High-Gravity Pre-White Dwarf
3271. Sun, W.-H., Malkan, M.A. 1989, *APJ*, 346, 68. Fitting improved accretion disk models to the multiwavelength continua of quasars and active galactic nuclei
3272. Suntzeff, N.B., Bouchet, P. 1990, *AJ*, 99, 650. The bolometric light curve of SN 1987A. I. Results from ESO and CTIO U to Q0 photometry
3273. Surdej, J., Heck, A. 1982, *A&A*, 116, 80. The far-UV spectrum of the low-excitation planetary nebula HD 138403
3274. Szeifert, Th., Stahl, O., Wolf, B., Zickgraf, F.-J., Bouchet, P., Klare, G. 1993, *A&A*, 280, 508. R 40: the first luminous blue variable in the Small Magellanic Cloud
3275. Szkody, P., Crosa, L. 1981, *APJ*, 251, 620. Lanning 10 and 33: the X-ray, UV, and optical fluxes
3276. Szkody, P. 1981, *APJ*, 247, 577. IUE observations of eight dwarf novae: a study of the outburst cycle from 0.12 to 3.5 microns
3277. Szkody, P. 1981, *PASP*, 93, 456. Stepanian's star: the energy distribution reveals a nontypical cataclysmic variable

3278. Szkody, P. 1982, APJ, 261, 200. Ultraviolet comparisons of normal outbursts and a super-maximum in two dwarf novae
3279. Szkody, P., Raymond, J.C., Capps, R.W. 1982, APJ, 257, 686. The low state of AM Herculis: observations from 0.12 to 10 microns
3280. Szkody, P., Downs, P.A. 1982, PASP, 94, 328. IUE and optical observations of MV Lyrae at intermediate and low states
3281. Szkody, P., Shafter, A.W. 1983, PASP, 95, 509. A multiwavelength study of the short-period cataclysmic variable V442 Ophiuchi
3282. Szkody, P., Shafter, A.W., Cowley, A.P. 1984, APJ, 282, 236. IR Geminorum: indications of a massive white dwarf and a heated secondary in this new SU Ursae Majoris cataclysmic variable
3283. Szkody, P., Mateo, M. 1984, APJ, 280, 729. An unprecedented UV/optical flare in TV Columbae
3284. Szkody, P. 1985, AJ, 90, 1837. Multiwavelength observations of eleven cataclysmic variables
3285. Szkody, P., Liebert, J., Panek, R.J. 1985, APJ, 293, 321. IUE results on the AM Herculis stars CW 1103, E1114, and PG 1550
3286. Szkody, P., Mateo, M. 1986, APJ, 301, 286. Z Camelopardalis: outburst P Cygni profiles and quiescent continuum
3287. Szkody, P., Howell, S.B., Kennicutt, R. 1986, PASP, 98, 1151. X-ray, UV, and optical observations of the dwarf nova BV Puppis
3288. Szkody, P., Osborne, J., Hassall, B.J.M. 1988, APJ, 328, 243. Exosat and IUE observations of SW UMa during superoutburst
3289. Szkody, P., Mateo, M. 1988, PASP, 100, 1111. Analysis of IUE data on V426 Ophiuchi: outburst and orbital variability
3290. Szkody, P., Downes, R., Mateo, M. 1988, PASP, 100, 362. White dwarfs in cataclysmic variables: low state IUE observations of V794 Aquilae, MR Serpentis, and AN Ursae Majoris
3291. Szkody, P., Downes, R.A., Mateo, M. 1990, PASP, 102, 1310. IUE and optical data during the low state of H0538+608 (BY Camelopardalis)
3292. Szkody, P., Mattei, J., Waagen, E., Stablein, C. 1991, APJS, 76, 359. The interoutburst behavior of cataclysmic variables
3293. Szkody, P., Ingram, D. 1994, APJ, 420, 830. The masses of V838 Herculis (Nova Herculis 1991) and QZ Aurigae
3294. Szkody, P., Silber, A., Sion, E., Downes, R., Howell, S., Costa, E., Moreno, H. 1996, AJ, 111, 2379. IUE and optical spectra of AL Comae Berenices during a rare superoutburst
3295. Szkody, P., Silber, A. 1996, AJ, 112, 289. IUE observations of four known/suspected magnetic cataclysmic variables
3296. Szkody P., Hoard D.W., Sion E., Howell S.B., Cheng F.H., Sparks W.M. 1998, APJ, 497, 928. Ultraviolet and Optical Spectroscopy of AL Comae. 1 year after Superoutburst
3297. Szkody, P., Garnavich, P., Holberg, J., Silber, A., Pastwick, L. 1997, AJ, 113, 2276. IUE and Voyager Observations of the Unusual Cataclysmic Variable S193
3298. Szkody, P., Vennes, S., Sion, E.M., Long, Knox S., Howell, S. B. 1997, APJ, 487, 916. Extreme Ultraviolet Photometry and Spectroscopy of BL Hydri

3299. Szkody, P., Linnell, A., Honeycutt, K., Robertson, j., Silber, A., Hoard, D.W., Pastwick, L., Desai, V., Hubeny, I., Cannizzo, J., Liller, W., Zissell, R., Walker, G. 1999, APJ, 521, 362. RXTE, ROSAT, EUVE, IUE and optical observations through the 45 day supercycle of V1159 Orionis.
3300. Tadhunter, C.N., Perez, E., Fosbury, R.A.E. 1986, MNRAS, 219, 555. An ultraviolet and optical study of the broad-line radio galaxy 3C 382
3301. Tagliaferri, G., White, N.E., Doyle, J.G., Culhane, J.L., Hassall, B.J.M., Swank, J.H. 1991, A&A, 251, 161. A study of the flaring and quiescent X-ray and UV emission from II Pegasi
3302. Takada-Hidai, M., Sadakane, K., Jugaku, J. 1986, APJ, 304, 425. The abundance of gallium in B-type chemically peculiar stars
3303. Takalo, L.O., Nousek, J.A. 1988, APJ, 327, 328. Phase-resolved IUE observations of AM Herculis system E1405-451
3304. Takeda, Y. 1994, PASJ, 46, 181. Spectroscopic determinations of stellar parameters and photospheric helium abundances for Alpha Cygni and Beta Orionis
3305. Talavera, A., Gomez de Castro, A.I. 1987, A&A, 181, 300. The UV high resolution spectrum of A-type supergiants
3306. Tanzi, E.G., Tarengi, M., Treves, A., Howarth, I.D., Willis, A.J., Wilson, R. 1980, A&A, 83, 270. Ultraviolet observations of AM Hercules
3307. Tanzi, E.G., Barr, P., Bouchet, P., Chiappetti, L., Cristiani, S., Falomo, R., Giommi, P., Maraschi, L., Treves, A. 1986, APJ, 311, L13. Multifrequency observations of the blazar PKS 0537-441 in a moderately active state
3308. Tarafdar, S., Krishna Swamy, K., Vardya, M. 1980, MNRAS, 192, 417. Molecules in celestial objects - I. Circumstellar CO in 9 Cephei (B2 Ib)
3309. Tarafdar, S.P., Krishna Swamy, K.S. 1981, MNRAS, 196, 67. Molecules in celestial objects - II. IUE observations of CO towards Psi Persei (B5 Ve)
3310. Tarafdar, S.P., Krishna Swamy, K.S. 1982, MNRAS, 200, 431. Molecules in celestial objects. - III. Study of CO in interstellar diffuse clouds
3311. Tarafdar, S.P. 1983, MNRAS, 204, 1081. Molecules in celestial objects - IV. IUE observation of CO lines towards Be stars with low reddening
3312. Tarafdar, S.P., Agrawal, P.C. 1984, MNRAS, 207, 809. IUE observation of RS CVn-like binary Sigma Corona Borealis
3313. Tarengi, M., Tanzi, E.G., Treves, A., Glencross, W.M., Howarth, I., Hammerschlag-Hensberge, G., van den Heuvel, E.P.J., Lamers, H.J.G.L.M., Burger, M., Whitelock, P.A. 1981, A&AS, 43, 353. UV and optical observations of X-ray sources in the Magellanic Clouds
3314. Taresch, G., Kudritzki, R., Hurwitz, M., Bowyer, S., Pauldrach, A., Puls, J., Butler, K., Lennon, D., Haser, S. 1997, A&A, 321, 531. Quantitative analysis of the FUV, UV and optical spectrum of the O3 star HD93129A
3315. Taylor, A.R., Waters, L.B.F.M., Lamers, H.J.G.L.M., Persi, P., Bjorkman, K.S. 1987, MNRAS, 228, 811. Radio detection of the Be star Psi Persei
3316. Teays, T.J., Schmidt, E.G., Fracassini, M., Pasinetti Fracassini, L.E. 1989, APJ, 343, 916. The chromosphere of Beta Cassiopeiae
3317. Tektunali, H.G. 1989, AP&SS, 158, 223. The ultraviolet spectrum of the binary system KS Persei (HD 30353)

3318. Telting, J.H., Kaper, L. 1994, *A&A*, 284, 515. Long-term periodic variability in UV absorption lines of the Be star Gamma Cassiopeiae: on the relation with V/R variations in the H-beta line
3319. Terlevich, E., Diaz, A.I., Terlevich, R., Garcia Vargas, M.L. 1993, *MNRAS*, 260, 3. New detections of Lyman-alpha emission in young galaxies
3320. Thaller, M., Bagnuolo, W., Gies, D., Penny, L. 1995, *APJ*, 448, 878. Tomographic separation of composite spectra. III. Ultraviolet detection of the hot companion of Phi Persei
3321. The, P.S., Wesselius, P.R., Tjin A Djie, H.R.E., Steenman, H. 1986, *A&A*, 155, 347. Studies of the Chamaeleon star-forming region. II. The pre-main-sequence stars HD 97048 and HD 97300
3322. The, P.S., Perez, M.R., de Winter, D., van den Ancker, M.E. 1993, *A&A*, 269, 181. The new Be-type star HD 147196 in the Rho Ophiuchi dark cloud region
3323. The, P.S., Perez, M.R., Voshchinnikov, N., vanden Ancker, M. 1996, *A&A*, 314, 233. The variable Herbig Ae star HR5999, XII: Its circumstellar extinction law
3324. Theissen, A., Moehler, S., Heber, U., Schmidt, J.H.K., de Boer, K.S. 1995, *A&A*, 298, 577. Hot subluminescent stars at high galactic latitudes. V. UV spectra of binary and peculiar hot subdwarf stars
3325. Thejll, P., MacDonald, J., Saffer, R. 1991, *A&A*, 248, 448. The infrared excess of Feige 34
3326. Thejll, P., Vennes, S., Shipman, H.L. 1991, *APJ*, 370, 355. A critical analysis of the ultraviolet temperature scale of the helium-dominated DB and DBV white dwarfs
3327. Thejll, P. 1992, *A&A*, 264, 86. Is the star 'BS' a member of the cluster 47 Tucanae?
3328. Thejll, P., Ulla, A., MacDonald, J. 1995, *A&A*, 303, 773. Infrared flux excesses from hot subdwarfs
3329. Thiering, I., Reimers, D. 1993, *A&A*, 274, 838. Ultraviolet observations of the circumstellar envelope of Alpha-1 Her in the line of sight of Alpha-2 Her
3330. Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L. 1988, *MNRAS*, 230, 429. Effective temperatures and radii of Small Magellanic Cloud supergiants
3331. Thompson, R.W., Turnrose, B.E., Bohlin, R.C. 1982, *A&A*, 107, 11. IUE data reduction
3332. Thorstensen, J.R., Ringwald, F.A., Wade, R.A., Schmidt, G.D., Norsworthy, J.E. 1991, *AJ*, 102, 272. PG 0027+260: an example of a class of cataclysmic binaries with mysterious, but consistent, behavior
3333. Thorstensen, J.R., Vennes, S., Bowyer, S. 1996, *APJ*, 457, 390. The 0.8 day orbit of the pre-cataclysmic binary EUVE J1016-053
3334. Thuan, T.X. 1984, *APJ*, 281, 126. Ultraviolet observations of starburst and mini-Seyfert galactic nuclei
3335. Tjin A Djie, H.R.E., The, P.S., Hack, M., Selvelli, P.L. 1982, *A&A*, 106, 98. The variable shell star HR 5999. VI. Strong chromospheric and transition region emission lines in the ultraviolet spectrum of a Herbig Ae star
3336. Tjin A Djie, H.R.E., Remijn, L., The, P.S. 1984, *A&A*, 134, 273. A study of the Herbig Ae-type stars UX Ori and CD -44 3318 based on IUE spectra, and on visual and infrared photometry

3337. Tobin, W., Kaufmann, J.P. 1984, MNRAS, 207, 369. Analysis of the three high-velocity B stars HD 125924, 165955 and CPD -72 1184
3338. Tobin, W. 1986, A&A, 155, 326. Low-resolution IUE observations of four unreddened, 11th magnitude B stars at high galactic latitudes
3339. Tomasako, M.G., Karkoschka, E. 1986, ICARUS, 65, 218. Observations of the limb darkening of Jupiter at ultraviolet wavelengths and constraints on the properties and distribution of stratospheric aerosols
3340. Tomov, T., Zamanov, R., Kolev, D., Georgiev, L., Antov, A., Mikolajewski, M., Esipov, V. 1992, MNRAS, 258, 23. MWC 560: jets or optically thick expanding envelope?
3341. Tomov N.A., Tomova M.T., Raikova D.V. 1998, A&AS, 129, 479. The visual line spectrum of AG Pegasi in 1995
3342. Torres, A.V., Conti, P.S., Massey, P. 1986, APJ, 300, 379. Spectroscopic studies of Wolf-Rayet stars. III. The WC subclass
3343. Torres, A.V. 1987, APJ, 322, 949. Ultraviolet interstellar extinction toward NGC 6530 and the intrinsic energy distribution of 9 Sagittarii and HD 165052
3344. Torres-Peimbert, S., Peimbert, M., Daltabuit, E. 1980, APJ, 238, 133. IUE and visual observations of the Orion Nebula and IC 418: the carbon abundance
3345. Torres-Peimbert, S., Pena, M. 1981, RMAA, 6, 301. Ultraviolet observations of planetary nebulae. NGC 6572, NGC 5315 and BD+30 3639
3346. Torres-Peimbert, S., Peimbert, M., Pena, M. 1990, A&A, 233, 540. Planetary nebulae with a high degree of ionization: NGC 2242 and NGC 4361
3347. Tozzi, G.P., Feldman, P.D., Weaver, H.A. 1994, A&A, 285, L9. Observations of the OH Meinel system in comet P/Swift-Tuttle
3348. Trafton, L.M., Watson, J.K.G. 1992, APJ, 385, 320. Occurrence of global-scale emissions on Jupiter: proposed identification of Jovian dimer H₂ emission
3349. Treves, A., Chiappetti, L., Tanzi, E., Tarengi, M., Gursky, H., Dupree, A.K., Hartmann, L.W., Raymond, J., Davis, R.J., Black, J., Matilsky, T.A., Vanden Bout, P., Sanner, F., Pollard, G., Sanford, P.W., Joseph, R.D., Meikle, W.P.S. 1980, APJ, 242, 1114. Ultraviolet, X-ray, and infrared observations of HDE 226868 = Cygnus X-1
3350. Treves, A., Drew, J., Falomo, R., Maraschi, L., Tanzi, E.G., Wilson, R. 1985, MNRAS, 216, 529. UV and optical observations of PG 1351+64, a bright Seyfert galaxy or a low-luminosity QSO
3351. Treves, A., Belloni, T., Bouchet, P., Chiappetti, L., Falomo, R., Maraschi, L., Tanzi, E.G. 1988, APJ, 335, 142. The ultraviolet-optical-infrared energy distribution of LMC X-3: observation of an accretion disk around a black hole
3352. Treves, A., Bouchet, P., Chiappetti, L., Ciapi, A., Falomo, R., Maraschi, L., Tanzi, E.G. 1988, APJ, 330, 178. The X-ray to infrared energy distribution of the quasar PG 0026+129
3353. Treves, A., Morini, M., Chiappetti, L., Fabian, A., Falomo, R., Maccagni, D., Maraschi, L., Tanzi, E.G., Tagliaferri, G. 1989, APJ, 341, 733. Simultaneous X-ray, ultraviolet, and optical observations of the BL Lacertae object PKS 2155-304
3354. Treves, A., Bonelli, G., Chiappetti, L., Falomo, R., Maraschi, L., Tagliaferri, G., Tanzi, E.G. 1990, APJ, 359, 98. X-ray and ultraviolet observations of the Seyfert galaxy MCG 8-11-11

3355. Treves, A., Belloni, T., Corbet, R.H.D., Ebisawa, K., Falomo, R., Makino, F., Makishima, K., Maraschi, L., Miyamoto, S., Tanzi, E.G. 1990, APJ, 364, 266. Simultaneous X-ray, ultraviolet, and optical observations of LMC X-3
3356. Treves, A., Fink, H.H., Malkan, M., Wagner, S.J., Wilkes, B.J., Baganoff, F., Heidt, J., Pian, E., Sadun, A., Schaeidt, S., Bonnell, J.T., Brinkmann, W., de Martino, D., Maraschi, L., Tanzi, E.G., Ulrich, M.H., Wamsteker, W. 1995, APJ, 442, 589. Multifrequency observations of KAZ 102 during the ROSAT all-sky survey
3357. Tripp, T.M., Green, R.F., Bechtold, J. 1990, APJ, 364, L29. IUE observations of PG 1115+080: the He I Gunn-Peterson test and a search for the lensing galaxy
3358. Tripp, T.M., Sembach, K.R., Savage, B.D. 1993, APJ, 415, 652. Forbidden velocity gas detected in ultraviolet interstellar absorption toward four distant inner galaxy stars
3359. Tripp, T.M., Bechtold, J., Green, R.F. 1994, APJ, 433, 533. Spectral energy distributions of the brightest Palomar-Green quasars at intermediate redshifts
3360. Truong, K.Q., Bruhweiler, F.C. 1991, APJ, 379, 609. IUE observations of NGC 1068: the extended high-ionization emission region
3361. Turler, M., Courvoisier, T. J.-L. 1998, A&A, 329, 863. Principal component analysis of two ultraviolet emission-lines in 18 active galactic nuclei
3362. Turler, M., Paltani, S., Courvoisier, T. J.-L., Aller, M. F., Aller, H. D., Blecha, A., Bouchet, P., Lainela, M., McHardy, I. M., Robson, E. I., Stevens, J. A., Terasranta, H., Tornikoski, M., Ulrich, M.-H., Waltman, E. B., Wamsteker, W., Wright, M. C. H. 1999, A&AS, 134, 89. 30 years of multi-wavelength observations of 3C 273
3363. Turnshek, D.A., Foltz, C.B., Weymann, R.J., Lupie, O.L., McMahon, R.G., Peterson, B.M. 1985, APJ, 294, L1. Observations of the low-redshift broad absorption line QSO PG 1700+518: limits on the fraction of QSOs with broad absorption lines at low redshift and the physical conditions in the broad absorption line region
3364. Turnshek, D.A., Grillmair, C.J. 1986, APJ, 310, L1. More low-redshift broad absorption line QSOs
3365. Turnshek, D.A., Bohlin, R.C., Williamson, R.L., Lupie, O.L., Koornneef, J., Morgan, D.H. 1990, AJ, 99, 1243. An atlas of Hubble Space Telescope photometric, spectrophotometric, and polarimetric calibration objects
3366. Turnshek, D.A., Bohlin, R.C. 1993, APJ, 407, 60. Damped Lyman-alpha absorption in Q 0957+561 A,B
3367. Turnshek, D.A., Espey, B.R., Kopko, M., Rauch, M., Weymann, R.J., Jannuzi, B.T., Boksenberg, A., Bergeron, J., Hartig, G.F., Sargent, W.L.W., Savage, B.D., Schneider, D.P., Wolfe, A.M. 1994, APJ, 428, 93. The HST Quasar Absorption Line Key Project. IV. HST Faint Object Spectrograph and ground-based observations of the unusual low-redshift broad absorption-line quasi-stellar object PG 0043+039
3368. Turnshek, D.A., Monier, E., Sirola, C., Espey, B. 1997, APJ, 476, 40 The HST FOS survey for broad absorption lines in a sample of low-redshift, weak-OIII quasars
3369. Tweedy, R.W., Napiwotzki, R. 1992, MNRAS, 259, 315. The central star of S 216
3370. Tweedy, R.W., Holberg, J.B., Barstow, M.A., Bergeron, P., Grauer, A.D., Liebert, J., Fleming, T.A. 1993, AJ, 105, 1938. RE 1016-053: a pre-cataclysmic binary, and the first extreme ultraviolet and X-ray detections of a DAO white dwarf

3371. Tweedy, R.W. 1993, MNRAS, 260, 855. The presence of Fe VII and of low-ionization features in the UV spectra of central stars of planetary nebulae
3372. Ulla, A.M., Solheim, J.-E. 1990, AP&SS, 169, 189. IUE-spectra of the four interacting binary white dwarf stars: AM CVn, PG 1346+082, V803 Cen, and GP Com. A comparative study
3373. Ulrich, M.-H., Boksenberg, A., Bromage, G.E., Clavel, J., Elvius, A., Penston, M.V., Perola, G.C., Sniijders, M.A.J. 1991, APJ, 382, 483. The ultraviolet spectrum of NGC 4151 from 1978 to 1990: general characteristics and evolution
3374. Ulrich, M.-H., Boksenberg, A., Bromage, G., Carswell, R., Elvius, A., Gabriel, A., Gondhalekar, P.M., Lind, J., Lindegren, L., Longair, M.S., Penston, M.V., Perryman, M.A.C., Pettini, M., Perola, G.C., Rees, M., Sciama, D., Sniijders, M.A.J., Tanzi, E., Tarengi, M., Wilson, R. 1980, MNRAS, 192, 561. Detailed ultraviolet observations of the quasar 3C 273 with IUE
3375. Ulrich, M.-H., Boisson, C. 1983, APJ, 267, 515. The ultraviolet spectrum of the Seyfert galaxies NGC 3516 and NGC 5548
3376. Ulrich, M.-H., Hackney, K.R.H., Hackney, R.L., Kondo, Y. 1984, APJ, 276, 466. Variability of the ultraviolet spectrum of BL Lacertae objects
3377. Ulrich, M.-H., Boksenberg, A., Bromage, G.E., Clavel, J., Elvius, A., Penston, M.V., Perola, G.C., Pettini, M., Sniijders, M.A.J., Tanzi, E.G., Tarengi, M. 1984, MNRAS, 206, 221. Detailed observations of NGC 4151 with IUE - III. Variability of the strong emission lines from 1978 February to 1980 May
3378. Ulrich, M.-H., Courvoisier, T.J.-L., Wamsteker, W. 1988, A&A, 204, 21. Variations of the ultraviolet spectrum of 3C 273: 9 years of IUE data
3379. Ulrich, M.-H. 1988, MNRAS, 230, 121. Far-ultraviolet absorption lines in active galaxies
3380. Ulrich, M.-H., Fink, H.H., Schaeidt, S., Baganoff, F., Malkan, M.A., Heidt, J., Wagner, S. 1992, A&A, 266, 183. Multiwavelength observations of the quasar Q 1821+643 during the ROSAT All Sky Survey
3381. Ulrich, M.-H., Courvoisier, T.J.-L., Wamsteker, W. 1993, APJ, 411, 125. The time variability of the ultraviolet continuum and Lyman-alpha in 3C 273
3382. Ulrich, M.-H., Molendi, S. 1995, A&A, 293, 641. Observations and models of the UV/soft X-ray spectrum of the quasar PG 1116+215
3383. Ulrich, M.-H. 1996, MNRAS, 281, 907. The narrow variable components of CIV in NGC4151 from 1981 to 1987
3384. Ulrich, M.-H., Horne, K. 1996, MNRAS, 283, 748. A month in the life of NGC4151: velocity delay maps of the broad- line region
3385. Ulrich, M.H., Molendi, S. 1996, APJ, 457, 77. The ROSAT-PSPC spectrum of bright, low-z quasars
3386. Underhill, A.B. 1979, APJ, 234, 528. The effective temperature, radius, rate of mass loss, and luminosity of P Cygni, HD 190603, Kappa Cassiopeae and Rho Leonis
3387. Underhill, A.B. 1980, APJ, 240, L153. A suggestion concerning the generation of the physical state of stellar mantles
3388. Underhill, A.B. 1980, APJ, 235, L149. The C IV resonance lines in B and early A supergiants
3389. Underhill, A.B. 1981, A&A, 97, L9. Evidence for autoionization and dielectronic recombination of Si II in the atmospheres of B-type stars

3390. Underhill, A.B. 1982, APJ, 263, 741. Angular diameters, effective temperatures, radii, and luminosities of O3, O4, and O5 stars
3391. Underhill, A.B. 1983, APJ, 266, 718. The angular diameters, effective temperatures, radii, and luminosities of 10 Wolf-Rayet stars
3392. Underhill, A.B. 1983, APJ, 268, L127. Possible evidence for the driving of the winds of hot stars by Alfvén waves
3393. Underhill, A.B. 1983, APJ, 265, 933. An alternative model for the atmospheres of Wolf-Rayet and O stars
3394. Underhill, A.B., Fahey, R.P. 1984, APJ, 280, 712. Do bipolar magnetic regions exist on the surfaces of early-type stars?
3395. Underhill, A.B. 1984, APJ, 285, 668. The ultraviolet variability of early-type supergiants
3396. Underhill, A.B. 1984, APJ, 287, 874. Similar photospheres, different mantles: a study of four O stars
3397. Underhill, A.B. 1985, A&A, 148, 431. An interpretation of the spectral variations of Theta Coronae Borealis
3398. Underhill, A.B. 1986, APJ, 300, 374. Comments on using absolute spectrophotometry of Wolf-Rayet stars
3399. Underhill, A.B., Fahey, R.P. 1987, APJ, 313, 358. The problem of V444 Cygni
3400. Unglaub, K., Bues, I. 1990, A&A, 233, 159. The nature of the hot subdwarf SB 744
3401. Urry, C.M., Mushotzky, R.F., Kondo, Y., Hackney, K.R.H., Hackney, R.L. 1982, APJ, 261, 12. Ultraviolet and X-ray observations of the BL Lacertae PKS 0548-322
3402. Urry, C., Kondo, Y., Hackney, K., Hackney, R. 1988, APJ, 330, 791. Eight years of ultraviolet spectra of the variable BL Lacertae object PKS 2155-304
3403. Urry, C.M., Maraschi, L., Edelson, R., Koratkar, A., Krolik, J., Madejski, G., Pian, E., Pike, G., Reichert, G., Treves, A., Wamsteker, W., Bohlin, R., Bregman, J., Brinkmann, W., Chiappetti, L., Courvoisier, T., Filippenko, A.V., Fink, H., George, I.M., Kondo, Y., Martin, P.G., Miller, H.R., O'Brien, P., Shull, J.M., Sitko, M., Szymkowiak, A.E., Tagliaferri, G., Wagner, S., Warwick, R. 1993, APJ, 411, 614. Multiwavelength monitoring of the BL Lacertae object PKS 2155-304. I. The IUE campaign
3404. Vacca, W.D., Torres-Dodgen, A.V. 1990, APJS, 73, 685. Color excesses, intrinsic colors, and absolute magnitudes of Galactic and Large Magellanic Cloud Wolf-Rayet stars
3405. Vacca, W., Robert, C., Leitherer, C., Conti, P. 1995, APJ, 444, 647. The stellar content of 30 Doradus derived from spatially integrated ultraviolet spectra: a test of spectral synthesis models
3406. Valenti, J.A., Johns-Krull, C.M., Linsky, J.L. 2000, APJS, 129, 399. An IUE Atlas of Pre-Main-Sequence stars. I. Co-added Final Archive spectra from the SWP camera.
3407. Valls-Gabaud, D. 1993, APJ, 419, 7. On the Lyman-alpha emission of starburst galaxies
3408. Van Buren, D., Dgani, R., Noriega-Crespo, A. 1994, AJ, 108, 1112. The wind of EG Andromedae is not dust driven
3409. van den Oord, G., Doyle, J., Rodono, M., Gary, D., Henry, G., Byrne, P., Linsky, J., Haisch, B., Pagano, I., Leto, G. 1996, A&A, 310, 908. Flare energetics: analysis of a large flare on YZ Canis Minoris observed simultaneously in the ultraviolet, optical and radio

3410. van den Oord, G., Doyle, J. 1997, *A&A*, 319, 578. Constraints on mass loss from dMe stars: theory and observations
3411. van der Klis, M., Hammerschlag-Hensberge, G., Bonnet-Bidaud, J.M., Ilovaisky, S.A., Mouchet, M., Glencross, W.M., Willis, A.J., van Paradijs, J., Zuiderwijk, E., Chevalier, C. 1982, *A&A*, 106, 339. A study of ultraviolet spectroscopic and light variations in the X-ray binaries LMC X-4 and SMC X-1
3412. Van Dyke Dixon, W., Davidsen, A., Ferguson, H. 1994, *AJ*, 107, 1388. Observations of ultraviolet-bright stars in globular clusters with the Hopkins Ultraviolet Telescope
3413. Van Hamme, W., Wilson, R.E. 1990, *AJ*, 100, 1981. Rotation statistics of Algol-type binaries and results on RY Geminorum, RW Monocerotis, and RW Tauri
3414. van Kerkwijk, M.H., van Paradijs, J., Zuiderwijk, E.J., Hammerschlag-Hensberge, G., Kaper, L., Sterken, C. 1995, *A&A*, 303, 483. Spectroscopy of HD 77581 and the mass of Vela X-1
3415. van Landingham, K., Starrfield, S., Wagner, R., Shore, S., Sonneborn, G. 1996, *MNRAS*, 282, 563. Optical and ultraviolet spectroscopy of the ONeMg Nova V838 Herculis 1991
3416. van Paradijs, J., Allington-Smith, J., Callanan, P., Charles, P.A., Hassall, B.J.M., Machin, G., Mason, K.O., Naylor, T., Smale, A.P. 1990, *A&A*, 235, 156. Optical spectroscopy of V1341 Cygni, the optical counterpart of Cygnus X-2
3417. Van Steenberg, M.E., Shull, J.M. 1988, *APJ*, 335, 197. IUE-IRAS studies of the infrared cirrus
3418. Van Steenberg, M.E., Shull, J.M. 1988, *APJ*, 330, 942. Galactic interstellar abundance surveys with IUE. III. Silicon, manganese, iron, sulfur, and zinc
3419. Van Steenberg, M.E., Shull, J.M. 1988, *APJS*, 67, 225. Galactic interstellar abundance surveys with IUE. II. The equivalent widths and column densities
3420. Vancura, O., Blair, W., Long, K., Raymond, J. 1992, *APJ*, 394, 158. A multiwavelength study of the supernova remnant N 49 in the Large Magellanic Cloud
3421. Vancura, O., Blair, W.P., Long, K.S., Davidsen, A.F., Bowers, C.W., Van Dyke Dixon, W., Durrance, S.T., Feldman, P.D., Ferguson, H.C., Henry, R.C., Kimble, R.A., Kriss, G.A., Kruk, J.W., Moos, H.W. 1992, *APJ*, 401, 220. Far-ultraviolet observations of the supernova remnant N 49 using the Hopkins Ultraviolet Telescope
3422. Vanlandingham, K.M., Starrfield, S., Shore, S.N. 1997, *MNRAS*, 290, 87. Elemental abundances for Nova V693 Coronae Austrinae 1981
3423. Vanlandingham, K.M., Starrfield, S., Shore, S.N., Sonneborn, G. 1999, *MNRAS*, 308, 577. Elemental abundances for Nova LMC 1990 1
3424. Varshni, Y.P. 1988, *AP&SS*, 149, 197. Identification of lines in the spectrum of the quasar 0237-233
3425. Vassiliadis, E., Dopita, M., Bohlin, R., Harrington, J., Ford, H., Meatheringham, S., Wood, P.R., Stecher, T., Maran, S. 1996, *APJS*, 105, 375. HST observations of Planetary Nebulae in the Magellanic Clouds, III: Ultraviolet spectroscopy using the FOS
3426. Vauclair, G., Weidemann, V., Koester, D. 1981, *A&A*, 100, 113. Discovery of strong ultraviolet absorption in the spectrum of the DC white dwarf G33-49
3427. Vauclair, G., Weidemann, V., Koester, D. 1982, *A&A*, 109, 7. IUE observations of UV absorption in the spectrum of the C2 white dwarf L1363-3

3428. Vedder, P.W., Patterer, R.J., Jelinsky, P., Brown, A., Bowyer, S. 1993, APJ, 414, L61. Extreme ultraviolet emission from late-type stars: initial results from Extreme Ultraviolet Explorer
3429. Venn, K., Lambert, D., Lemke, M. 1996, A&A, 307, 849. The abundance of Boron in evolved A- and B-type stars
3430. Vennes, S., Chayer, P., Fontaine, G., Wesemael, F. 1989, APJ, 336, L25. An explanation for the peculiar EUV spectrum of the hot DA white dwarf Feige 24
3431. Vennes, S., Shipman, H.L., Petre, R. 1990, APJ, 364, 647. On the interpretation of the EXOSAT photometry of two hot DA white dwarfs
3432. Vennes, S., Thorstensen, J.R., Thejll, P., Shipman, H.L. 1991, APJ, 372, L37. The binary Feige 24: the mass, radius, and gravitational redshift of the DA white dwarf
3433. Vennes, S. 1992, APJ, 390, 590. The constitution of the atmospheric layers and the extreme ultraviolet spectrum of hot hydrogen-rich white dwarfs
3434. Vennes, S., Chayer, P., Thorstensen, J.R., Bowyer, S., Shipman, H.L. 1992, APJ, 392, L27. Iron abundance in the hot DA white dwarfs Feige 24 and G 191-B2B
3435. Vennes, S., Fontaine, G. 1992, APJ, 401, 288. An interpretation of the spectral properties of hot hydrogen-rich white dwarfs with stratified H/He model atmospheres
3436. Vennes, S., Dupuis, J., Rumph, T., Drake, J., Bowyer, S., Chayer, P., Fontaine, G. 1993, APJ, 410, L119. The first detection of ionized helium in the local ISM: EUVE and IUE spectroscopy of the hot DA white dwarf GD 246
3437. Vennes, S., Thorstensen, J.R. 1994, AJ, 108, 1881. Spectroscopic, orbital, and physical properties of the binary Feige 24 and detection of transient He II absorption in the system
3438. Vennes, S., Mathioudakis, M., Doyle, J.G., Thorstensen, J.R., Byrne, P.B. 1995, A&A, 299, L29. Discovery of a white dwarf companion (EUVE J0254-053) to the K0IV star HD 18131
3439. Vennes, S., Bowyer, S., Dupuis, J. 1996, APJ, 461, L103. Discovery of photospheric helium in the ultra-massive DA white dwarf GD50
3440. Vennes, S., Christian, D., Mathioudakis, M., Doyle, J. 1997, A&A, 318, L9. An active KOIV-V star and a hot white dwarf (EUVE J0702+129) in a wide binary
3441. Vennes, S., Berghoefer, T., Christian, D. 1997, APJ, 491L, 85. A White Dwarf Companion to the B5 V Star HR 2875 (γ Puppis)
3442. Verbunt, F., Pringle, J.E., Wade, R.A., Echevarria, J., Jones, D.H.P., Argyle, R.W., Schwarzenberg-Czerny, A., la Dous, C., Schoembs, R. 1984, MNRAS, 210, 197. Dwarf novae in outburst: simultaneous ultraviolet and optical observations of UZ Serpentis, RX Andromedae and AH Herculis
3443. Verbunt, F. 1987, A&AS, 71, 339. Ultraviolet observations of cataclysmic variables: the IUE archive
3444. Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F. 1987, MNRAS, 225, 113. Multiwavelength monitoring of the dwarf nova VW Hydri. III. IUE observations
3445. Verdugo, E., Talavera, A., Gomez de Castro, A. I. 1999, A&AS, 137, 351. Understanding A-type supergiants. I. Ultraviolet and visible spectral atlas
3446. Veron, P., Veron-Cetty, M.P., Tarenghi, M. 1985, A&A, 150, 317. The ultraviolet absorption spectrum of NGC 4151

3447. Veron-Cetty, M.P., Veron, P., Tarengi, M. 1983, *A&A*, 119, 69. The composite UV emission spectrum of Seyfert 1 galaxies
3448. Vidal-Madjar, A., Lagrange-Henri, A.-M., Feldman, P.D., Beust, H., Lissauer, J.J., Deleuil, M., Ferlet, R., Gry, C., Hobbs, L.M., McGrath, M.A., McPhate, J.B., Moos, H.W. 1994, *A&A*, 290, 245. HST-GHRS observations of Beta Pictoris: additional evidence for infalling comets
3449. Vieira, E.F., Ponz, J.D. 1995, *A&AS*, 111, 393. Automated classification of IUE low-dispersion spectra. I. Normal stars
3450. Vilhu, O., Rucinski, S.M. 1983, *A&A*, 127, 5. Period-activity relation in close binaries
3451. Vilhu, O., Heise, J. 1986, *APJ*, 311, 937. EXOSAT and IUE observations of contact binaries
3452. Vilhu, O., Walter, F.M. 1987, *APJ*, 321, 958. Chromospheric-coronal activity at saturated levels
3453. Vilhu, O., Neff, J.E., Rahunen, T. 1989, *A&A*, 208, 201. Rotational modulation of hydrogen Lyman-alpha flux from 44 Iota Bootis
3454. Vilhu, O., Ambruster, C.W., Neff, J.E., Linsky, J.L., Brandenburg, A., Ilyin, I.V., Shakhovskaya, N.I. 1989, *A&A*, 222, 179. IUE observations of the M dwarfs CM Draconis and Rossiter 137B: magnetic activity at saturated levels
3455. Vilhu O., Muhli P., Huovelin J., Hakala P., Rucinski S.M., Collier Cameron A. 1998, *AJ*, 115, 1610. Ultraviolet Spectroscopy of AB Doradus with the Hubble Space Telescope: Impulsive Flares and Bimodal Profiles of Civ λ 1549 in a Young Star
3456. Viotti, R., Ricciardi, O., Ponz, D., Giangrande, A., Friedjung, M., Cassatella, A., Baratta, G.B., Altamore, A. 1983, *A&A*, 119, 285. IUE observations of the high velocity symbiotic star AG Draconis during active phase
3457. Viotti, R., Altamore, A., Baratta, G.B., Cassatella, A., Friedjung, M. 1984, *APJ*, 283, 226. IUE observations of the high-velocity symbiotic star AG Draconis. II. The spectral variations during 1979-1983
3458. Viotti, R., Altamore, A., Ferrari-Toniolo, M., Friedjung, M., Persi, P., Rossi, C., Rossi, L. 1986, *A&A*, 159, 16. The symbiotic star BX Monocerotis
3459. Viotti, R., Piro, L., Friedjung, M., Cassatella, A. 1987, *APJ*, 319, L7. First unambiguous X-ray detection of R Aquarii
3460. Viotti, R., Cassatella, A., Ponz, D., The, P.S. 1988, *A&A*, 190, 333. AG Carinae II. IUE observations of the ring nebula
3461. Viotti, R., Rossi, L., Cassatella, A., Altamore, A., Baratta, G.B. 1989, *APJS*, 71, 983. The ultraviolet spectrum of Eta Carinae
3462. Vitello, P., Shlosman, I. 1993, *APJ*, 410, 815. Ultraviolet line diagnostics of accretion disk winds in cataclysmic variables
3463. Viton, M., Burgarella, D., Cassatella, A., Prevot, L. 1988, *A&A*, 205, 147. The Spacelab-1 Very Wide Field survey of UV-excess objects I. CPD-71 172AB, a new binary with a hot subdwarf
3464. Viton, M., Deleuil, M., Tobin, W., Prevot, L., Bouchet, P. 1991, *A&A*, 242, 175. The Spacelab-1 Very Wide Field Survey of UV-excess objects. II. Analysis of 7 stars of various nature

3465. Vladilo, G., Beckman, J.E., Crivellari, L., Franco, M.L., Molaro, P. 1985, *A&A*, 144, 81. The distribution of the local interstellar medium derived from Mg II column densities towards seven cool stars
3466. Vladilo, G., Molaro, P., Crivellari, L., Foing, B.H., Beckman, J.E., Genova, R. 1987, *A&A*, 185, 233. Chromospheric Mg II h and k emissions free of interstellar contamination: velocity structure in late-type dwarfs and giants
3467. Vladilo, G., Centurion, M. 1990, *A&A*, 233, 168. Ionization and elemental depletion in the interstellar medium
3468. Vogel, M. 1991, *A&A*, 249, 173. Empirical velocity laws for cool giants. I. The symbiotic binary EG Andromedae
3469. Vogel, M., Nussbaumer, H. 1992, *A&A*, 259, 525. PU Vulpeculae: the outburst of a symbiotic nova
3470. Vogel, M., Nussbaumer, H., Monier, R. 1992, *A&A*, 260, 156. Absolute radius of an M giant
3471. Vogel, M. 1993, *A&A*, 274, L21. Proof for a wind from the hot component in the symbiotic system EG Andromedae
3472. Vogel, M., Nussbaumer, H. 1994, *A&A*, 284, 145. The hot wind in the symbiotic nova AG Pegasi
3473. Vogel, M., Morgan, D.H. 1994, *A&A*, 288, 842. Extragalactic symbiotic systems. I. IUE observations of LMC 1, N 67, SMC 3, and S 154
3474. Voit, G.M., Shull, J.M., Begelman, M.C. 1987, *APJ*, 316, 573. Broad, variable absorption lines in the Seyfert galaxy NGC 3516: probing the structure of the emission-line regions
3475. Voshchinnikov, N., Molster, F., The, P.S. 1996, *A&A*, 312, 243. Circumstellar extinction of pre-main sequence stars
3476. Vrtillek, S.D., Raymond, J.C., Garcia, M.R., Verbunt, F., Hasinger, G., Kurster, M. 1990, *A&A*, 235, 162. Observations of Cygnus X-2 with IUE: ultraviolet results from a multiwavelength campaign
3477. Vrtillek, S.D., Penninx, W., Raymond, J.C., Verbunt, F., Hertz, P., Wood, K., Lewin, W.H.G., Mitsuda, K. 1991, *APJ*, 376, 278. Observations of Scorpius X-1 with IUE: ultraviolet results from a multiwavelength campaign
3478. Vrtillek, S.D., Silber, A., Raymond, J.C., Patterson, J. 1994, *APJ*, 425, 787. ROSAT observations of cataclysmic variables: a search for the boundary layer emission
3479. Vrtillek, S.D., Mihara, T., Primi, F.A., Kahabka, P., Marshall, H., Agerer, F., Charles, P.A., Cheng, F.H., Dennerl, K., la Dous, C., Hu, E.M., Rutten, R., Serlemitsos, P., Soong, Y., Stull, J., Trumper, J., Voges, W., Wagner, R.M., Wilson, R. 1994, *APJ*, 436, L9. Multiwavelength observations of Hercules X-1/HZ Herculis
3480. Vrtillek, S.D., Cheng, F. 1996, *APJ*, 465, 915. The ultraviolet/optical continuum of Hercules X-1/HZ Herculis
3481. Vrtillek, S.D., Silber, A., Primi, F., Raymond, J. 1996, *APJ*, 465, 951. ROSAT PSPC observations of the intermediate polar TV Columbae
3482. Wade, R.A. 1988, *APJ*, 335, 394. A test of synthetic accretion disk spectra using ultraviolet flux distributions of novalike variables
3483. Waelkens, C., Waters, L.B.F.M., Cassatella, A., Le Bertre, T., Lamers, H.J.G.L.M. 1987, *A&A*, 181, L5. HD 213985: a hot post-AGB star in the galactic halo

3484. Waelkens, C., Lamers, H.J.G.L.M., Waters, L.B.F.M., Rufener, F., Trams, N.R., Le Bertre, T., Ferlet, R., Vidal-Madjar, A. 1991, *A&A*, 242, 433. Variability of the post-AGB star HR 4049: dust obscuration in a binary system
3485. Wagener, R., Caldwell, J. 1985, *ASR*, 5, #3, 189. Space Telescope observations of aurorae on the giant planets
3486. Wagener, R., Caldwell, J., Owen, T., Kim, S.J., Encieuat, T. 1985, *ICARUS*, 63, 222. The Jovian stratosphere in the ultraviolet
3487. Wagener, R., Caldwell, J., Fricke, K.H. 1986, *ICARUS*, 67, 281. The geometric albedos of Uranus and Neptune between 2100 and 3350 Å
3488. Wagener, R., Caldwell, J. 1988, *ICARUS*, 74, 141. Strong north/south asymmetry in the Jovian stratosphere
3489. Wagner, S.J., et al. 1996, *AJ*, 111, 2187. Rapid variability in S5 0716+714 across the electromagnetic spectrum
3490. Wahlgren, G.M., Leckrone, D.S., Shore, S.N., Lindler, D.J., Gilliland, R.L., Ebbets, D.C. 1991, *APJ*, 377, L41. First results from the Goddard High-Resolution Spectrograph: a demonstration of spectral resolution and experiments with deconvolution
3491. Waite, J.H., Clarke, J.T., Cravens, T.E., Hammond, C.M. 1988, *JGR*, 93, 7244. The Jovian aurora: electron or ion precipitation?
3492. Waite, J.H., Bagenal, F., Seward, F., Na, C., Gladstone, G.R., Cravens, T.E., Hurley, K.C., Clarke, J.T., Elsner, R., Stern, S.A. 1994, *JGR*, 99, 14799. ROSAT observations of the Jupiter aurora
3493. Wakker, B., Van Woerden, H., De Boer, K. S., Kalberla, P. 1998, *APJ*, 493, 762. A Lower Limit to the Distance of High-Velocity Cloud Complex H
3494. Walborn, N.R., Hesser, J.E. 1982, *APJ*, 252, 156. An ultraviolet study of high velocity interstellar lines in the Carina Nebula
3495. Walborn, N.R., Panek, R.J. 1984, *APJ*, 280, L27. Ultraviolet spectral morphology of the O stars: the remarkable luminosity dependence of the Si IV stellar wind effect
3496. Walborn, N.R., Panek, R.J. 1984, *APJ*, 286, 718. Ultraviolet spectral morphology of the O stars. II. The main sequence
3497. Walborn, N.R., Heckathorn, J.N., Hesser, J.E. 1984, *APJ*, 276, 524. The high-ionization and excited-state interstellar lines in the Carina nebula: a giant HII region in absorption
3498. Walborn, N.R., Panek, R.J. 1985, *APJ*, 291, 806. Ultraviolet spectral morphology of the O stars. III. The ON and OC stars
3499. Walborn, N.R., Nichols-Bohlin, J. 1987, *PASP*, 99, 40. Ultraviolet spectral morphology of the O stars. IV. The OB supergiant sequence
3500. Walborn, N., Fitzpatrick, E., Nichols-Bohlin, J. 1990, *PASP*, 102, 543. Massa's star, HD 93840: a new extreme BN supergiant
3501. Walborn, N.R., Ebbets, D.C., Parker, J.W., Nichols-Bohlin, J., White, R.L. 1992, *APJ*, 393, L13. Ultraviolet and optical spectral morphology of Melnick 42 and Radcliffe 136a in 30 Doradus
3502. Walborn, N.R., Nichols, J.S. 1994, *APJ*, 425, L29. A large, periodic variation in the stellar wind of Theta 1 Orionis C

3503. Waldron, W.L., Klein, L., Altner, B. 1994, APJ, 426, 725. Evolution of solitary density waves in stellar winds of early-type stars: a simple explanation of discrete absorption component behavior
3504. Walker, G., Yang, S., Fahlman, G., Witt, A. 1980, PASP, 92, 411. The extinction of HD 200775 by dust in NGC 7023
3505. Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W. 1986, MNRAS, 219, 23P. PKS 2005-489: a very bright BL Lac object in a nearby galaxy
3506. Wallis, M.K., Carey, W.C. 1985, MNRAS, 217, 673. Observations of Comet Crommelin - V. Anomalous hydrogen source
3507. Wallis, M.K., Krishna Swamy, K.S. 1987, A&A, 187, 329. Some diatomic molecules from comet P/Halley's UV spectra near spacecraft flybys
3508. Walsh, J., Nandy, K., Thompson, G., Meaburn, J. 1986, MNRAS, 220, 453. The properties of the nuclei of the two hot spot galaxies NGC 1097 and 2997
3509. Walter, D.K. 1991, PASP, 103, 830. Carbon in Orion
3510. Walter, D.K., Dufour, R.J., Hester, J.J. 1992, APJ, 397, 196. CNO abundances and temperature fluctuations in the Orion Nebula
3511. Walter, D.K., Dufour, R.J. 1994, APJ, 434, L29. Anomalous Balmer continuum temperatures in the Orion Nebula
3512. Walter, F.M., Gibson, D.M., Basri, G.S. 1983, APJ, 267, 665. First observations of stellar coronal structure: the coronae of AR Lacertae
3513. Walter, F.M., Linsky, J.L., Simon, T., Golub, L., Vaiana, G.S. 1984, APJ, 281, 815. Stellar chromospheres and coronae in the Ursa Major Cluster stars
3514. Walter, F.M. 1986, APJ, 306, 573. X-ray sources in regions of star formation. I. The naked T Tauri stars
3515. Walter, F.M., Neff, J.E., Gibson, D.M., Linsky, J.L., Rodono, M., Gary, D.E., Butler, C.J. 1987, A&A, 186, 241. Rotational modulation and flares on RS CVn and BY Dra stars. IV. The spatially resolved chromosphere of AR Lacertae
3516. Walter, F.M., Brown, A., Linsky, J.L., Rydgren, A.E., Vrba, F., Roth, M., Carrasco, L., Chugainov, P.F., Shakovskaya, N.I., Imhoff, C.L. 1987, APJ, 314, 297. X-ray sources in regions of star formation. II. The pre-main-sequence G star HDE 283572
3517. Walter, F.M. 1987, PASP, 99, 31. The naked T Tauri stars: the low-mass pre-main sequence unveiled
3518. Walter, R., Courvoisier, T.J.-L. 1990, A&A, 233, 40. The ultraviolet and X-ray spectrum of NGC 5548: evidence for thermal Comptonization and geometrical variations
3519. Walter, R., Ulrich, M.-H., Courvoisier, T.J.-L., Buson, L.M. 1990, A&A, 233, 53. The variable ultraviolet absorption lines in the Seyfert 1 galaxy NGC 3516
3520. Walter, R., Courvoisier, T.J.-L. 1991, A&A, 250, 312. Search for fast ultraviolet variability in NGC 5548 and non-linearities in IUE's SWP camera
3521. Walter, R., Courvoisier, T.J.-L. 1992, A&A, 258, 255. The origin of the X-ray emission in 3C 273 and 3C 120
3522. Walter, R., Courvoisier, T.J.-L. 1992, A&A, 266, 65. A link between X-ray variability and ultraviolet emission in Seyfert 1 type AGN

3523. Walter, R., Fink, H.H. 1993, *A&A*, 274, 105. The ultraviolet to soft X-ray bump of Seyfert 1 type active galactic nuclei
3524. Walter, R., Orr, A., Courvoisier, T.J.-L., Fink, H. H., Makino, F., Otani, C., Wamsteker, W. 1994, *A&A*, 285, 119. Simultaneous observations of Seyfert 1 galaxies with IUE, ROSAT and Ginga
3525. Walter, R. 1994, *APJS*, 92, 619. Is the X-ray source of 3C 273 really compact?
3526. Wampler, E.J., Gaskell, C.M., Burke, W.L., Baldwin, J.A. 1984, *APJ*, 276, 403. Spectrophotometry of two complete samples of flat radio spectrum quasars
3527. Wampler, E.J. 1986, *A&A*, 161, 223. The iron spectra of PG 1700+518 and PG 2302+029
3528. Wamsteker, W., Barr, P. 1985, *APJ*, 292, L45. Outflow in the nucleus of the Seyfert I galaxy NGC 3783
3529. Wamsteker, W., Colina, L. 1986, *APJ*, 311, 617. The behavior of the C IV emission line in active galactic nuclei
3530. Wamsteker, W., Panagia, N., Barylak, M., Cassatella, A., Clavel, J., Gilmozzi, R., Gry, C., Lloyd, C., van Santvoort, J., Talavera, A. 1987, *A&A*, 177, L21. Early observations of Supernova 1987A with the International Ultraviolet Explorer (IUE)
3531. Wamsteker, W., Driessen, C., Munoz, J.R., Hassall, B.J.M., Pasian, F., Barylak, M., Russo, G., Egret, D., Murray, J., Talavera, A., Heck, A. 1989, *A&AS*, 79, 1. IUE-ULDA/USSP: the on-line low resolution spectral data archive of the International Ultraviolet Explorer
3532. Wamsteker, W., Rodriguez-Pascual, P., Wills, B.J., Netzer, H., Wills, D., Gilmozzi, R., Barylak, M., Talavera, A., Maoz, D., Barr, P., Heck, A. 1990, *APJ*, 354, 446. Ultraviolet and optical variations in active galactic nuclei: the Seyfert 1 galaxy NGC 5548
3533. Wamsteker, W., Griffin, R.E.M. 1995, *AP&SS*, 228, 385. Astronomical archives and their importance for knowledge transfer in Basic Space Sciences
3534. Wamsteker, W., Wang, T.-G., Schartel, N., Vio, R. 1997, *MNRAS*, 288, 225. The nature of the broad-line region in the radio-loud active galactic nucleus 3C 390.3
3535. Wamsteker, W., Gonzalez-Riestra, Harris, B. (eds) 1998, *ESA SP-413*. Ultraviolet Astrophysics beyond the IUE Final Archive
3536. Wamsteker, W., Skillen, I., Ponz, J.D., de la Fuente, A., Barylak, M., Yurrita, I. 2000, *AP&SS*, 273, 155. INES: Astronomy data distribution for the future
3537. Wandel, A., Petrosian, V. 1988, *APJ*, 329, L11. Accretion-disk modeling of the UV spectrum of quasars
3538. Wandel, A., Urry, C.M. 1991, *APJ*, 367, 78. Accretion disk emission from a BL Lacertae object
3539. Wanders, I., Goad, M.R., Korista, K.T., Peterson, B.M., Horne, K., Ferland, G.J., Koratkar, A.P., Pogge, R.W., Shields, J.C. 1995, *APJ*, 453, L87. The geometry and kinematics of the broad-line region in NGC 5548 from HST and IUE observations
3540. Wanders, I., Peterson, B. M., Alloin, D., Ayres, T. R., Clavel, J., Crenshaw, D. M., Horne, K., Kriss, G. A., Krolik, J. H., Malkan, M. A., Netzer, H., O'Brien, P. T., Reichert, G. A., Rodriguez-Pascual, P. M., Wamsteker, W., Alexander, T., Anderson, K. S. J., Benitez, E., Bochkarev, N. G., Burenkov, A. N., Cheng, F.-Z., Collier, S. J., Comastri, A., Dietrich, M., Dultzin-Hacyan, D., Espey, B. R., Filippenko, A. V., Gaskell, C. M., George, I. M., Goad, M. R., Ho, L. C., Kaspi, S., Kollatschny, W., Korista, K. T., Laor, A., Macalpine, G. M.,

- Mignoli, M., Morris, S. L., Nandra, K., Penton, S., Pogge, R. W., Ptak, R. L., Rodriguez-Espinoza, J. M., Santos-Lleo, M., Shapovalova, A. I., Shull, J. M., Snedden, S. A., Sparke, L. S., Stirpe, G. M., Sun, W.-H., Turner, T. J., Ulrich, M.-H., Wang, T.-G., Wei, C., Welsh, W. F., Xue, S.-J., Zou, Z.-L. 1997, *APJS*, 113, 69. Steps toward Determination of the Size and Structure of the Broad-Line Region in Active Galactic Nuclei. XI. Intensive Monitoring of the Ultraviolet Spectrum of NGC 7469
3541. Wang, T., Brinkmann, W., Bergeron, J. 1996, *A&A*, 309, 81. X-Ray properties of active galactic nuclei with optical FeII emission
3542. Wang, T., Zhou, Y., Gao, A. 1996, *APJ*, 457, 111. Relations between the optical FeII emission and ultraviolet spectra in Active galactic Nuclei
3543. Wang, T.-G., Lu, Y.-J., Zhou, Y.-Y. 1998, *APJ*, 493, 1. Emission Line and Ultraviolet to X-Ray Continuum Correlations: Constraints on the Anisotropy of the Ionizing Continuum in Active Galactic Nuclei
3544. Wang, T. G., Brinkmann, W., Matsuoka, M., Wang, J. X., Yuan, W. 2000, *APJ*, 533, 113. X-Ray and Ultraviolet Spectral Properties of the X-Ray Transient Quasar PG 0844+349
3545. Wang, Z.X., Gies, D.R. 1998, *PASP*, 110, 1310. Constraints on the Radial Velocity Curve of HDE 245770 = A0535+26
3546. Wargau, W., Drechsel, H., Rahe, J., Vogt, N. 1982, *A&A*, 110, 281. New evidence of strong UV radiation in TT Ari
3547. Warner, B., Sneden, C. 1988, *MNRAS*, 234, 269. HD 38451: J.R. Hind's star that changed colour
3548. Warren, J.K., Vallergera, J.V., Mauche, C.W., Mukai, K., Siegmund, O.H.W. 1993, *APJ*, 414, L69. Extreme Ultraviolet Explorer observations of the magnetic cataclysmic variable RE 1938-461
3549. Watanabe, T. 1988, *PASJ*, 40, 475. An indication of extended chromospheres in line width-luminosity relations
3550. Waters, L., Waelkens, C., Mayor, M., Trams, N. 1993, *A&A*, 269, 242. A model for the 89 Herculis system
3551. Waters, L.B.F.M., van den Ancker, M.E., Baas, F., van der Blick, N.S., Bontekoe, Tj.R., Geballe, T.R., Grady, C.A., Kester, D.J.M., Oudmaijer, R.D., Sandell, G., The, P.S., Vega, R., van Winckel, H. 1995, *A&A*, 299, 173. Circumstellar gas and dust in 68 Ophiuchi (A0IVe)
3552. Watts, D.J., Bailey, J., Hill, P.W., Greenhill, J.G., McCowage, C., Carty, T. 1986, *A&A*, 154, 197. Spectrophotometry of the eclipsing dwarf nova V2051 Ophiuchi
3553. Weaver, H.A., Feldman, P.D., Festou, M.C., A'Hearn, M.F. 1981, *APJ*, 251, 809. Water production models for Comet Bradfield (1979X)
3554. Weaver, H.A., Feldman, P.D., Festou, M.C., A'Hearn, M.F., Keller, H.U. 1981, *ICARUS*, 47, 449. IUE observations of faint comets
3555. Webb, J.R., Shrader, C.R., Balonek, T.J., Crenshaw, D.M., Kazanas, D., Clements, S., Smith, A.G., Nair, A.D., Leacock, R.J., Gombola, P.P., Sadun, A., Miller, H.R., Robson, I., Fujimoto, R., Makino, F., Kii, T., Aller, H., Aller, M., Hughes, P., Valtaoja, E., Terasranta, H., Salonen, E., Tornikoski, M., Chism, W. 1994, *APJ*, 422, 570. The multifrequency spectral evolution of blazar 3C 345 during the 1991 outburst
3556. Webster, A. 1993, *MNRAS*, 262, L59. On the nebular absorption and re-emission of the ultraviolet flux from HD 44179

3557. Weedman, D.W., Feldman, F.R., Balzano, V.A., Ramsey, L.W., Sramek, R.A., Wu, C.-C. 1981, APJ, 248, 105. NGC 7714: the prototype star burst galactic nucleus
3558. Weedman, D.W., Huenemoerder, D.P. 1985, APJ, 291, 72. IUE observations of a starburst disk and the detectability of high redshift galaxies
3559. Weedman, D.W., Williams, K.L. 1987, APJ, 318, 585. Isophotal diameters of galaxies at high redshifts
3560. Wegner, G. 1981, APJ, 248, L129. Observations of strong ultraviolet absorptions in the spectrum of the DC white dwarf G218-8
3561. Wegner, G. 1981, APJ, 245, L27. Observations of strong ultraviolet absorptions in the spectrum of the DC white dwarf LDS 678B
3562. Wegner, G. 1982, APJ, 261, L87. Detection of the 1400 Å absorption in the ultraviolet spectrum of the DA white dwarf LB 3303
3563. Wegner, G. 1983, A&A, 128, 258. Ultraviolet carbon lines in the spectrum of the white dwarf BPM 11668
3564. Wegner, G., Cummins, D.J., Byrne, P.B., Stickland, D.J. 1983, APJ, 272, 646. Element identifications in the ultraviolet spectrum of HD 101065
3565. Wegner, G., Yackovich, F.H. 1983, APJ, 275, 240. The cool DC white dwarf Stein 2051B
3566. Wegner, G. 1983, APJ, 268, 282. Observations of ultraviolet carbon lines in the spectra of three DC white dwarfs
3567. Wegner, G. 1984, AJ, 89, 1050. The absorption near 1400 Å in the spectra of additional DA white dwarfs
3568. Wegner, G. 1984, APJ, 284, L43. The discontinuity near 1600 Å in the spectra of DA white dwarfs
3569. Wegner, G., Nelan, E.P. 1987, APJ, 319, 916. Ultraviolet and visual spectroscopy of DB white dwarfs
3570. Wegner, G., McMahan, R.K. 1988, AJ, 96, 1933. Spectral types for objects in the Kiso survey. IV. Data for 81 stars
3571. Wegner, G., Swanson, S.R. 1991, APJS, 75, 507. A spectrophotometric atlas of white dwarfs compiled from the IUE archives
3572. Wegner, G., Cowley, C.R. 1992, PASP, 104, 322. The composite nature of the peculiar star HR 6560 (HD 159870)
3573. Weidemann, V., Koester, D., Vauclair, G. 1980, A&A, 83, L13. IUE observations of strong UV absorption in the spectrum of the C2 white dwarf LP 145-141
3574. Weidemann, V., Koester, D., Vauclair, G. 1981, A&A, 95, L9. IUE observations of UV carbon I absorption lines in the spectrum of the C2 white dwarf L 97-3
3575. Weidemann, V. 1989, A&A, 213, 155. Distances and mass distribution of central stars of planetary nebulae
3576. Weidemann, V., Koester, D. 1989, A&A, 210, 311. The presence of carbon in DZ star atmospheres
3577. Weidemann, V., Koester, D. 1991, A&A, 249, 389. Trace hydrogen in DB white dwarfs: GD408 - the lowest H abundance case

3578. Weidemann, V., Koester, D. 1995, *A&A*, 297, 216. Surface carbon abundances and compositional stratification of cool helium-rich white dwarfs
3579. Welch, G.A. 1982, *APJ*, 259, 77. The ultraviolet spectrum of the center of M31
3580. Welsh, B.Y., Thomas, C.K. 1982, *MNRAS*, 199, 385. The physical state of the gas towards HD 93206
3581. Welsh, B.Y., Boksenberg, A., Anderson, B., Towlson, W.A. 1983, *A&A*, 126, 335. High resolution ultraviolet observations of Alpha Lyrae using the University College London balloon-borne telescope system
3582. Welsh, B.Y. 1983, *MNRAS*, 204, 1203. IUE observations of stars in the M8 nebula
3583. Welsh, B.Y. 1984, *MNRAS*, 207, 167. IUE observations of high velocity gas towards the M16 nebula
3584. Welsh, W.F., Peterson, B.M., Koratkar, A.P., Korista, K.T. 1998, *APJ*, 509, 118. A Search for Ultrarapid Microvariability in the Seyfert Galaxy NGC 7469 with the Hubble Space Telescope
3585. Welty, D.E., York, D.G., Hobbs, L.M. 1986, *PASP*, 98, 857. The interstellar carbon abundance. II. Rho Ophiuchi and Beta Scorpii
3586. Welty, D.E., Hobbs, L.M., York, D.G. 1991, *APJS*, 75, 425. Predicted profiles of ultraviolet interstellar absorption lines
3587. Welty, D.E., Fowler, J.R. 1992, *APJ*, 393, 193. Ultraviolet, optical, and infrared observations of the high-latitude molecular cloud toward HD 210121
3588. Welty, D., Thorburn, J., Hobbs, L., York, D. 1992, *PASP*, 104, 737. A search for weak ultraviolet interstellar absorption features in IUE spectra of Rho Ophiuchi and Zeta Ophiuchi
3589. Welty, D. E., Frisch, P. C., Sonneborn, G., York, D. G. 1999, *APJ*, 512, 636. Interstellar Abundances in the Magellanic Clouds. II. The Line of Sight to SN 1987A in the Large Magellanic Cloud
3590. Werner, K., Heber, U., Hunger, K. 1991, *A&A*, 244, 437. Non-LTE analysis of four PG1159 stars
3591. Werner, K. 1991, *A&A*, 251, 147. NLTE analysis of the unique pre-white dwarf H 1504+65
3592. Werner, K., Rauch, T. 1994, *A&A*, 284, L5. On the neon abundance in PG 1159-type central stars of planetary nebulae
3593. Werner, K., Dreizler, S. 1994, *A&A*, 286, L31. On the nickel abundance in hot hydrogen-rich white dwarfs
3594. Werner, K., Dreizler, S., Heber, U., Rauch, T., Wisotzki, L., Hagen, H.-J. 1995, *A&A*, 293, L75. Discovery of two hot DO white dwarfs exhibiting ultra high-excitation absorption lines
3595. Werner, K., Dreizler, S., Wolff, B. 1995, *A&A*, 298, 567. Spectral analysis of the hot DO white dwarf PG 1034+001
3596. Werner, K. 1996, *APJ*, 457, 39. On the Balmer line problem
3597. Wesemael, F., Henry, R.B.C., Shipman, H.L. 1984, *APJ*, 287, 868. Metal abundances in the hot DA white dwarfs Wolf 1346 and Feige 24
3598. Wesemael, F., Liebert, J., Green, R.F. 1984, *PASP*, 96, 981. Far and extreme-ultraviolet spectrophotometry of hot white dwarfs: prospects for the determination of the He/H ratio in DA stars

3599. Wesemael, F., Holberg, J.B., Veilleux, S., Lamontagne, R., Fontaine, G. 1985, APJ, 298, 859. Studies of hot B subdwarfs. II. Energy distributions of three bright sdB/sdOB stars in the 950-5500 Å range
3600. Wesemael, F., Green, R.F., Liebert, J. 1985, APJS, 58, 379. Spectrophotometric and model-atmosphere analyses of the hot DO and DAO white dwarfs from the Palomar-Green Survey
3601. Wesemael, F., Lamontagne, R., Fontaine, G. 1986, AJ, 91, 1376. Time-averaged ultraviolet observations of the pulsating DA white dwarfs from the IUE observatory
3602. Wesemael, F., Bergeron, P., Lamontagne, R., Fontaine, G., Beauchamp, A., Demers, S., Irwin, M.J., Holberg, J.B., Kepler, S.O., Vennes, S. 1994, APJ, 429, 369. Hot degenerates in the Montreal-Cambridge-Tololo survey. II. Two new hybrid white dwarfs, MCT 0128-3846 and MCT 0453-2933, and the nature of the DAB stars
3603. Westin, B.A.M. 1984, A&A, 132, 136. The UV spectrum of the Seyfert I galaxy NGC 7469
3604. Wheatley, P., Verbunt, F., Belloni, T., Watson, M., Naylor, T., Ishida, M., Duck, S., Pfeffermann, E. 1996, A&A, 307, 137. The X-ray and EUV spectrum of the dwarf nova VW Hydr in outburst and quiescence
3605. Whitney, J.H., O'Connell, R.W., Rood, R.T., Dorman, B., Landsman, W.B., Cheng, K.-P., Bohlin, R.C., Hintzen, P.M.N., Roberts, M., Smith, A., Smith, E., Stecher, T. 1994, AJ, 108, 1350. Far-ultraviolet photometry of the globular cluster Omega Cen
3606. Whitney, J.H., O'Connell, R.W., Rood, R.T., Hill, R.S., Landsman, W.B., Bohlin, R.C., Roberts, M.S., Smith, A.M., Stecher, T.P. 1995, AJ, 110, 1722. Far-ultraviolet luminosity functions for the globular clusters M3 and M13
3607. Wickramasinghe, D.T. 1983, MNRAS, 203, 903. IUE observations of five DB white dwarfs
3608. Wiggs, M.S., Gies, D.R. 1992, APJ, 396, 238. A spectroscopic search for colliding stellar winds in O-type close binary systems. II. Plaskett's star (HD 47129)
3609. Wiggs, M.S., Gies, D.R. 1993, APJ, 407, 252. A spectroscopic search for colliding stellar winds in O-type close binary systems. III. 29 UW Canis Majoris
3610. Wilcots, E.M., Hodge, P., Eskridge, P.B., Bertola, F., Buson, L. 1990, APJ, 364, 87. Ultraviolet observations of NGC 205
3611. Wilcots, E.M., Hodge, P., King, N. 1996, APJ, 458, 580. IUE observations of young clusters in the Large Magellanic Cloud
3612. Will, J.M., Bomans, D., Vallenari, A., Schmidt, J.H., de Boer, K.S. 1996, A&A, 315, 125. On the spread of ages among the young stars in the LMC association NGC1948
3613. Williams, P.M., Longmore, A.J., van der Hucht, K.A., Talavera, A., Wamsteker, W.M., Abbott, D.C., Telesco, C.M. 1985, MNRAS, 215, 23P. Condensation of dust around the WC7 star HD 192641 (WR 137)
3614. Williams, P.M., van der Hucht, K.A., Pollock, A.M.T., Florkowski, D., van der Woerd, H., Wamsteker, W. 1990, MNRAS, 243, 662. Multi-frequency variations of the Wolf-Rayet system HD 193793 - I. Infrared, X-ray and radio observations
3615. Williams, R.E., Sparks, W.M., Gallagher, J.S., Ney, E.P., Starrfield, S.G., Truran, J.W. 1981, APJ, 251, 221. Ultraviolet spectroscopy of the recurrent nova U Scorpii during outburst
3616. Williams, R.E., Ney, E.P., Sparks, W.M., Starrfield, S.G., Wyckoff, S., Truran, J.W. 1985, MNRAS, 212, 753. Ultraviolet spectral evolution and heavy element abundances in Nova Coronae Austrinae 1981

3617. Williger, G., Berriman, G., Wade, R.A., Hassall, B.J.M. 1988, APJ, 333, 277. IUE observations of the dwarf nova BV Centauri
3618. Willis, A.J., Wilson, R., Vanden Bout, P., Sanner, F., Black, J., Davis, R.J., Dupree, A.K., Gursky, H., Hartmann, L., Raymond, J., Matilsky, T., Burger, M., de Loore, C., van Dessel, E.L., Whitelock, P., Menzies, J., Meikle, W.P.S., Joseph, R.D., Sanford, P., Pollard, G., Sandford, M.C.W. 1980, APJ, 237, 596. Ultraviolet, visible, infrared, and X-ray observations of Scorpius X-1
3619. Willis, A.J., Stickland, D.J. 1980, MNRAS, 190, 27P. HD 15570: a star intermediate between Of and WN7?
3620. Willis, A.J., Stickland, D.J. 1981, MNRAS, 197, 1P. Anomalous far-UV extinction in the WN6 star HD 147419
3621. Willis, A.J. 1982, MNRAS, 198, 897. P-Cygni profiles observed in the ultraviolet and visible spectra of Wolf-Rayet stars
3622. Willis, A.J., Stickland, D.J. 1983, MNRAS, 203, 619. The enigmatic composite system HD 45166 - B8V+qWR or SdO?
3623. Willis, A.J., van der Hucht, K.A., Conti, P.S. 1986, A&AS, 63, 417. An atlas of high-resolution IUE ultraviolet spectra of 14 Wolf-Rayet stars
3624. Willis, A.J., Howarth, I.D., Smith, L.J., Garmany, C.D., Conti, P.S. 1989, A&AS, 77, 269. Ultraviolet P-Cygni profile variations in HD 50896
3625. Willis, A.J., Howarth, I.D., Stickland, D.J., Heap, S.R. 1989, APJ, 347, 413. The ultraviolet variability of HD 45166 (qWR+B8 V): evidence for stellar wind radiative instabilities
3626. Willis, A.J., Stickland, D.J. 1990, A&A, 232, 89. The ultraviolet and optical spectrum and evolutionary status of HD 62910 (WN 6-C4)
3627. Willis, A.J., Schild, H., Stevens, I.R. 1995, A&A, 298, 549. ROSAT observations of gamma Velorum (WC8 + O9I), I: The discovery of colliding wind X-Ray emission
3628. Wills, B.J., Netzer, H., Wills, D. 1985, APJ, 288, 94. Broad emission features in QSOs and active galactic nuclei. II. New observations and theory of Fe II and H I emission
3629. Wills, B.J., Brandt, W.N., Laor, A. 1999, APJ, 520, L91. PKS 1004+13: a high-inclination, highly absorbed Radio-loud QSO- the first Radio-loud Broad Absorption Line QSO at low redshift?
3630. Wilson, R., Carnochan, D.J., Gondhalekar, P.M., Sofia, S., Sparks, W.M., Endal, A.S. 1979, NATURE, 277, 457. An ultraviolet spectrum of the high redshift quasar Q2204-408
3631. Windhorst, R.A., Burstein, D., Mathis, D.F., Neuschaefer, L.W., Bertola, F., Buson, L.M., Koo, D.C., Matthews, K., Barthel, P.D., Chambers, K.C. 1991, APJ, 380, 362. The discovery of a young radio galaxy at $z=2.390$: probing initial star formation at $z \leq 3.0$
3632. Winkelstein, P., Caldwell, J., Kim, S.J., Combes, M., Hunt, G.E., Moore, V. 1983, ICARUS, 54, 309. A determination of the composition of the Saturnian stratosphere using the IUE
3633. Wirsich, J. 1991, APJ, 377, 285. Dust temperatures in the circumstellar shell of TX Piscium
3634. Wirsich J., 1998, APJ, 502, 909. The chromospheric radiation on the circumstellar shell of delta Andromedae
3635. Wisotzki, L., Wamsteker, W., Reimers, D. 1991, A&A, 247, L17. Discovery of a new bright southern QSO

3636. Witt, A.N., Bohlin, R.C., Stecher, T.P. 1981, APJ, 244, 199. The ultraviolet interstellar extinction curve in the Pleiades
3637. Witt, A.N., Walker, G.A.H., Bohlin, R.C., Stecher, T.P. 1982, APJ, 261, 492. The scattering phase function of interstellar grains: the case of the reflection nebula NGC 7023
3638. Witt, A.N., Bohlin, R.C., Stecher, T.P. 1983, APJ, 267, L47. The diffuse interstellar feature at 4430 Å and interstellar extinction in the far-ultraviolet
3639. Witt, A.N., Bohlin, R.C., Stecher, T.P. 1984, APJ, 279, 698. The variation of galactic interstellar extinction in the ultraviolet
3640. Witt, A.N., Bohlin, R.C., Stecher, T.P. 1986, APJ, 305, L23. Detection of scattering in the 2175 Å interstellar band
3641. Witt, A.N., Bohlin, R.C., Stecher, T.P. 1986, APJ, 302, 421. Colors of reflection nebulae. III. Ultraviolet scattering by small particles in reflection nebulae associated with 17, 20, and 23 Tauri
3642. Witt, A., Bohlin, R., Stecher, T., Graff, S. 1987, APJ, 321, 912. The unusual dust-scattering properties in the reflection nebula CED 201
3643. Witt, A., Stecher, T., Boroson, T., Bohlin, R. 1989, APJ, 336, L21. UV fluorescence of molecular hydrogen and red dust emission in the Gamma Cassiopeiae nebula IC 63
3644. Wolf, B., Appenzeller, I. 1979, A&A, 78, 15. The UV resonance lines of Zeta 1 Sco
3645. Wolf, B., Appenzeller, I., Cassatella, A. 1980, A&A, 88, 15. IUE and ground based observations of the LMC star S Doradus
3646. Wolf, B., Stahl, O., de Groot, M.J.H., Sterken, C. 1981, A&A, 99, 351. R81: P Cygni of the LMC
3647. Wolf, B., Appenzeller, I., Stahl, O. 1981, A&A, 103, 94. IUE and ground-based spectroscopic observations of the S Dor-type LMC Variable R71 during minimum state
3648. Wolf, B., Stahl, O., Seifert, W. 1987, A&A, 186, 182. High-dispersion spectroscopy of the Of/WN stars R84 and S61 of the Large Magellanic Cloud
3649. Wolf, B., Stahl, O., Smolinski, J., Cassatella, A. 1988, A&AS, 74, 239. Spectroscopy of the present extraordinary bright outburst phase of the LMC S Dor variable R 127
3650. Wolfe, A.M. 1983, APJ, 268, L1. Why high-latitude clouds in our Galaxy and the highly redshifted clouds observed in front of QSOs do not belong to the same parent population
3651. Wolff, B., Jordan, S., Bade, N., Reimers, D. 1995, A&A, 294, 183. ROSAT pointed observations of four X-Ray bright DA white dwarfs
3652. Wolff, B., Jordan, S., Koester, D., Reimers, D. 2000, A&A, 361, 629. The nature of the DAB white dwarf HS 0209+0832
3653. Wolff, S.C., Boesgaard, A.M., Simon, T. 1986, APJ, 310, 360. Activity in F stars
3654. Wollaert, J., Lamers, H., de Jager, C. 1988, A&A, 194, 197. A differential analysis of UV photospheric lines of OBN and OBC stars
3655. Wolven B.C., Feldman P.D. 1998, GeoRL, 25, 1537. Self-Absorption by vibrationally excited H₂ in the Astro-2 Hopkins Ultraviolet Telescope spectrum of the Jovian Aurora
3656. Wonnacott, D., Kellett, B.J., Matthews, L., Clayton, C.A., Bromage, G., Lloyd, C., Sumner, T., Sidher, S. 1992, MNRAS, 259, 251. Delta Cap - the secondary revealed

3657. Wonnacott, D., Kellett, B.J., Stickland, D.J. 1993, MNRAS, 262, 277. IK Peg - a nearby, short-period, Sirius-like system
3658. Wood, B.E., Ayres, T.R. 1995, APJ, 443, 329. A reanalysis of the SWP-HI IUE observations of Capella
3659. Wood, B.E., Linsky, J., Ayres, T. 1997, APJ, 478, 745. Evaluating possible heating mechanisms using the transition region line profiles of late-type stars
3660. Wood, B. E., Karovska, M. 2000, APJ, 535, 304 Studying the Pulsation of Mira Variables in the Ultraviolet
3661. Wood, J.H., Marsh, T.R. 1991, APJ, 381, 551. IUE spectra of the eclipsing binary NN Serpentis
3662. Wood, J.H., Horne, K., Vennes, S. 1992, APJ, 385, 294. Eclipse studies of the dwarf nova HT Cassiopeiae. II. White dwarf and accretion disk
3663. Wood, J. H., Lockley, J. J. 2000, MNRAS, 313, 789. UV spectroscopy of the peculiar binary V Sagittae in a low state
3664. Wood, K.D., Bates, B. 1993, APJ, 417, 572. Observations of nearby interstellar gas and dust in the direction toward the globular cluster Omega Centauri
3665. Wood, M.A., Winget, D.E., Nather, R.E., Hessman, F.V., Liebert, J., Kurtz, D.W., Wesemael, F., Wegner, G. 1987, APJ, 313, 757. The exotic helium variable PG 1346+082
3666. Woods, J.A., Drew, J.E., Verbunt, F. 1990, MNRAS, 245, 323. Time dependence of the UV resonance lines in the cataclysmic variables SU UMa, RX And and 0623+71
3667. Woods, J.A., Verbunt, F., Collier Cameron, A., Drew, J.E., Patters, A. 1992, MNRAS, 255, 237. Time dependence of the UV resonance lines in the cataclysmic variables YZ Cnc, IR Gem, and V3885 Sgr
3668. Woosley, S., Pinto, P., Martin, P., Weaver, T. 1987, APJ, 318, 664. Supernova 1987A in the Large Magellanic Cloud: the explosion of a 20 solar mass star which has experienced mass loss?
3669. Woosley, S.E. 1988, APJ, 330, 218. SN 1987A: after the peak
3670. Worrall, D.M., Puschell, J.J., Jones, B., Bruhweiler, F.C., Aller, M.F., Aller, H.D., Hodge, P.E., Sitko, M.L., Stein, W.A., Zhang, Y.X., Ku, W.H.-M. 1982, APJ, 261, 403. Two multifrequency observations of the BL Lacertae object OJ 287
3671. Worrall, D.M., Puschell, J.J., Bruhweiler, F.C., Sitko, M.L., Stein, W.A., Aller, M.F., Aller, H.D., Hodge, P.E., Rudy, R.J., Miller, H.R., Wisniewski, W.Z., Cordova, F.A., Mason, K.O. 1984, APJ, 284, 512. Multifrequency observations of the BL Lacertae objects OQ 530 and ON 325
3672. Worrall, D.M., Puschell, J.J., Rodriguez-Espinosa, J.M., Bruhweiler, F.C., Miller, H.R., Aller, M.F., Aller, H.D. 1984, APJ, 286, 711. Multifrequency spectral behavior of the BL Lacertae objects OI 90.4 and 3C 66A
3673. Worrall, D.M., Puschell, J.J., Bruhweiler, F.C., Miller, H.R., Rudy, R.J., Ku, W.H.-M., Aller, M.F., Aller, H.D., Hodge, P.E., Matthews, K., Neugebauer, G., Soifer, B.T., Webb, J.R., Pica, A.J., Pollack, J.T., Smith, A.G., Leacock, R.J. 1984, APJ, 278, 521. Two multifrequency observations of 3C 371
3674. Worrall, D.M., Puschell, J.J., Bruhweiler, F.C., Miller, H.R., Aller, M.F., Aller, H.D. 1984, PASP, 96, 699. Multifrequency observations of the quasi-stellar object Ton 1542

3675. Worrall, D.M., Rodriguez-Espinosa, J.M., Wisniewski, W.Z., Miller, H.R., Bruhweiler, F.C., Aller, M.F., Aller, H.D. 1986, APJ, 303, 589. Observations of three BL Lacertae objects: constraints on inhomogeneous relativistically beamed jet models
3676. Worthey, G. 1993, APJ, 415, L91. A method for quantitative detection of hot horizontal branches in early-type galaxies
3677. Wray, J.D., Parsons, S.B., Henize, K.G. 1979, APJ, 234, L187. HD 149499B: the hottest white dwarf?
3678. Wu, C.-C., Boggess, A., Gull, T.R. 1980, APJ, 242, 14. Lyman alpha fluxes of Seyfert galaxies and low-redshift quasars
3679. Wu, C.-C., Boggess, A., Gull, T.R. 1981, APJ, 247, 449. The C IV 1550 profile in type I Seyfert galaxies
3680. Wu, C.-C., Leventhal, M., Sarazin, C., Gull, T. 1983, APJ, 269, L5. High velocity iron absorption lines in supernova remnant 1006
3681. Wu, C.-C., Boggess, A., Gull, T.R. 1983, APJ, 266, 28. Prominent ultraviolet emission lines from type 1 Seyfert Galaxies
3682. Wu, C.-C., Panek, R.J., Holm, A.V., Schmitz, M. 1983, PASP, 95, 391. Ultraviolet observations of the transient X-ray sources A0535+26 and A0620-00
3683. Wu, C.-C., Panek, R.J., Holm, A.V., Raymond, J.C., Hartmann, L.W., Swank, J.H. 1989, APJ, 339, 443. Ultraviolet spectrophotometry and optical and infrared photometry of the old nova GK Persei
3684. Wu, C.-C., Crenshaw, D.M., Fesen, R.A., Hamilton, A.J.S., Sarazin, C.L. 1993, APJ, 416, 247. Faint Object Spectrograph spectra of the broad Fe II absorption lines in the remnant of SN 1006
3685. Wu, C.C., Crenshaw, D., Hamilton, A., Fesen, R., Leventhal, M., Sarazin, C. 1997, APJ, 477, L53. Far-ultraviolet absorption lines in the remnant of SN1006
3686. Wurtz, R., Ellingson, E., Stocke, J., Yee, H. 1993, AJ, 106, 869. Clustering environments of BL Lac objects
3687. Yadoumaru, Y., Tamura, S. 1994, PASP, 106, 165. High-velocity flow in the central part of the highly evolved planetary nebula Abell 30
3688. Yaqoob, T., Warwick, R.S., Makino, F., Otani, C., Sokoloski, J.L., Bond, I.A., Yamauchi, M. 1993, MNRAS, 262, 435. Further probing of the X-ray source in NGC 4151: new constraints on the nuclear geometry
3689. Yi, I., Kenyon, S. 1997, APJ, 477, 379. A laboratory for the magnetized accretion disk model: ultraviolet and x-ray emission from the cataclysmic variable GK Persei
3690. York, D.G., Blades, J.C., Cowie, L.L., Morton, D.C., Songaila, A., Wu, C.-C. 1982, APJ, 255, 467. The gaseous galactic halo as inferred from the line spectra of the galaxies Markarian 509 and Fairall 9
3691. York, D.G., Jura, M. 1982, APJ, 254, 88. Observations of interstellar zinc
3692. York, D.G., Wu, C.-C., Ratcliff, S., Blades, J.C., Cowie, L.L., Morton, D.C. 1983, APJ, 274, 136. Interstellar absorption lines in the spectrum of 3C 273
3693. York, D.G., Ratcliff, S., Blades, J., Cowie, L.L., Morton, D.C., Wu, C.-C. 1984, APJ, 276, 92. Interstellar lines in spectra of extragalactic sources. III. Markarian 509, Arakelian 120, and 3C 273

3694. York, D.G., Caulet, A., Rybski, P., Gallagher, J., Blades, J.C., Morton, D.C., Wamsteker, W. 1990, APJ, 351, 412. Interstellar absorption lines in the galaxy NGC 1705
3695. Yoshii, Y., Takahara, F. 1988, APJ, 326, 1. Galactic evolution and cosmology: probing the cosmological deceleration parameter
3696. Younan, K.F., Dufton, P.L. 1984, MNRAS, 209, 123. Optical and ultraviolet study of five stars in the Pleiades open cluster
3697. Young, A., Snyder, J.A. 1982, APJ, 262, 269. Evidence for accretion activity and obscured hot component stars in W Serpentis type binaries
3698. Young, A., Skumanich, A., MacGregor, K.B., Temple, S. 1990, APJ, 349, 608. High-latitude spot and plage activity on the rapidly rotating M dwarf star Gliese 890
3699. Yung, Y.L., Gladstone, G.R., Chang, K.M., Ajello, J.M., Srivastava, S.K. 1982, APJ, 254, L65. H₂ fluorescence spectrum from 1200 to 1700 Å by electron impact: laboratory study and application to Jovian aurora
3700. Zahnle, K.J., Walker, J.C.G. 1982, RGSP, 20, 280. The evolution of solar ultraviolet luminosity
3701. Zamorani, G., Marano, B., Mignoli, M., Zitelli, V., Boyle, B.J. 1992, MNRAS, 256, 238. The Baldwin effect in complete optically selected samples of quasars
3702. Zanella, R., Wolf, B., Stahl, O. 1984, A&A, 137, 79. Spectroscopy of the shell episode of Eta Car (1981-1983)
3703. Zasova, L., Moroz, V., Esposito, L., Na, C. 1993, ICARUS, 105, 92. SO₂ in the middle atmosphere of Venus: IR measurements from Venera-15 and comparison to UV data
3704. Zdziarski, A., Magdziarz, P. 1996, MNRAS, 279, 21. The origin of the correlation between the uv and X-rays in NGC4151
3705. Zeidler-K.T., E.-M., Weidemann, V., Koester, D. 1986, A&A, 155, 356. Metal abundances in helium-rich white dwarf atmospheres
3706. Zhang, C.Y., Kwok, S. 1991, A&A, 250, 179. Spectral energy distribution of compact planetary nebulae
3707. Zhang, C.Y., Kwok, S. 1992, APJ, 385, 255. The spectra of IC 418 and IC 5117 from 1.5 to 1.75 microns
3708. Zheng, W., O'Brien, P.T. 1990, APJ, 356, 463. Differential line development and the complex structure of the broad-line region in Fairall 9
3709. Zheng, W., Veilleux, S., Grandi, S.A. 1991, APJ, 381, 418. 3C 390.3: modeling variable profile humps
3710. Zheng, W. 1991, APJ, 382, L55. Inference of the extreme-ultraviolet continuum shape of quasars
3711. Zheng, W. 1992, APJ, 385, 127. Inner shell of optically thin gas in active galactic nuclei
3712. Zheng, W., Fang, L.-Z., Binette, L. 1992, APJ, 392, 74. From Fairall 9 to high-z objects: pattern of change in ionization structure
3713. Zheng, W., Kriss, G.A., Davidsen, A.F. 1995, APJ, 440, 606. Relation between O VI emission and X-ray intensity in activegalactic nuclei
3714. Zheng, W., Kriss, G., Davidsen, A., Kruk, J. 1995, APJ, 454, L11. Far-ultraviolet spectrum of Fairall 9 with the Hopkins Ultraviolet Telescope

3715. Zheng, W. 1996, *AJ*, 111, 1498. Study of time variations of uv continuum and emission lines in 3C390.3
3716. Zhou, Y., Yu, K., Young, E., Wang, J., Ma, E. 1997, *APJ*, 475, L9. Statistical properties of the big blue bump in AGN
3717. Zickgraf, F.-J., Wolf, B., Stahl, O., Leitherer, C., Klare, G. 1985, *A&A*, 143, 421. The hybrid spectrum of the LMC hypergiant R 126
3718. Zickgraf, F.-J., Wolf, B., Stahl, O., Leitherer, C., Appenzeller, I. 1986, *A&A*, 163, 119. B[e]-supergiants of the Magellanic Clouds
3719. Zickgraf, F., Wolf, B., Stahl, O., Humphreys, R. 1989, *A&A*, 220, 206. S18: a new B[e] supergiant in the Small Magellanic Cloud with evidence for an excretion disk
3720. Zickgraf, F.-J., Humphreys, R., Lamers, H., Smolinski, J., Wolf, B., Stahl, O. 1996, *A&A*, 315, 510. Spectroscopic study of the outflowing disk winds of Be supergiants in the Magellanic Clouds
3721. Zolcinski, M.C., Antiochos, S.K., Stern, R.A., Walker, A.B.C. 1982, *APJ*, 258, 177. International Ultraviolet Explorer observations of Hyades stars
3722. Zorec, J., Hoflich, P., Divan, L. 1989, *A&A*, 210, 279. Phase variations of 88 Herculis: Do the UV observations confirm a connection between these variations and the changes of the photospheric parameters of the underlying star?
3723. Zsargo J., Federman S.R., 1998, *APJ*, 498, 256. Atomic physics with the Goddard High Resolution Spectrograph on the Hubble Space Telescope. IV. Relative oscillator strengths for singly ionized Nickel
3724. Zuccolo, R., Selvelli, P., Hack, M. 1997, *A&AS*, 124, 425. The changes in the UV emission lines of RR Telescopii from 1978 to 1993. I. The IUE SWP region
3725. Zucker, D.B., Raymond, J.C., Silber, A., Mason, P., Curiel, S., Vrtilik, S., Schlegel, E. 1995, *APJ*, 449, 310. Phase-resolved IUE and optical observations of the polar BY Camelopardalis